Improve Performance with Start Routine

László Mészáros
www.expertise-team.com/explore
@sapbwmentor

pluralsight
hardcore dev and IT training

Overview

Overview



Overview



2%
10%
9%
11%
6%
6%
3%
30%
12%
15%
19%
12%
8%
20%
4%
15%

```
IF month_of_sale = january   AND booktype = children.
  discount_percentage = 30.
ENDIF.


IF month_of_sale = september AND booktype = travel.
  discount_percentage = 15.
ENDIF.
...
```

```
IF month_of_sale = january   AND booktype = children.
  discount_percentage = 30.
ENDIF.


IF month_of_sale = september AND booktype = travel.
  discount_percentage = 15.
ENDIF.
...
```

Solutions


DSO + Select
Hard Coding + IF
Data Maintenance
Code Maintenance

Analysis

```
…

 SELECT SINGLE /bic/zbooktype
   INTO   booktype
   FROM   /bic/mzbook
   WHERE  /bic/zbook  = book_code
   AND    objvers     = active.

 SELECT SINGLE /bic/kdiscperc
   INTO   discount_percentage
   FROM   /bic/azbs01ds00
   WHERE  calmonth2      = month_of_sale
          /bic/zbooktype = booktype.
```

Execution Logic



Execution Logic

Logic	Iterations	Common Practice
	50.000	Target Field Calculations in Memory

Internal Tables

In-memory Tables

Buffering

Comparison

	Database Tables	Internal Tables
Performance	Slow	Fast
Size	Unlimited	Limited
Lifetime	Long	Short

Execution Logic

Logic	Iterations	Common Practice
	50.000	Target Field Calculations in Memory

Execution Logic

Logic	Iterations	Common Practice
Start Routine	1	DB Buffering, Changing Source in Memory
Loop at Records Field Rule 1 Field Rule 2 Field Rule n End Loop	50.000	Target Field Calculations in Memory


Transformation
Start Routine
Select from Database
Field Rule 1
Declaration of Variables
Declaration of Constants
Declaration of Internal Table
Declaration of Work Area
Business Logic
Field Rule 2
Field Rule n


Transformation
Start Routine
Select from Database
Field Rule 1
Declaration of Variables
Declaration of Constants
Declaration of Internal Table
Declaration of Work Area
Business Logic
Field Rule 2
Field Rule n
Syntax Error: "DISCOUNTS_TABLE" is unknown


Transformation
Start Routine
Declaration of Internal Table
Select from Database
Field Rule 1
Declaration of Variables
Declaration of Constants
Declaration of Work Area
Business Logic
Field Rule 2
Field Rule n
Syntax Error: "DISCOUNTS_TABLE" is unknown


Transformation
Declaration of Internal Table
Start Routine
Select from Database
Field Rule 1
Declaration of Variables
Declaration of Constants
Declaration of Work Area
Business Logic
Field Rule 2
Field Rule n



Information Sharing

Information Hiding

Information Hiding

Summary

Flexibility

Data Store Object

Data Maintenance

Summary

Performance

- Start Routine
- Internal Table
- In-memory Operations

Summary