

$\boxed{\Psi \vdash e : \sigma}$	$\Psi ::= \emptyset \mid \Psi, x : \sigma$
$\frac{\text{S-T-VAR} \quad x : \sigma \in \Psi}{\Psi \vdash x : \sigma}$	$\frac{\text{S-T-ABS} \quad \Psi, x : \sigma_1 \vdash e : \sigma_2}{\Psi \vdash \lambda x. e : \sigma_1 \rightarrow \sigma_2}$
$\frac{\text{S-T-APP} \quad \Psi \vdash e_1 : \sigma_2 \rightarrow \sigma \quad \Psi \vdash e_2 : \sigma_2}{\Psi \vdash e_1(e_2) : \sigma}$	$\frac{\text{S-T-STRINGIN-I} \quad s \in \mathcal{L}\{r\}}{\Psi \vdash \text{rstr}[s] : \text{stringin}[r]}$
$\frac{\text{S-T-CONCAT} \quad \Psi \vdash e_1 : \text{stringin}[r_1] \quad \Psi \vdash e_2 : \text{stringin}[r_2]}{\Psi \vdash \text{rconcat}(e_1; e_2) : \text{stringin}[r_1 \cdot r_2]}$	
$\frac{\text{S-T-CASE} \quad \Psi \vdash e_1 : \text{stringin}[r] \quad \Psi \vdash e_2 : \sigma \quad \Psi, x : \text{stringin}[\text{lhead}(r)], y : \text{stringin}[\text{ltail}(r)] \vdash e_3 : \sigma}{\Psi \vdash \text{strcase}(e_1; e_2; x.y.e_3) : \sigma}$	
$\frac{\text{S-T-REPLACE} \quad \Psi \vdash e_1 : \text{stringin}[r_1] \quad \Psi \vdash e_2 : \text{stringin}[r_2] \quad \text{lreplace}(r; r_1; r_2) = r'}{\Psi \vdash \text{rreplace}[r](e_1; e_2) : \text{stringin}[r']}$	
$\frac{\text{S-T-SAFECOERCE} \quad \Psi \vdash e : \text{stringin}[r'] \quad \mathcal{L}\{r'\} \subseteq \mathcal{L}\{r\}}{\Psi \vdash \text{rcoerce}[r](e) : \text{stringin}[r]}$	
$\frac{\text{S-T-CHECK} \quad \Psi \vdash e_0 : \text{stringin}[r_0] \quad \Psi, x : \text{stringin}[r] \vdash e_1 : \sigma \quad \Psi \vdash e_2 : \sigma}{\Psi \vdash \text{rcheck}[r](e_0; x.e_1; e_2) : \sigma}$	

Figure 1: Typing rules for λ_{RS} . The typing context Ψ is standard.

$\boxed{e \Downarrow e}$
$\frac{\text{S-E-RSTR} \quad \text{rstr}[s] \Downarrow \text{rstr}[s]}{\text{rstr}[s] \Downarrow \text{rstr}[s]}$
$\frac{\text{S-E-CONCAT} \quad e_1 \Downarrow \text{rstr}[s_1] \quad e_2 \Downarrow \text{rstr}[s_2]}{\text{rconcat}(e_1; e_2) \Downarrow \text{rstr}[s_1 s_2]}$
$\frac{\text{S-E-CASE-}\epsilon \quad e_1 \Downarrow \text{rstr}[e] \quad e_2 \Downarrow v_2 \quad \text{strcase}(e_1; e_2; e_3) \Downarrow v_2}{\text{strcase}(e_1; e_2; e_3) \Downarrow v_2}$
$\frac{\text{S-E-CASE-CONCAT} \quad e_1 \Downarrow \text{rstr}[ps] \quad e_3 \Downarrow x.y.e_4 \quad [p/x][s/y]e_4 \Downarrow v}{\text{strcase}(e_1; e_2; e_3) \Downarrow v}$
$\frac{\text{S-E-REPLACE} \quad e_1 \Downarrow \text{rstr}[e_1] \quad e_2 \Downarrow \text{rstr}[s_2] \quad \text{subst}(r; s_1; s_2) = s}{\text{rreplace}[r](e_1; e_2) \Downarrow \text{rstr}[s]}$
$\frac{\text{S-E-SAFECOERCE} \quad e \Downarrow \text{rstr}[s]}{\text{rcoerce}[r](e) \Downarrow \text{rstr}[s]}$
$\frac{\text{S-E-CHECK-OK} \quad e \Downarrow \text{rstr}[s] \quad s \in \mathcal{L}\{r\} \quad [\text{rstr}[s]/x]e_1 \Downarrow v}{\text{rcheck}[r](e; x.e_1; e_2) \Downarrow v}$
$\frac{\text{S-E-CHECK-NOTOK} \quad e \Downarrow \text{rstr}[s] \quad s \notin \mathcal{L}\{r\}}{\text{rcheck}[r](e; x.e_1; e_2) \Downarrow e_2}$

Figure 2: Big step semantics for λ_{RS} .

$\boxed{\Theta \vdash \iota : \tau}$	$\Theta ::= \emptyset \mid \Theta, x : \tau$
$\frac{\text{P-T-VAR} \quad x : \tau \in \Theta}{\Theta \vdash x : \tau}$	$\frac{\text{P-T-ABS} \quad \Theta, x : \tau_1 \vdash \iota_2 : \tau_2}{\Theta \vdash \lambda x. \iota_2 : \tau_1 \rightarrow \tau_2}$
$\frac{\text{P-T-APP} \quad \Theta \vdash \iota_1 : \tau_2 \rightarrow \tau \quad \Theta \vdash \iota_2 : \tau_2}{\Theta \vdash \iota_1(\iota_2) : \tau}$	$\frac{\text{P-T-STRING} \quad \Theta \vdash \text{str}[s] : \text{string}}{\Theta \vdash \text{str}[s] : \text{string}}$
$\frac{\text{P-T-REGEX} \quad \Theta \vdash \text{rx}[r] : \text{regex}}{\Theta \vdash \text{rx}[r] : \text{regex}}$	$\frac{\text{P-T-CONCAT} \quad \Theta \vdash \iota_1 : \text{string} \quad \Theta \vdash \iota_2 : \text{string}}{\Theta \vdash \text{concat}(\iota_1; \iota_2) : \text{string}}$
$\frac{\text{P-T-CASE} \quad \Theta \vdash \iota_1 : \text{string} \quad \Theta \vdash \iota_2 : \tau \quad \Theta, x : \text{string}, y : \text{string} \vdash \iota_3 : \tau}{\Theta \vdash \text{pstrcase}(\iota_1; \iota_2; \iota_3) : \tau}$	
$\frac{\text{P-T-REPLACE} \quad \Theta \vdash \iota_1 : \text{regex} \quad \Theta \vdash \iota_2 : \text{string} \quad \Theta \vdash \iota_3 : \text{string}}{\Theta \vdash \text{preplace}(\iota_1; \iota_2; \iota_3) : \text{string}}$	
$\frac{\text{P-T-CHECK} \quad \Theta \vdash \iota_r : \text{regex} \quad \Theta \vdash \iota_1 : \text{string} \quad \Theta, x : \text{string} \vdash \iota_2 : \sigma \quad \Theta \vdash \iota_3 : \sigma}{\Theta \vdash \text{check}(\iota_r; \iota_1; x.\iota_2; \iota_3) : \sigma}$	

Figure 3: Typing rules for λ_P . The typing context Θ is standard.

$\iota \Downarrow \iota$

$\frac{\text{P-E-ABS}}{\lambda x. e \Downarrow \lambda x. e}$	$\frac{\text{P-E-APP} \quad \iota_1 \Downarrow \lambda x. \iota_3 \quad \iota_2 \Downarrow \iota'_2 \quad [\iota_3/x]\iota'_2 \Downarrow v}{\iota_1(\iota_2) \Downarrow v}$	
$\frac{\text{P-E-STR}}{\text{str}[s] \Downarrow \text{str}[s]}$	$\frac{\text{P-E-RX}}{\text{rx}[r] \Downarrow \text{rx}[r]}$	$\frac{\text{P-E-CONCAT} \quad \iota_1 \Downarrow \text{str}[s_1] \quad \iota_2 \Downarrow \text{str}[s_2]}{\text{concat}(\iota_1; \iota_2) \Downarrow \text{str}[s_1 s_2]}$
$\frac{\text{P-E-CASE-}\epsilon \quad \iota_1 \Downarrow \text{str}[\] \quad \iota_2 \Downarrow \iota_2}{\text{pstrcase}(\iota_1; \iota_2; \iota_3) \Downarrow v_2}$		
$\frac{\text{P-E-CASE-CONCAT} \quad \iota_1 \Downarrow \text{str}[ps] \quad x.y.\iota_3 \Downarrow \iota_4 \quad [p/x][s/y]\iota_4 \Downarrow v}{\text{pstrcase}(\iota_1; \iota_2; \iota_3) \Downarrow v}$		
$\frac{\text{P-E-REPLACE} \quad \iota_1 \Downarrow \text{rx}[r] \quad \iota_2 \Downarrow \text{str}[s_2] \quad \iota_3 \Downarrow \text{str}[s_3] \quad \text{subst}(r; s_2; s_3) = s}{\text{preplace}(\iota_1; \iota_2; \iota_3) \Downarrow \text{str}[s]}$		
$\frac{\text{P-E-CHECK-OK} \quad \iota \Downarrow \text{str}[s] \quad s \in \mathcal{L}\{r\} \quad [\text{str}[s]/x]\iota_1 \Downarrow \iota_3}{\text{check}(\text{rx}[r]; \iota; x.\iota_1; \iota_2) \Downarrow \iota_3}$		
$\frac{\text{P-E-CHECK-NOTOK} \quad \iota \Downarrow \text{str}[s] \quad s \notin \mathcal{L}\{r\}}{\text{check}(\text{rx}[r]; \iota; x.\iota_1; \iota_2) \Downarrow \iota_2}$		

Figure 4: Big step semantics for λ_P

$\Psi \vdash \llbracket e \rrbracket = \iota$			
TR-VAR $\frac{}{\Psi \vdash \llbracket x \rrbracket = x}$	TR-ABS $\frac{\Psi \vdash \llbracket e \rrbracket = \iota}{\Psi \vdash \llbracket \lambda x. e \rrbracket = \lambda x. \iota}$	TR-APP $\frac{\Psi \vdash \llbracket e_1 \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_2 \rrbracket = \iota_2}{\Psi \vdash \llbracket e_1(e_2) \rrbracket = \iota_1(\iota_2)}$	TR-CASE $\frac{\Psi \vdash \llbracket e_1 \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_2 \rrbracket = \iota_2 \quad \Psi \vdash \llbracket e_3 \rrbracket = \iota_3}{\Psi \vdash \llbracket \text{strcase}(e_1; e_2; e_3) \rrbracket = \text{pstrcase}(\iota_1; \iota_2; \iota_3)}$
TR-STRING $\frac{}{\Psi \vdash \llbracket \text{rstr}[s] \rrbracket = \text{str}[s]}$	TR-CONCAT $\frac{\Psi \vdash \llbracket e_1 \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_2 \rrbracket = \iota_2}{\Psi \vdash \llbracket \text{rconcat}(e_1; e_2) \rrbracket = \text{concat}(\iota_1; \iota_2)}$	TR-SUBST $\frac{\Psi \vdash \llbracket e_1 \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_2 \rrbracket = \iota_2}{\Psi \vdash \llbracket \text{rreplace}[r](e_1; e_2) \rrbracket = \text{replace}(\text{rx}[r]; \iota_1; \iota_2)}$	
TR-SAFE COERCE $\frac{\Psi \vdash \llbracket e \rrbracket = \iota}{\Psi \vdash \llbracket \text{rcoerce}[r'](e) \rrbracket = \iota}$		TR-CHECK $\frac{\Psi \vdash \llbracket e \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_1 \rrbracket = \iota_1 \quad \Psi \vdash \llbracket e_2 \rrbracket = \iota_2}{\Psi \vdash \llbracket \text{rcheck}[r](e; x.e_1; e_2) \rrbracket = \text{check}(\text{rx}[r]; \iota; x.\iota_1; \iota_2)}$	

Figure 5: Translation from source terms (e) to target terms (ι). The translation is type-directed.

Note that S-E-ABS and S-E-APP are excluded from Figure 1 due to space constraints. However, they resemble the corresponding rules for λ_P ; see the paper for a full definition.