

VIP NOTEBOOK SPRING 2025

January 7

First Meeting: We had an introduction of VIP to new members. Professors went over what was done in the past, the overall mission of the VIP team, as well as a brief overview of what was done in the previous semester. Announcement of notebooks, peer reviews, a high overview of what the class is to look like.

January 14

In this meeting, we had a deeper dive into the groups from last semester for an application that helps enhance student studying experiences and the effectiveness of classes. Professor Cox was out, so Professor Kim gave a presentation on what was done in the previous semester and announced that this semester is going to be an extension of what was done in the last semester.

I helped give the new members context to the Managing Resources team since I was a part of the team in the previous semester and decided to continue working as a member of the team and further build on what we did the previous semester. After everyone chose their groups, I met with my new team members Abhiram, Annarose, and Teresa, and I also gave them a more in depth explanation of what we worked on in the past semester and suggested ideas on how we could further develop in the same direction based on my experience in the previous semester.

This is what I helped brainstorm:

Managing Resources

What are our resources?

- past/current class notes

- past exams

- course materials

- questions and answers

How should they be grouped? 1st priority - grouping by course/subject

- approved by course staff

- sorted by upvotes/downvotes

- If the poster (forgive my reddit terminology) has high karma and is tagged as a good resource by other users

How does this facilitate the other functionalities of the application?

Other app functionalities:

- Sorting users into study groups

- Facilitating interactions (ensuring that people are active and have a good conversion rate to IRL activities)

January 21

Due to the weather, Georgia Tech moved class operations to online. We had the meeting online and discussed the preliminary plans for our design. I suggested to my team that we use Figma for the project design because I felt that it is easy to use and fits our purposes very well (based on my experiences with the two teams I worked on in the past).

January 28

Today we split into our groups and had deeper discussions and brainstormed about our project outline and how we are going to implement our demo. Based on my experiences with the Managing Resources team in Fall 2024, I suggested that we keep and continue developing our previous features such as the upvotes, badges, top contributor status, etc., and add features such as a leaderboard use LLMs to assess the quality of the responses with respect to the accuracy of the resources according to class materials as well as the usefulness of the response itself.

Prototype goal & key features

- 1. How are you defining top contributions, users who need encouragement sharing, and posts that merit badges?**
 - a. Use a system based on viewer input likes, upvotes, etc.
 - b. Award System:
 - i. Course organizers can give awards like top contributor and merit badges
 - ii. Awards can also be given automatically through a certain number of likes/posts
 - iii. Leaderboard (points, upvotes, etc.)
 - c. Resource Credibility:
 - i. Can be approved by a moderator/teacher/TA
 - ii. Can be marked as useful by an AI model
- 2. What data will the prototype use to determine the above?**
 - a. User input (upvotes), course organizer input (contributions, badges)
- 3. Will AI be used to determine the above? If so, how?**
 - a. No
- 4. How will LLM be used to organize content by topic?**
 - a. No
- 5. Are you still planning to conduct sentiment analysis using LLM?**
 - a. Yes, to determine the quality of the resources that were uploaded.
 - b. etc.

User flows & wireframes

- 1. What are the user scenario(s)/user flow(s) that you want to demonstrate through the prototype?**
 - a. Uploading Resources
 - i. Uploading
 1. Pdf
 2. Website/links
 - ii. Tagging

- iii. Interacting with users
 - 1. Commenting
 - 2. Receiving user input (likes, comments, answering)
 - b. Searching For Resources
 - i. Searching
 - ii. Providing user input
 - 1. Commenting
 - 2. Asking questions
 - 3. Upvoting
- 2. Are you aiming for an interactive prototype or just a visual walk-through?**
- a. Visual walk-through on Figma

Test data, data flow, dev environment

- 1. What data do you plan to use to test the prototype? (i.e., real or synthetic)**
 - a. Input data vs. Output data
 - b. User prompts vs. System prompts
- 2. How are you going to obtain your dataset?**
 - a. Use questions and responses from smaller subreddits
 - b. Material from open source courseware & websites
- 3. What is your target sample size and attributes of the dataset?**
 - a. 3-4 classes
 - b. Multiple disciplines (eng, math, english, bio, etc)
 - c. Multiple resource formats
 - i. Links
 - ii. PDF
 - iii. PPT
 - d. Questions

Prototype testing

1. What do you want to test? Define clear and measurable objectives to ensure your test plan will yield actionable test results. For example:
 - I want to test how well the algorithm/AI determines top contributors based on x, y, z measures;
 - I want to test the quality of the prompts used to organize posts based on the AI that are in order of relevance.

We then recorded our responsibilities for the following weeks leading up to the demo. I will be collecting data from existing platforms with similar features (open resources similar to piazza, edstem, etc.) and use LLM to assess quality of responses (usefulness).

February 4th

Erik Li

I created a list of example student questions and responses (with consent from the students asking and responding to the question) we can use for our Figma model. I will also evaluate the effectiveness of the responses using an LLM, which helps model our design.

Some samples from the master list:

question #358

54 views

Final Presentation Proof

For our proof, we have to discuss $NL = coNL$. We use an algorithm called Path that is commonly known to be NL -complete. Do we have to say why it is NL -complete (as that will take a very long time), or can we just blackbox it because it is commonly known, and actually discuss the proof?

project

good question 0

Updated 2 months ago by Anonymous Comp

the students' answer, where students collectively construct a single answer

https://www.cs.toronto.edu/~ashe/logspace_handout.pdf

You can reduce any problem $A \in NL$ to path, it's actually pretty easy. See the attached handout!

(Basically use decoder M and turn it into a graph G_M , prove that it's representable in log space, and run path on it to show that you can get output t from initial configuration s on G_M using transitions)

question #300

stop following 63 views

4-SAT to 4_2-SAT

I understand how to go from 3 to 4 SAT, but I am incredibly stuck on how to go from 4 SAT to 4_2 SAT, could I receive any hints or help please?

hw6

the students' answer, where students collectively construct a single answer

Try converting the 3 SAT problem into the 4_2 SAT instead. Remember, your goal is to ensure that the new problem instance can be solved if and only if the original problem can be solved. Given this, add a new literal to each clause in a satisfiable 3 SAT problem and think about what the literals' values have to be in order for the clauses to satisfy the 4_2 SAT problem. Do the literals all have to be the same value?

thanks! 0

Updated 3 months ago by Erik Li

question #301

stop following 60 views

SUBGRAPH-WEIGHT

Could we receive any hints on what problem to reduce to SUBGRAPH-WEIGHT, as I have thought of many and I am really stuck. Thank you.

hw6

good question 0

Updated 3 months ago by Tyler Robert Cady

the students' answer, where students collectively construct a single answer

Try reducing from the Subset Sum problem. Note that you can choose to give weights to just edges or just vertices of the graph of the subgraph weight problem and set the weights of the remaining components to anything else.

thanks! 1

Updated 3 months ago by Erik Li

Today we mainly listened to a guest presentation by Daniel Osagie. I learned about several technologies that we could use in our project, including LLMs, IDEs, and many types of services including free database management services like Supabase.

Erik Li

Professor Kim talked about types of prototype testing, which I think will be very useful for improving our projects. She discussed low and high fidelity as well as the functions of prototypes.

February 11, 2025

This week I worked on generating LLM assessments for answers to forum questions:

The screenshot shows a forum interface. At the top, there's a header with a question icon, the text "question #358", and a star icon. On the right, it says "54 views" and "Actions". Below this is the title "Final Presentation Proof". The question text reads: "For our proof, we have to discuss $NL = coNL$. We use an algorithm called Path that is commonly known to be NL -complete. Do we have to say why it is NL -complete (as that will take a very long time), or can we just blackbox it because it is commonly known, and actually discuss the proof?". There's a "project" tag below the question. A bar below the question contains an "Edit" button, the text "good question", and a "0" count. On the right of this bar, it says "Updated 2 months ago by Anonymous Comp". Below the question is a section for "the students' answer, where students collectively construct a single answer". It includes a link: https://www.cs.toronto.edu/~ashe/logspace_handout.pdf. The answer text says: "You can reduce any problem $A \in NL$ to path, it's actually pretty easy. See the attached handout!". At the bottom, in parentheses, it says: "(Basically use decider M and turn it into a graph G_M , prove that it's representable in log space, and run path on it to show that you can get output t from initial configuration s on G_M using transitions)".

LLM Responses

(GPT 4o)

Prompts - assess the response to the question in the image above

****Question Summary:****

The question asks whether, in a proof involving $NL = coNL$ and the NL -completeness of the Path algorithm, the presenters need to explain *why* Path is NL -complete (which would take a long time) or if they can "blackbox it" (treat it as a given) and focus on the main proof.

****Response Assessment:****

The provided "students' answer" gives a high-level direction for proving NL -completeness, including a link to a handout. It suggests reducing any problem A in NL to Path, which is a standard approach. The parenthetical explanation outlines the general idea: using a decider M to create a graph G_M , proving its representability in log space, and running Path on it to show the ability to get from an initial configuration to an output configuration.

****Here's a breakdown of the response's strengths and weaknesses:****

* **Strengths:**

* **Correct Approach:** The response correctly identifies reduction to Path as the way to show NL-completeness.

* **Provides direction:** It gives the basic steps involved in the reduction.

* **Links to a Resource:** The handout could be helpful.

* **Weaknesses:**

* **Not a Direct Answer:** It doesn't *directly* answer the question of whether to explain *why* Path is NL-complete.

* **Lacks Detail:** It's very high-level. A presentation would likely need more specifics.

* **Assumes Background:** It assumes the audience is familiar with concepts like "decider M," "graph $G \setminus M$," and log-space representability.

Overall Assessment:

The "students' answer" is a *starting point* for understanding how to demonstrate that an algorithm is NL-complete. However, it doesn't fully address the original question. It describes the *how*, but not the *whether* regarding explaining the NL-completeness of Path.

Recommendation for the Original Question:

Based on the provided information, here's my recommendation for the original question about the presentation:

* **Briefly Acknowledge NL-Completeness of Path:** It's probably best to *briefly* mention *why* Path is NL-complete, even if you don't go into exhaustive detail.

* **Refer to Standard Proofs:** State that the NL-completeness of Path is a well-established result and can be found in standard textbooks or resources on complexity theory (perhaps referencing the linked handout, if it contains a proof).

* **Focus on the Core Proof ($NL = coNL$):** Emphasize that the core of your presentation is the $NL = coNL$ proof, and you're only mentioning the NL-completeness of Path to provide context.

* **Know the Proof (at least in outline):** Be prepared to give a *very* high-level sketch of *why* Path is NL-complete if someone asks. The response's outline of reducing an NL problem to Path provides a starting point for this.

question @300

stop following 63 views

4-SAT to 4_2-SAT

I understand how to go from 3 to 4 SAT, but I am incredibly stuck on how to go from 4 SAT to 4_2 SAT, could I receive any hints or help please?

hw6

S the students' answer, where students collectively construct a single answer

Try converting the 3 SAT problem into the 4_2 SAT instead. Remember, your goal is to ensure that the new problem instance can be solved if and only if the original problem can be solved. Given this, add a new literal to each clause in a satisfiable 3 SAT problem and think about what the literals' values have to be in order for the clauses to satisfy the 4_2 SAT problem. Do the literals all have to be the same value?

Actions

0

Updated 3 months ago by Erik Li

****Question Summary:****

The question asks for hints or help on how to reduce 4-SAT to 4_2-SAT (where 4_2-SAT is a variation of 4-SAT).

****Response Assessment:****

The "students' answer" provides the following guidance:

1. ****Convert 3-SAT to the 4_2-SAT problem instead.**** This is the critical first step. The overall goal is to reduce 4-SAT to 4_2-SAT.
2. ****Ensure Equisatisfiability:**** "Remember, your goal is to ensure that the new problem instance can be solved if and only if the original problem can be solved." This emphasizes the key property of a reduction: preserving satisfiability.
3. ****Add a New Literal:**** "Given this, add a new literal to each clause in a satisfiable 3 SAT problem and think about what the literals' values have to be in order for the clauses to satisfy the 4_2 SAT problem."
4. ****Literal Value Considerations:**** "Do the literals all have to have the same value?" This prompts the solver to consider how the introduced literals interact with the existing ones.

****Here's a breakdown of the response's strengths and weaknesses:****

*** **Strengths:****

- * ****Identifies Key Step:**** Correctly points out the need to convert from 3-SAT (or a variant of 3-SAT) to 4_2-SAT, instead of directly tackling 4-SAT.
- * ****Emphasizes Equisatisfiability:**** This is crucial for a valid reduction.
- * ****Provides a Concrete Action:**** Suggests adding a new literal to each clause.
- * ****Guides the Solver:**** Prompts the solver to think about the consequences of adding the new literal.

*** **Weaknesses:****

- * ****High-Level:**** The response provides *hints* and guidance, but doesn't offer a complete, detailed solution. It requires the solver to do significant work to fill in the gaps.

Erik Li

* **Ambiguous 3-SAT Context:** The question implies that the solver has already managed to reduce from 4-SAT to 3-SAT (as stated in the question: "I understand how to go from 3 to 4 SAT"). The suggested reduction assumes there is a formula in 3-SAT available, so this needs to be clarified.

* **Lacks Specifics:** The answer does not specify *which* literal to add or *how* its value should be related to the other literals in the clause to ensure equisatisfiability.

Overall Assessment:

The "students' answer" is a decent *hint* for reducing 4-SAT to 4₂-SAT. It correctly identifies the strategic shift of working with 3-SAT and provides the crucial suggestion of adding a new literal. It emphasizes the importance of equisatisfiability. However, it's far from a complete solution. A solver would need to experiment and reason carefully to determine the appropriate literal and how to manage its value to create a valid reduction.

To improve the answer, one could add:

- * A more explicit indication of how to get from 4-SAT to 3-SAT. This would address the comment that the solver knows how to do it, as it needs to be available.
- * More detail on *which* new literal to add and *how* its value should relate to the existing literals.
- * A brief example to illustrate the construction.

The screenshot shows a Stack Overflow question page. At the top, it says "question 9301" with a "stop following" button and "60 views". The title is "SUBGRAPH-WEIGHT". Below the title is the question text: "Could we receive any hints on what problem to reduce to SUBGRAPH-WEIGHT, as I have thought of many and I am really stuck. Thank you." There is a tag "hw6". Below the question is a section for "the students' answer, where students collectively construct a single answer". The answer text says: "Try reducing from the Subset Sum problem. Note that you can choose to give weights to just edges or just vertices of the graph of the subgraph weight problem and set the weights of the remaining components to anything else." The page also shows "Edit" buttons, "good question" status, and update timestamps.

Question Summary:

The question asks for hints on how to reduce to the SUBGRAPH-WEIGHT problem. The asker indicates they've tried many approaches and are stuck.

Response Assessment:

The "students' answer" suggests the following:

- * **Reduce from Subset Sum:** The solver should try reducing from the Subset Sum problem.

- * **Assign Weights to Edges/Vertices:** They can choose to give weights to either just edges or just vertices of the graph in the SUBGRAPH-WEIGHT problem.
- * **Set Remaining Weights:** Set the weights of the remaining components to anything else.

Here's a breakdown of the response's strengths and weaknesses:

Strengths:

- * **Suggests Relevant Problem:** Reducing from Subset Sum is a reasonable approach for problems involving finding subsets with specific properties, which SUBGRAPH-WEIGHT can be framed as.
- * **Offers Flexibility:** Points out the freedom to choose between edge or vertex weights.
- * **Provides Guidance on Remainder:** Gives a general strategy for handling the parts of the graph not directly related to the Subset Sum instance.

Weaknesses:

- * **High-Level and Vague:** The response is extremely high-level. It doesn't explain *how* to map a Subset Sum instance to a graph, *which* vertices or edges to weight, or *what* "anything else" should be.
- * **Lacks Detail:** There's no specific advice on how the target weight in Subset Sum relates to the desired subgraph weight. This is the *crucial* connection that the answer completely misses.
- * **Assumes Familiarity:** Assumes the solver knows how to represent a Subset Sum instance as a graph with weighted vertices or edges. This is the challenging part, and the answer provides no guidance.

Overall Assessment:

The "students' answer" is a very weak hint. While suggesting Subset Sum is a good starting point, the rest of the answer is so vague that it's unlikely to be helpful to someone who is already stuck. It lacks the concrete steps and mapping details necessary to guide the solver towards a solution. It tells the solver *what* problem to reduce from but not *how* to perform the reduction.

To significantly improve the answer, one could add:

- * **Specific Construction Details:** Provide a detailed mapping of a Subset Sum instance (a set of numbers and a target sum) to a SUBGRAPH-WEIGHT instance (a graph, weights on vertices/edges, and a target weight).
- * **Explain Weight Assignment:** Explain how the numbers in the Subset Sum instance translate into weights in the graph.
- * **Explain Target Weight:** Clearly state how the target sum in the Subset Sum instance relates to the target subgraph weight in the SUBGRAPH-WEIGHT instance.
- * **Illustrative Example:** Include a small example to demonstrate the reduction.

Without these details, the answer is essentially useless.

SCORE THE RESPONSES

Okay, based on the previous assessments and considering the context of being "students' answers" intended to provide hints, here's a score for each response on a scale of 1 to 5 (1 being the worst, 5 being the best):

****Response 1: Final Presentation Proof (NL = coNL)****

* ****Score: 3/5****

* ****Justification:**** The response identifies the correct approach (reduction to Path) and gives a reasonable outline of the proof. The link to the handout is a valuable addition. The primary weakness is that it doesn't directly address the question of how much to explain **why** Path is NL-complete, leaving it somewhat ambiguous. It does provide a basis for answering the presenter's question, by outlining how Path's completeness could be proved.

****Response 2: 4-SAT to 4_2-SAT****

* ****Score: 4/5****

* ****Justification:**** This response provides a good strategic hint (converting from 3-SAT) and a key tactical suggestion (adding a literal). It correctly emphasizes equisatisfiability. The main weakness is that it's a high-level hint and requires the solver to do significant work to fill in the details. It could have benefited from slightly more specific guidance on **which** literal to add and **how** to relate its value. In the context of hint-giving, it's effective, as it provides the direction to the solver, and lets the solver do the hard work.

****Response 3: SUBGRAPH-WEIGHT****

* ****Score: 2/5****

* ****Justification:**** This response identifies a reasonable starting point (reducing from Subset Sum). However, the rest of the answer is too vague to be genuinely helpful to someone who is stuck. It lacks the critical details on **how** to map a Subset Sum instance to the SUBGRAPH-WEIGHT instance. The high-level nature of the response makes it minimally useful in guiding the asker towards a solution. It provides less information than either of the other two responses.

Here are the slides I made for the demo:

question #358

64 views

Final Presentation Proof

For our proof, we have to discuss $NL = coNL$. We use an algorithm called Path that is commonly known to be NL -complete. Do we have to say why it is NL -complete (as that will take a very long time), or can we just blackbox it because it is commonly known, and actually discuss the proof?

project

[Edit](#)
[good question](#)
0

Updated 2 months ago by Anonymous Comp

S

the students' answer, where students collectively construct a single answer

https://www.cs.toronto.edu/~ashe/logspace_handout.pdf

You can reduce any problem $A \in NL$ to path, it's actually pretty easy. See the attached handout!

(Basically use decider M and turn it into a graph G_M , prove that it's representable in log space, and run path on it to show that you can get output 1 from initial configuration s on G_M using transitions)

Actions

* **Score: 3/5**
 * **Justification:** The response identifies the correct approach (reduction to Path) and gives a reasonable outline of the proof. The link to the handout is a valuable addition. The primary weakness is that it doesn't directly address the question of how much to explain "why" Path is NL -complete, leaving it somewhat ambiguous. It does provide a basis for answering the presenter's question, by outlining how Path's completeness could be proved.

question #300

stop following 63 views

4-SAT to 4_2-SAT

I understand how to go from 3 to 4 SAT, but I am incredibly stuck on how to go from 4 SAT to 4_2 SAT, could I receive any hints or help please?

hw6

S

the students' answer, where students collectively construct a single answer


Try converting the 3 SAT problem into the 4_2 SAT instead. Remember, your goal is to ensure that the new problem instance can be solved if and only if the original problem can be solved. Given this, add a new literal to each clause in a satisfiable 3 SAT problem and think about what the literals' values have to be in order for the clauses to satisfy the 4_2 SAT problem. Do the literals all have to be the same value?

Actions


[Edit](#)
[thanks!](#)
0

Updated 3 months ago by Erik Li

* **Score: 4/5**
 * **Justification:** This response provides a good strategic hint (converting from 3-SAT) and a key tactical suggestion (adding a literal). It correctly emphasizes equisatisfiability. The main weakness is that it's a high-level hint and requires the solver to do significant work to fill in the details. It could have benefited from slightly more specific guidance on "which" literal to add and "how" to relate its value. In the context of hint-giving, it's effective, as it provides the direction to the solver, and lets the solver do the hard work.



The screenshot shows a Stack Overflow question titled "SUBGRAPH-WEIGHT" with a score of 2/5. The question asks for hints on reducing 4-SAT to SUBGRAPH-WEIGHT. The answer, provided by "the students", suggests reducing from the Subset Sum problem. The justification text states: "This response identifies a reasonable starting point (reducing from Subset Sum). However, the rest of the answer is too vague to be genuinely helpful to someone who is stuck. It lacks the critical details on *how* to map a Subset Sum instance to the SUBGRAPH-WEIGHT instance. The high-level nature of the response makes it minimally useful in guiding the asker towards a solution. It provides less information than either of the other two responses."



The screenshot shows a detailed response assessment for the "SUBGRAPH-WEIGHT" question. It includes a question summary, a response assessment, and an overall assessment. The assessment highlights the strengths and weaknesses of the response, noting that it provides a reasonable starting point but is too vague for a complete solution. The overall assessment concludes that the response is a decent "hint" but lacks the critical details needed for a full solution.

Professors gave great feedback on the presentation and demo. I was asked about how we are to deal with the ground truth for the scoring values in the LLM quality assessment. We will work on this by incorporating the professors' helpful suggestion of using certain example documents from the professor and TAs of courses as the ground truth training data. We will also focus on combining the sentiment analysis and LLM quality assessment mechanisms.

February 18, 2025

Today we have a work session where we are going over the comments left by Professor Kim on our project plan. We edited our plan based on the feedback given:

Erik Li

<https://docs.google.com/document/d/12JzBPn0uzEvKcellO3W1qYtzRISDlw5jMUtMfzQ9gyk/edit?tab=t.0>

We're also planning how we are going to test our project. We are looking to test the tagging and LLM analysis of responses.

Professor Kim gave us great suggestions as to what tools we could use for testing, including grok and agenta.ai. She also suggested we could use LLMs for summarization.

February 25, 2025

Our team is still working on our testing. We have formalized a plan on how we are going to test our implementations, but we have yet to test. Our next step is beginning the actual testing of our creations.

After discussion with the Professors, I'm thinking that we can proceed with the ground truth evaluation of the LLM's evaluation of the quality of student responses by asking LLM about evaluation metrics that can be used in such a way and specifying what method it should use when prompted to evaluate a response. For the ground truth data, we can find high rated responses to questions on public forums within a particular field/topic we are familiar with (specific resource example could be Stack Exchange).

Professor Kim's presentation on the project she has led was very insightful. I'm thinking that we could follow a similar format for concept testing inspired by what she did with her team.

March 4, 2025

This week, we worked on finalizing the tests. We will be looking to use a rubric in order to generate LLM evaluations of the quality of student responses. Using this mechanism along with ground-truth documents such as lecture notes, we can effectively use LLMs to rigorously assess the responses of the students. This is the slide show we prepared for the presentation:

https://docs.google.com/presentation/d/1xJfsxaaMh-u8HeW30kmU_TLfcio-flpYNXuX0Wd8ZPk/edit#slide=id.g333e4419c69_4_54

March 11, 2025

This week, we are planning on implementing the testing using the rubric. I will be creating another rubric for the LLM to use to evaluate responses for quality. It will grade the effectiveness of the responses in answering the students' questions. This mechanism would work similarly to how we are assessing the quality of the documents posted. We will look into incorporating the testing and tagging features into the interface and get a working MVP for the demo.

Professor Kim also suggested that we create an architectural diagram that displays the current and future developments of our application using a platform like Figma

Erik Li

March 25, 2025

We have been continuing our work on the LLM quality assessment using the rubric.

When working on my part, I ran into some issues implementing the mechanism, since we don't actually have an LLM API we could actually use. I'm thinking about just inputting prompts manually and displaying responses in the demo. Rest of my teammates agreed to this approach. I also looked into using Figma to display the current and future developments of our application, coming up with a plan just in case we have enough time for this.

Today we have a guest speaker Carter Montgomery. He presented his secondary research on transactive memory, which is essentially "who knows what" and who on a team has specialized knowledge in certain domains. I feel like this gives me insight into how we can enhance our team's efficiency and group dynamic. Although we only have a few weeks left, we can use AI to augment transactive memory systems within our team, since we have varying domain expertise. AI can be used to replace the need for someone who knows "who knows what," making finding domain expertise extremely efficient.

April 1, 2025

We are continuing to finalize our project and plan for the presentations. I am designing and finalizing slides for our feedback mechanism.

April 8, 2025

We continue the work from above. I will be presenting part of the feedback mechanism functionality and the future directions for our work.

April 15, 2025

Presentations