

IOC Type	UDM Field Name	RawLog Field Name	UDM Field Value	Logic	Description	Remark
	entity.metadata.vendor_name		Cyware	"metadata.vendor_name" => "Cyware"		
	entity.metadata.product_name		Cyware Intel Exchange	"metadata.product_name" => "Cyware Intel Exchange"		
				<pre> if [ioc_type] == "domain-name" { "entity.metadata.entity_type" => "DOMAIN_NAME" } else if [ioc_type] in ["ipv6-addr", "ipv4-addr"] { "entity.metadata.entity_type" => "IP_ADDRESS" } else if [ioc_type] == "url" { "entity.metadata.entity_type" => "URL" } else if [ioc_type] == "file" { "entity.metadata.entity_type" => "FILE" } else if [ioc_type] == ["email-addr", "user-account"] { "entity.metadata.entity_type" => "USER" } else if [ioc_type] in ["autonomous-system", "network-traffic", "windows-registry-key", "directory", "email-message", "mac-addr", "mutex", "process", "software", "x509-certificate", "yara", "artifact"] "entity.metadata.entity_type" => "RESOURCE" } </pre>		
	entity.metadata.entity_type	ioc_type, indicator_type.type	IP_ADDRESS		Returns the type of indicator.	
	entity.metadata.product_entity_id	sdo_name, name	178.16.55.109		Returns the name of the indicator record.	
	entity.metadata.creation_timestamp	ctix_created	1766421160.49317		Returns the time in epoch when the indicator record is created in ctix app	
	entity.metadata.threat.threat_id	id	3feb7f28-8716-4687-b484-fa2dcb4693ad		Returns the unique identifier for the indicator record.	
	entity.metadata.threat.risk_score	ctix_score	82		Returns the confidence score of the indicator	
	entity.metadata.interval.start_time	valid_from	1764844344.0		Returns the time in epoch from when the indicator record is valid	
	entity.metadata.interval.end_time	valid_until	1767434400.0		Returns the time in epoch till when the indicator record is valid	
	entity.metadata.threat.severity			<pre> if [severity] =~ "(?i)^high\$" { "entity.metadata.threat.severity" => "HIGH" } else if [severity] =~ "(?i)^medium\$" { "entity.metadata.threat.severity" => "MEDIUM" } else if [severity] =~ "(?i)^low\$" { "entity.metadata.threat.severity" => "LOW" } else if [severity] =~ "(?i)^unknown\$" { "entity.metadata.threat.severity" => "UNKNOWN_SEVERITY" } else if [severity] =~ "(?i)^na\$" { "entity.metadata.threat.severity" => "NONE" } else { "entity.metadata.threat.severity" => "UNKNOWN_SEVERITY" } </pre>	Returns the risk severity level of the indicator.	
	entity.metadata.threat.severity_details	severity	HIGH		Returns the risk severity level of the indicator.	
	entity.metadata.threat.threat_feed_name		Cyware Intel Exchange	"entity.metadata.threat.threat_feed_name" => "Cyware Intel Exchange"		
	entity.metadata.description		<u>Test Description</u>		Returns the source description of the indicator.	We've observed that response returns the description value with the html tags
	entity.entity.investigation.risk_score	analyst_score	50		Returns the score assigned to the threat data indicator by an analyst.	

IOC Type	UDM Field Name	RawLog Field Name	UDM Field Value	Logic	Description	Remark
Entity Common	entity.entity.investigation.priority			<pre> if [custom_scores][x_ctix_customscore_1] == "(?)^critical\$" { "event.idm.entity.entity.investigation.priority" => "PRIORITY_CRITICAL" } else if [custom_scores][x_ctix_customscore_1] == "(?)^high\$" { "event.idm.entity.entity.investigation.priority" => "PRIORITY_HIGH" } else if [custom_scores][x_ctix_customscore_1] == "(?)^medium\$" { "event.idm.entity.entity.investigation.priority" => "PRIORITY_MEDIUM" } else if [custom_scores][x_ctix_customscore_1] == "(?)^low\$" { "event.idm.entity.entity.investigation.priority" => "PRIORITY_LOW" } else if [custom_scores][x_ctix_customscore_1] == "(?)^info\$" { "event.idm.entity.entity.investigation.priority" => "PRIORITY_INFO" } else { "event.idm.entity.entity.investigation.priority" => "PRIORITY_UNSPECIFIED" } </pre>	Returns the custom score in string format of the indicator set by an analyst. Possible values (Low, Medium, High)	
	entity.entity.investigation.severity_score	custom_scores.x_ctix_customscore_1	50			
		custom_scores.x_ctix_customscore_2	40		Returns the custom score in number format of the indicator set by an analyst. (Possible values from 0-100000)	
	additional.fields["indicator_type_attribute_field"]	indicator_type.attribute_field	SHA-1		Returns the attribute field of indicator.	
	additional.fields["is_actioned"]	is_actioned	false		Returns the boolean value whether the indicator is actioned or not	
	additional.fields["is_deprecated"]	is_deprecated	false		Returns the boolean value whether the indicator is deprecated or not	
	additional.fields["is_false_positive"]	is_false_positive	false		Returns the boolean value whether the indicator is marked false positive or not	
	additional.fields["is_reviewed"]	is_reviewed	false		Returns the boolean value whether the indicator is reviewed or not	
	additional.fields["is_revoked"]	is_revoked	false		Returns the boolean value whether the indicator is revoked or not	
	additional.fields["is_whitelist"]	is_whitelist	false		Returns the boolean value whether the indicator is whitelisted or not	
	entity.metadata.source_labels["source_name_{index}"]	sources[].name	Alien Vault		Returns the name of the source of the indicator.	
	entity.metadata.source_labels["source_first_seen_{index}"]	sources[].first_seen	1764844344		Returns the time in epoch when the source record's first seen	
	entity.metadata.source_labels["source_last_seen_{index}"]	sources[].last_seen	1764844344		Returns the time in epoch when the source record's last seen	
	entity.metadata.source_labels["source_score_{index}"]	sources[].score	100		Returns the confidence score of the source	
	entity.metadata.source_labels["source_tlp_{index}"]	sources[].tlp	CLEAR		Returns the Traffic Light Protocol (TLP) of the source.	
	entity.metadata.source_labels["source_tlp"]	source_tlp	CLEAR			
	entity.metadata.source_labels["source_modified"]	modified	1766420314.565488		Returns the time in epoch when the record is modified from it's source	
	entity.metadata.source_labels["source_created"]	created	1764844344.0		Returns the time in epoch when the indicator record is created from it's source	
	additional.fields["ctix_tlp"]	ctix_tlp	AMBER		Returns the Traffic Light Protocol (TLP) of the indicator record.	
	entity.entity.namespace, additional.fields["tenant_name"]	tenant_name	tenant-1		Returns the tenant name provided by user while deploying ingestion script	
	additional.fields["analyst_tlp"]	analyst_tlp	CLEAR		Returns the Traffic Light Protocol (TLP) of the indicator set by analyst	
	additional.fields["enrichment_data_{index}_tool"]	enrichment_data[].tool	GreyNoise Community		Returns the enrichment tool name.	
	additional.fields["enrichment_data_{index}_tool_response"]	enrichment_data[].tool_response	{\\"ip\\": \\"178.16.55.109\\", \\"noise\\": \\"False\\", \\"riot\\": \\"False\\", \\"message\\": \\"IP not observed scanning the internet or contained in RIOT data set.\\", \\"updated\\": 1767631539}		Returns the enrichment details.	

IOC Type	UDM Field Name	RawLog Field Name	UDM Field Value	Logic	Description	Remark
	additional.fields["enrichment_data_{(index)_tool_response_{(tool_response_key)}}"]	enrichment_data[.].tool_response.{key}	{\\"ip\\": \"178.16.55.109\\", \\"noise\\": \\"False\\", \\"riot\\": \\"False\\", \\"message\\": \\"IP not observed scanning the internet or contained in RIOT data set\\", \\"updated\\": 1767631539}		Returns the enrichment details.	
	additional.fields["%(custom_attribute_name)"]	custom_attributes. custom_attribute_name, custom_attributes. custom_attribute_value	source_threat_score, 60		Returns the custom attributes fields of the indicator	Other fields like be custom_attribute_value_float, custom_attribute_value_integer will not be extracted from custom attributes
	additional.fields["sub_type"]	sub_type			Returns the sub-type of an indicator. Returns null if the threat data object is not an indicator. Returns hash type for hashes and value for other indicators.	
	additional.fields["sdo_type"]	sdo_type	indicator		Returns SDO type	
	additional.fields["manual_review"]	manual_review	false		Returns true if the threat data is marked for manual review by an analyst.	
	additional.fields["published_collections_{(index)_id}"]	published_collections.id	8c9e459f-5164-4f56-9a65-6a3004977cef			
	additional.fields["published_collections_{(index)_name}"]	published_collections.name	default		Returns a list of JSON objects for the collections in which the IOC is published.	
	entity.entity.security_result.detection_fields["relations_{(sdo_type)_{(index)}}"]	relations.{relation_type}[]	"relations":{ "malware":["IMDDOS"], "indicator":["9090"], "report":["IMDDOS Botnet"] },		Returns a list of related threat data objects.	
IP	entity.entity.artifact.ip	sdo_name, name	178.16.55.109		Returns the name of the indicator record.	
	entity.entity.ip	sdo_name, name	178.16.55.109		Returns the name of the indicator record.	
	entity.entity.artifact.tags	tags	["Mandiant/APT28", "Mandiant Exclusive"]		Returns the list of tags associated with the indicator record.	
	entity.entity.artifact.location.country_or_region	country	Germany		indicator record country origin	
	entity.metadata.threat.last_updated_time	ctix_modified	1766411385.00215		Returns the time in epoch when the indicator record is modified in ctix app	
	entity.entity.artifact.first_seen_time	first_seen			Returns the first seen date and time of the threat data object.	
	entity.entity.artifact.last_seen_time	last_seen			Returns the last seen date and time of the threat data object.	
Url	entity.entity.url, entity.entity.url_metadata.last_final_url	sdo_name, name	https://com-qweeae.top/		Returns the name of the indicator record.	
	entity.entity.location.country_or_region	country	Germany		indicator record country origin	
	entity.metadata.threat.last_updated_time	ctix_modified	1766411385.00215		Returns the time in epoch when the indicator record is modified in ctix app	
	entity.metadata.threat.first_discovered_time	first_seen			Returns the first seen date and time of the threat data object.	
	entity.metadata.threat.last_discovered_time	last_seen			Returns the last seen date and time of the threat data object.	
	entity.entity.url_metadata.tags	tags	["Mandiant/APT28", "Mandiant Exclusive"]		Returns the list of tags associated with the indicator record.	
	entity.entity.domain.name	sdo_name, name	bs411.bluewinnt.com		Returns the name of the indicator record.	
Domain	entity.entity.hostname	sdo_name, name	bs411.bluewinnt.com		Returns the name of the indicator record.	
	entity.entity.domain.tags	tags	["Mandiant/APT28", "Mandiant Exclusive"]		Returns the list of tags associated with the indicator record.	
	entity.entity.location.country_or_region	country	Germany		indicator record country origin	
	entity.entity.domain.update_time	ctix_modified	1766411385.00215		Returns the time in epoch when the record is modified in ctix app	
	entity.entity.domain.first_seen_time	first_seen			Returns the first seen date and time of the threat data object.	
	entity.entity.domain.last_seen_time	last_seen			Returns the last seen date and time of the threat data object.	
	entity.entity.file.names	sdo_name, name	554d11938bbc5254c2af6c9abf26f71c9a7d5a3		Returns the name of the indicator record.	
	entity.entity.file.tags	tags	["Mandiant/APT28", "Mandiant Exclusive"]		Returns the list of tags associated with the entity record.	
	entity.entity.file.last_modification_time	ctix_modified	1766411385.00215		Returns the time in epoch when the record is modified in ctix app	
	entity.entity.file.first_seen_time	first_seen			Returns the first seen date and time of the threat data object.	

IOC Type	UDM Field Name	RawLog Field Name	UDM Field Value	Logic	Description	Remark
File	entity.entity.file.last_seen_time	last_seen			Returns the last seen date and time of the threat data object.	
	entity.entity.location.country_or_region	country	Germany		indicator record country origin	
	entity.entity.file.sha1	sdo_name, name	554d11938bbc5254c2af6c9abf26f71c9a7d5a3	if [indicator_type.attribute_field] == "SHA-1" { "entity.entity.file.sha1" => "%(sdo_name or name)" }	Returns the name of the indicator record.	
	entity.entity.file.sha256	sdo_name, name	5798aefb07e12a942672a60c2be101dc26b01485616713e8be1f68b321747f2f	if [indicator_type.attribute_field] == "SHA-256" { "entity.entity.file.sha1" => "%(sdo_name or name)" }	Returns the name of the indicator record.	
	entity.entity.file.md5	sdo_name, name	59e43ed8c37082f899489caf9b0f2baf	if [indicator_type.attribute_field] == "MD5" { "entity.entity.file.md5" => "%(sdo_name or name)" }	Returns the name of the indicator record.	
User	entity.entity.user.first_seen_time	first_seen			Returns the first seen date and time of the threat data object.	
	entity.metadata.threat.first_discovered_time	first_seen				
	entity.metadata.threat.last_discovered_time	last_seen			Returns the last seen date and time of the threat data object.	
	entity.entity.user.email_addresses	sdo_name, name	no-reply.doc333@ksmus.virtoshare.com		Returns the name of the indicator record.	
	entity.entity.location.country_or_region	country	Germany		indicator record country origin	
	entity.entity.user.product_object_id	id	3feb7f28-8716-4687-b484-fa2dcb4693ad		Returns the unique identifier for the indicator record.	
	entity.entity.labels["tags_%(index)"]	tags	["extension", "uac-bypass", "process-hollowing"]		Returns the list of tags associated with the indicator record.	
	entity.metadata.threat.last_updated_time	ctix_modified	1766411385.00215		Returns the time in epoch when the indicator record is modified in ctix app	
Other IOCs	entity.entity.user.user_display_name	sdo_name, name	john	if [ioc_type] == "user-account" { "entity.entity.user.user_display_name" => "%(sdo_name or name)" }	Returns the name of the indicator record.	
	entity.entity.resource.name	sdo_name, name	HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run		Returns the name of the indicator record.	File hash other than SHA-1, SHA-256 and MD5 will be mapped to resource.name
	entity.entity.resource.resource_subtype	ioc_type	domain-name		Returns the Indicator type value	
	entity.entity.resource.resource_type		MUTEX			
	entity.entity.location.country_or_region	country	Germany		indicator record country origin	
	entity.metadata.threat.first_discovered_time	first_seen			Returns the first seen date and time of the threat data object.	
	entity.metadata.threat.last_discovered_time	last_seen			Returns the last seen date and time of the threat data object.	
	entity.metadata.threat.last_updated_time	ctix_modified	1766411385.00215		Returns the time in epoch when the indicator record is modified in ctix app	
	entity.entity.labels["tags_%(index)"]	tags	["extension", "uac-bypass", "process-hollowing"]		Returns the list of tags associated with the indicator record.	
	entity.entity.resource.product_object_id	id	3feb7f28-8716-4687-b484-fa2dcb4693ad		Returns the unique identifier for the indicator record.	
IOC Mapping	ioc.ip_and_ports.ip_address	sdo_name, name	178.16.55.109	if [ioc_type] in ["ipv6-addr", "ipv4-addr"] { "ioc.ip_and_ports.ip_address" => "%(sdo_name or name)" }		
	ioc.domain_and_ports.domain	sdo_name, name	bs411.bluewinnt.com	if [ioc_type] == "domain-name" { "ioc.domain_and_ports.domain" => "%(sdo_name or name)" }		
	ioc.feed_name		Cyware Intel Exchange	"ioc.feed_name" => "Cyware Intel Exchange"		
	ioc.categorization	tags	["extension", "uac-bypass", "process-hollowing"]			
	ioc.description	description	<u>Test Description</u>			
	ioc.confidence_score	ctix_score	50			
	ioc.raw_severity	severity	UNKNOWN			