

PRIVACY POLICY

=====

Document status: Active proof of concept and development state.

DevBox already has a functioning local launcher, a graphical main interface, modular structure views, master-data and documentation maintenance, documentation snapshots, form imports, local tool detection, a repository page, and initial building blocks for the DevBox-specific repository process.

The application is not yet a finished end-user or release version. Interfaces, publication workflows, document templates, repository synchronization, and individual development modules are being revised continuously. The current documentation describes the present development state and must be maintained alongside functional changes.

First publication: Responsible party / publisher: Markus Walloner Name: Markus Walloner Country: Germany (DE)

1. Subject Matter

This privacy policy applies to the software or project described in the accompanying project documentation.

Short Description: DevBox is the local development hub of the CYXnTrol Development Platform. It brings together recurring work around project structure, master data, documentation, build tools, external creative applications, and repository maintenance in a PySide6 interface.

DevBox is not an end-user product. It is an internal work environment for preparing, maintaining, and structuring development workflows for later publication.

2. Privacy Policy

PRIVACY POLICY – DRAFT VERSION

1. Purpose and scope

This privacy notice describes the currently intended local operation of DevBox. DevBox is a local development environment. Under its current concept, it is not designed to use telemetry, advertising, analytics services, or proprietary cloud services without explicit user action.

2. Controller and contact

The controller for the DevBox development state is Markus Walloner within CYX Labs. Questions about this project can be sent through the contact channel stated in the relevant repository or accompanying project documentation.

3. Locally processed data

DevBox processes the following data locally in particular:

- paths to the project root and to used project files;
- content of local SQLite databases, including product, documentation, and repository metadata;
- local runtime and error logs in logfile.r0b;
- locally detected paths to Inkscape and GIMP in locdata.r0b;
- commit text entered by the user;
- image file paths and image files selected by the user for an explicitly triggered repository operation;
- technical output of local subprocesses, for example Git or development tools.

This data is generally processed locally in project folders, temporary workspaces, or under AppData. It is used to carry out the DevBox functions selected by the user.

4. Temporary workspaces

For documentation exports, repository preparation, and similar operations, DevBox creates unique temporary work folders. Copies of project files, generated documents, and prepared assets may be processed there. The application attempts to remove these workspaces after completion. Failed cleanup may result in individual temporary files remaining until a later manual or system cleanup.

5. External programs

DevBox may start local programs such as Inkscape, GIMP, Git, Git Credential Manager, or installers after explicit user action. Once such a program starts, its own data processing and terms may additionally apply. DevBox does not store Git passwords or access tokens as its own repository credentials.

6. Repository operations and data transfer

When a push-to-Git operation is explicitly triggered, Git transmits the repository content selected by the user, commit information, and technically required connection data to the relevant repository provider. The specific recipient, repository visibility, and selected branch result from the repository configuration maintained by the user. The user is responsible for not publishing personal or confidential content without a legal basis or authorization.

7. Legal bases and retention

Where the General Data Protection Regulation applies, local processing is carried out depending on use for the performance of pre-contractual or contractual measures, on the basis of legitimate interests in secure and traceable software development, or on the basis of a voluntary user action. Locally stored data is generally retained until it is deleted by the user, replaced by a process, or removed during project or temporary cleanup.

8. Data subject rights

Where personal data is processed and legal requirements are met, data subjects may in particular have rights of access, rectification, erasure, restriction of processing, objection, and data portability. A complaint to a competent data protection supervisory authority may also be possible.

9. Updating this notice

This privacy notice is tailored to the current local development state. It must be reviewed and adapted before public deployment or the integration of telemetry, accounts, cloud services, websites, cookies, analytics tools, or other external data flows.

3. Project Context

Purpose: DevBox is intended to bring together, standardize, and make visible recurring and error-prone development work. Instead of retaining important workflows only as memory, loose folder conventions, or isolated scripts, the platform records them in a structured form.

The application is intended in particular to:

- maintain platform and product master data centrally;
- manage documentation content in German and English;
- generate forms, Markdown files, and PDF documents from maintained data;
- visualize and edit the real project folder structure in a controlled way;
- detect, install, and launch required development tools;
- prepare cleaned and documented repository states;
- log development decisions, states, and errors locally in a traceable manner.

DevBox is not meant to hide routine work but to turn it into reliable building blocks. The goal is not a rigid all-in-one product, but a growing development hub that evolves alongside the products and services created from it.

Configuration: Configuration is separated into several layers.

Project root: The project root is discovered through the .root file. It is the authoritative source for scripts, resources, form archives, installers, and the central DevBox database.

Central master data: resources/organization/devbox_db.r0b contains umbrella, product, documentation, structure, and repository information. Existing tables are not cleared when the schema is expanded; missing columns are intended to be added through migration.

Local runtime data: %appdata%\CYX Labs\CYXnTrol\DevBox\logfile.r0b contains log data. %appdata%\CYX Labs\CYXnTrol\DevBox\locdata.r0b contains verified paths for Inkscape and GIMP.

Tool detection: Stored paths are checked at startup. Invalid paths are searched again first under Program Files and then under the system temporary area. If no supported program is found, DevBox displays a warning.

Repository data: Repository URL and branch are maintained per product in `product_credentials`. Git credentials are not stored in DevBox; authentication and credential management remain with Git and the installed credential manager.

Technology: DevBox currently uses the following technologies in particular:

- Python as the core language for launchers, business logic, data preparation, and automation.
- PySide6 for the local graphical user interface.
- SQLite for central project master data as well as local runtime, log, and location data.
- openpyxl as a transitional or import tool for spreadsheets, not as the central master-data source.
- ReportLab and svglib for local generation of designed PDF documents.
- Git and Git Credential Manager for repository operations and authentication.
- Inkscape and GIMP as external locally launched creative tools.
- C# generation, the .NET SDK, WiX, and later additional packaging tools for build and installer processes.
- temporary workspaces under the system temporary directory for controlled copies, exports, and publication preparation.

The technical structure aims to clearly separate the GUI, function scripts, subscripts, data sources, and temporary work states.

Repository Note: The DevBox repository represents the CYXnTrol Development Platform itself, not a finished end-user product. It serves as a development state, a traceable work sample, and a foundation for maintaining the platform.

The repository state is not copied directly from the productive project root. For DevBox, a separate cleaned `root_dir` state is generated. It receives the intended source code, documents, and assets, keeps local databases, temporary remnants, unnecessary build outputs, font files, and installation artifacts outside the publication package, and can then be synchronized with the DevBox repository.

Products, services, or works created from the platform are intended to receive separate repositories. Their publication schemes will be developed separately from the DevBox special logic.

Copyright (c) 2026 Markus Walloner