




REVISIONS		DATE	APPROVED
ZONE	REV.		

1.OUTLINE  
DIMENSION: (UNITS:mm)



NOTE: 1. CUT OFF PIN 2.7.8.9

2.SCHEMATIC AND WINDING:




制作时不管序号，但是务必保证同步端如图所示

N3	4--5	2uewΦ0.15 mm × 1P × 20 Ts	均匀散绕
N2	6--10	2uew Φ0.45mm × 2P × 8 Ts	密绕1层
N1	1--3	2uewΦ0.25 mm × 1P × 120 Ts	密绕4层

这里是同名端

4. ELECTRICAL CHARACTERISTICS:

Inductance: 1--3 1.0 mH ± 7%      Test condition 1KHz/0.25V  
 Leakage inductance: 1--3 ≤ 100uH Test condition 10KHz/0.25V (SHORT SEC WINDING)  
 High Voltage Test:  
 Insulation Resistance:

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	DO NOT SCALE DRAWING			TITLE: EE16 5+5变压器					MATERIAL: ROHS		
		NAME	DATE	5V2A							
	DRAWN		2016.07.29								
	CHK'D			SCALE	SIZE	UNIT		DRAWING NO.			
	APPV'D			FULL	A4	mm	THIRD ANGLE PROJECTION	CLIENT NO.		ORDER NO.	
								PART NO.		REV NO. A	