	1.00 -		0.4% ± 0.2%	0.8% ± 0.4%	0.6% ± 0.2%	7.1% ± 0.3%	2.7% ± 0.2%	1.2% ± 0.7%	0.7% ± 0.3%	
	0.75 - · · · · · · · ·		0.1% ± 0.1%	0% ± 0%	0% ± 0%	1.9% ± 0.3%	0.6% ± 0.2%	0.2% ± 0.1%	0.2% ± 0.1%	
	0.50 - · · · · · · · ·		0% ± 0.1%	0% ±0%	0% ± 0%	0.1% ± 0.1%	0.1% ± 0.1%	0% ± 0%	0% ± 0%	
	0.25 -		. 0% ± 0%	0% ±0%	0% ± 0%					
	0.00 -	0.3% ± 0.1%	0% ± 0%	0% ±0%	0% ± 0%	0.8% ± 0.7%				
	-0.25 -		0% ± 0%							
	-0.50 - · · · · · · · ·		0% ± 0%							
	-0.75 - · · · · · · · ·		. 0% ± 0%	0% ±0%	0% ± 0%					
	-1.00 - · · · · · · · ·		0.1% ± 0%	0.1% ± 0%	0.1% ± 0%	0.1% ± 0.1%	0.1% ± 0%	0.1% ± 0.1%	0% ± 0%	
		female- specific	female x3	female x2	female x1.5	equal	male x1.5	male x2	male x3	male- specific
Magnitude										
Weight of No Effect Matrix		81.4% ± 0.6%								