

a
enriched for PRS-associated proteins
enriched for proteomic-score proteins
eigenprotein is PRS-associated
n
M7 immune response, plasma membrane
M4 extracellular matrix
M23 CNS development, GABAergic synapse
M3 HDL, lipoprotein particle
M5 cell-surface signalling*
M8 endoplasmic reticulum, receptor complexes*
M9 nucleoplasm*
M17 amino acid metabolism, mitochondrion
M32 lysosome, protein catabolism
M2 no enriched term
M22 osteoblast differentiation, extracellular matrix
M25 cornified envelope, proteolysis
124
130
40
147
129
104
99
65
18
196
40
33
AD with APOE
AD no APOE
PD
ALS
b
associated with the AD PRS (with APOE), q < 0.05
M32: lysosome
M17: amino acid metabolism
M8: endoplasmic reticulum*
M4: extracellular matrix
M7: immune response
M5: cell-surface signalling*
M3: HDL, lipoprotein
equal share
Module members associated with polygenic risk
Module members used by the proteomic score
c
Split-half reproducibility (adjusted Rand index)
split-half reproducibility
smallest module
retained K = 35 → 33 modules
below the floor
Smallest module (proteins)
Requested resolution (clusters)
d
Modules (of 33)
AD with APOE
AD no APOE
PD
ALS
PRS
eigen
ProRS
both
enriched for PRS-associated proteins
eigenprotein is PRS-associated
enriched for proteomic-score proteins
both at once