

Lecture-9 (Dynamic Scheduling)

CS422-Spring 2020


Biswa@cse-IITK



How to Make CPI closer to One

- Let's assume full pipelining:
 - If we have a 4-cycle *latency*, then we need 3 instructions between a producing instruction and its use:

multf \$F0,\$F2,\$F4
delay-1
delay-2
delay-3
addf \$F6,\$F10,\$F0



Out-of-order + Dynamic Scheduling ?

- Pipelining: Tries to achieve $CPI = 1$
- Compiler scheduling minimizes the impacts of dependences.
- Hardware scheduling so far: In order execution
Instructions after stall must wait even if independent.

Dynamic scheduling: Out of order execution

Hardware lookahead of blocked instructions

- Inorder, O3
- Inorder issue, O3 execute, Inorder completion

Scoreboard

- Out-of-order execution divides ID stage:
 1. **Issue** - decode instructions, check for structural hazards
 2. **Read operands** - wait until no data hazards, then read operands (RAW)And then
 2. **Execute** - Execute instruction and notify scoreboard when done
 3. **Write** - Wait until earlier instructions read operands before writing to register file (WAR)
- Scoreboards date to CDC6600 in 1963
- Instructions execute whenever not dependent on previous instructions and no hazards.

Four Stages of Scoreboard Control - Details

- **Issue**—decode instructions & check for structural hazards (ID1)
 - Instructions issued in program order (for hazard checking)
 - Don't issue if **structural hazard**
 - Don't issue if instruction is **output dependent** on any previously issued but uncompleted instruction (no WAW hazards)
- **Read operands**—wait until no data hazards, then read operands (ID2)
 - All real dependencies (RAW hazards) resolved in this stage, since we wait for instructions to write back data.
 - **No forwarding of data** in this model!

Four Stages of Scoreboard Control

- **Execution**—operate on operands (EX)
 - The functional unit begins execution upon receiving operands. When the result is ready, it notifies the scoreboard that it has completed execution.
- **Write result**—finish execution (WB)
 - Stall until no WAR hazards with previous instructions:

Example:


DIVD	F0,F2,F4
ADDD	F10,F0,F8
SUBD	F8,F8,F14

CDC 6600 scoreboard would stall SUBD until ADDD reads operands

Three Parts of the Scoreboard

- **Instruction status:**
Which of 4 steps the instruction is in
- **Functional unit status:**—Indicates the state of the functional unit (FU). 9 fields for each functional unit
 - Busy:** Indicates whether the unit is busy or not
 - Op:** Operation to perform in the unit (e.g., + or −)
 - Fi:** Destination register
 - Fj,Fk:** **Source**-register numbers
 - Qj,Qk:** Functional units producing source registers Fj, Fk
 - Rj,Rk:** Flags indicating when Fj, Fk **are ready**
- **Register result status**—Indicates which functional unit will write each register, if one exists. Blank when no pending instructions will write that register

Possible Architecture



Scoreboard Example

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2			
LD	F2	45+	R3			
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

Integer: 1 cycle

FP add: 2 cycles

FP multiply: 10 cycles

FP divide: 40 cycles

Functional unit status:

<i>l unit status:</i>		<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>		
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock	$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$
FU									

Cycle 1

Instruction status:

				Read	Exec	Write
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1		
LD	F2	45+	R3			
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

Functional unit status:

! unit status:

				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	Yes	Load	F6		R2				Yes
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock									
	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
1				Integer					

Cycle 2

Instruction status:

					Read	Exec	Write
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2		
LD	F2	45+	R3				
MULTD	F0	F2	F4				
SUBD	F8	F6	F2				
DIVD	F10	F0	F6				
ADDD	F6	F8	F2				

Functional unit status:

Functional unit status:

				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	Yes	Load	F6		R2				Yes
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
2	FU Integer								

• Issue 2nd LD?

Can't since integer unit is busy.

Cycle 3

Instruction status:

				Read	Exec	Write
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3
LD	F2	45+	R3			
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

Functional unit status:

Functional unit status:

				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	Yes	Load	F6		R2				No
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
3	<i>FU</i> Integer								

- Issue MULT?
- F2?

Cycle 4

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3
LD	F2	45+	R3			
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

Functional unit status:

l unit status:

				dest	S1	S2	FU	FU	Fj?	Fk?
Time	Name	Busy	Op	Fi	Fj	Fk	Qj	Qk	Rj	Rk
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock		$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$
4	FU	Integer								

Cycle 5

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5			
MULTD	F0	F2	F4				
SUBD	F8	F6	F2				
DIVD	F10	F0	F6				
ADDD	F6	F8	F2				

Functional unit status:

Functional unit status:

			<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>	
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	Yes	Load	F2		R3			Yes	
	Mult1	No								
	Mult2	No								
	Add	No								
	Divide	No								

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
5	<i>FU</i>	Integer							

Cycle 7

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	
MULTD	F0	F2	F4	6			
SUBD	F8	F6	F2	7			
DIVD	F10	F0	F6				
ADDD	F6	F8	F2				

Functional unit status:

<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>dest Fi</i>	<i>S1 Fj</i>	<i>S2 Fk</i>	<i>FU Qj</i>	<i>FU Qk</i>	<i>Fj? Rj</i>	<i>Fk? Rk</i>
Integer		Yes	Load	F2		R3				No
Mult1		Yes	Mult	F0	F2	F4	Integer		No	Yes
Mult2		No								
Add		Yes	Sub	F8	F6	F2	Integer		Yes	No
Divide		No								

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
7	FU Mult1 Integer Add								

• Read multiply operands?

• LOAD is not done yet ☹️

Cycle 8 (1st half)

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	
MULTD	F0	F2	F4	6			
SUBD	F8	F6	F2	7			
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2				

Functional unit status:

<i>unit status:</i>			<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>	
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	Yes	Load	F2		R3				No
	Mult1	Yes	Mult	F0	F2	F4	Integer		No	Yes
	Mult2	No								
	Add	Yes	Sub	F8	F6	F2		Integer	Yes	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
8	<i>FU</i> Mult1 Integer Add Divide								

DIVD issues. MULT and SUBD. Both waiting for F2. LD #2 writes F2.

Cycle 8 (2nd Half)

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6			
SUBD	F8	F6	F2	7			
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2				

Functional unit status:

unit status:

Time	Name	Busy	Op	dest	S1	S2	FU	FU	Fj?	Fk?
				Fi	Fj	Fk	Qj	Qk	Rj	Rk
	Integer	No								
	Mult1	Yes	Mult	F0	F2	F4			Yes	Yes
	Mult2	No								
	Add	Yes	Sub	F8	F6	F2			Yes	Yes
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
8	<i>FU</i>	Mult1			Add	Divide			

Cycle 10

Instruction status:

				<i>Read</i>	<i>Exec</i>	<i>Write</i>
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+ R2	1	2	3	4
LD	F2	45+ R3	5	6	7	8
MULTD	F0	F2 F4	6	9		
SUBD	F8	F6 F2	7	9		
DIVD	F10	F0 F6	8			
ADDD	F6	F8 F2				

Functional unit status:

unit status:

<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>dest</i> <i>Fi</i>	<i>S1</i> <i>Fj</i>	<i>S2</i> <i>Fk</i>	<i>FU</i> <i>Qj</i>	<i>FU</i> <i>Qk</i>	<i>Fj?</i> <i>Rj</i>	<i>Fk?</i> <i>Rk</i>
	Integer	No								
9	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
1	Add	Yes	Sub	F8	F6	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
10	<i>FU</i>	Mult1				Add	Divide			

Cycle 11

Instruction status:

				Read	Exec	Write
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+ R2	1	2	3	4
LD	F2	45+ R3	5	6	7	8
MULTD	F0	F2 F4	6	9		
SUBD	F8	F6 F2	7	9	11	
DIVD	F10	F0 F6	8			
ADDD	F6	F8 F2				

ADDD can't start because add unit is busy

Functional unit status:

unit status:

<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>dest</i> <i>Fi</i>	<i>S1</i> <i>Fj</i>	<i>S2</i> <i>Fk</i>	<i>FU</i> <i>Qj</i>	<i>FU</i> <i>Qk</i>	<i>Fj?</i> <i>Rj</i>	<i>Fk?</i> <i>Rk</i>
	Integer	No								
8	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
0	Add	Yes	Sub	F8	F6	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
11	<i>FU</i>	Mult1				Add	Divide			

Cycle 12

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2				

Functional unit status:

Functional unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
7	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
	Add	No								
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
12	<i>FU</i>	Mult1					Divide			

- Read operands for DIVD?

Cycle 13

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13			

Functional unit status:

Functional unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
6	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			Yes	Yes
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
13	<i>FU</i>	Mult1			Add		Divide			

Cycle 14

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14		

Functional unit status:

<i>l unit status:</i>				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
5	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
2	Add	Yes	Add	F6	F8	F2			Yes	Yes
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$
14	FU	Mult1			Add		Divide			

Cycle 15

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14		

Functional unit status:

unit status:

dest

S1

S2

FU

FU

Fj?

Fk?

Time

Name

Busy

Op

Fi

Fj

Fk

Qj

Qk

Rj

Rk

Integer

No

4

Mult1

Yes

Mult

F0

F2

F4

No

No

Mult2

No

1

Add

Yes

Add

F6

F8

F2

No

No

Divide

Yes

Div

F10

F0

F6

Mult1

No

Yes

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
15	<i>FU</i> Mult1			Add		Divide			

Cycle 16

Instruction status:

<i>Instruction status:</i>				<i>Read Exec Write</i>			
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14	16	

Functional unit status:

<i>l unit status:</i>				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
3	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
0	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$
16	FU	Mult1			Add		Divide			

Cycle 17

Instruction status:


<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14	16	

WAR Hazard!

Functional unit status:

Functional unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
2	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes



Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
17	<i>FU</i>	Mult1			Add		Divide			

- Why not write result of ADD???

Cycle 18

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9		
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14	16	

Functional unit status:

Functional unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
1	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
18	FU	Mult1			Add		Divide			

Cycle 19

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14	16	

Functional unit status:

Functional unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
0	Mult1	Yes	Mult	F0	F2	F4			No	No
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6	Mult1		No	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
19	FU	Mult1			Add		Divide			

Cycle 20

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	20
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8			
ADDD	F6	F8	F2	13	14	16	

Functional unit status:

<i>l unit status:</i>				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6			Yes	Yes

Register result status:

Clock		$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$	
20	FU	Add					Divide				

Cycle 21

Instruction status:

Instruction status:

Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	20
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8	21		
ADDD	F6	F8	F2	13	14	16	

Functional unit status:

unit status:

Time	Name	Busy	Op	dest Fi	S1 Fj	S2 Fk	FU Qj	FU Qk	Fj? Rj	Fk? Rk
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	Yes	Add	F6	F8	F2			No	No
	Divide	Yes	Div	F10	F0	F6			Yes	Yes

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
21	<i>FU</i>	Add Divide								

- WAR Hazard is now gone...

Cycle 22

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	20
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8	21		
ADDD	F6	F8	F2	13	14	16	22

Functional unit status:

<i>l unit status:</i>				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	No								
39	Divide	Yes	Div	F10	F0	F6			No	No

Register result status:

Cycle 61

Instruction status:

<i>Instruction status:</i>				<i>Read</i>	<i>Exec</i>	<i>Write</i>	
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	20
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8	21	61	
ADDD	F6	F8	F2	13	14	16	22

Functional unit status:

<i>l unit status:</i>				<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>	<i>Rj</i>	<i>Rk</i>
	Integer	No								
	Mult1	No								
	Mult2	No								
	Add	No								
	0 Divide	Yes	Div	F10	F0	F6			No	No

Register result status:

Cycle 62

Instruction status:

				<i>Read Exec Write</i>			
Instruction	<i>j</i>	<i>k</i>		<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>
LD	F6	34+	R2	1	2	3	4
LD	F2	45+	R3	5	6	7	8
MULTD	F0	F2	F4	6	9	19	20
SUBD	F8	F6	F2	7	9	11	12
DIVD	F10	F0	F6	8	21	61	62
ADDD	F6	F8	F2	13	14	16	22

Functional unit status:

l unit status:

		<i>dest</i>	<i>S1</i>	<i>S2</i>	<i>FU</i>	<i>FU</i>	<i>Fj?</i>	<i>Fk?</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Fi</i>	<i>Fj</i>	<i>Fk</i>	<i>Qj</i>	<i>Qk</i>
	Integer	No						
	Mult1	No						
	Mult2	No						
	Add	No						
	Divide	No						

Register result status:


Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
62	<i>FU</i>								

- In-order issue; out-of-order execute & commit

Another Dynamic One: Tomasulo's Algorithm

- For IBM 360/91 about 3 years after CDC 6600 (1966)
- Goal: High Performance without special compilers
- Differences between IBM 360 & CDC 6600 ISA
 - IBM has only 2 register specifiers/instruction vs. 3 in CDC 6600
 - IBM has 4 FP registers vs. 8 in CDC 6600
 - IBM has memory-register ops
- Why Study? lead to Alpha 21264, HP 8000, MIPS 10000, Pentium II, PowerPC 604, ...

Tomasulo's Organization



Tomasulo vs Scoreboard

- Control & buffers **distributed** with Function Units (FU) vs. centralized in scoreboard;
 - FU buffers called “reservation stations”; have pending operands
- Registers in instructions replaced by values or **pointers to reservation stations**(RS); called register renaming ;
 - avoids WAR, WAW hazards
 - **More** reservation stations **than registers**, so can do optimizations compilers can't
- Results to FU from RS, not through **registers**, over Common Data Bus that broadcasts results to all FUs
- Load and Stores treated as **FUs with RSs** as wells

Reservation Station Components

Op: Operation to perform in the unit (e.g., + or −)

Vj, Vk: Value of Source operands

- Store buffers has V field, result to be stored

Qj, Qk: Reservation stations producing source registers (value to be written)

- Note: No ready flags as in Scoreboard; Qj,Qk=0 => ready
- Store buffers only have Qi for RS producing result

Busy: Indicates reservation station or FU is busy

Register result status—Indicates which functional unit will write each register, if one exists. Blank when no pending instructions that will write that register.

Three Stages of Tomasulo Algorithm

1. **Issue**—get instruction from FP Op Queue

If reservation station free (no structural hazard),
control issues instr & sends operands (renames registers).

2. **Execution**—operate on operands (EX)

When both operands ready then execute;
if not ready, watch Common Data Bus for result

3. **Write result**—finish execution (WB)

Write on Common Data Bus to all awaiting units;
mark reservation station available

- Normal data bus: data + destination (“go to” bus)
- Common data bus: data + source (“come from” bus)
 - 64 bits of data + 4 bits of Functional Unit source address
 - Write if matches expected Functional Unit (produces result)
 - Does the broadcast

An Example

Instruction status:

<i>Instruction status:</i>				<i>Exec</i>	<i>Write</i>		
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>		Busy Address
LD	F6	34+	R2			Load1	No
LD	F2	45+	R3			Load2	No
MULTD	F0	F2	F4			Load3	No
SUBD	F8	F6	F2				
DIVD	F10	F0	F6				
ADDD	F6	F8	F2				

Reservation Stations:

<i>on Stations:</i>				$S1$	$S2$	RS	RS
$Time$	$Name$	$Busy$	Op	Vj	Vk	Qj	Qk
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
	Mult2	No					

Register result status:

Clock		$F0$	$F2$	$F4$	$F6$	$F8$	$F10$	$F12$...	$F30$
0	FU									

Cycle 1

Instruction status:

				Issue	Exec	Write
Instruction	<i>j</i>	<i>k</i>			Comp	Result
LD	F6	34+	R2	1		
LD	F2	45+	R3			
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

	Busy	Address
Load1	Yes	34+R2
Load2	No	
Load3	No	

Load: 2 cycle
FP add: 2 cycles
FP multiply: 10 cycles
FP divide: 40 cycles

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
Time	Name	Busy	Op	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
	Mult2	No					

Register result status:

		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
Clock	1				Load1					

Cycle 2

Instruction status:

				Issue	Exec	Write
Instruction		<i>j</i>	<i>k</i>		Comp	Result
LD	F6	34+	R2	1		
LD	F2	45+	R3	2		
MULTD	F0	F2	F4			
SUBD	F8	F6	F2			
DIVD	F10	F0	F6			
ADDD	F6	F8	F2			

	Busy	Address
Load1	Yes	34+R2
Load2	Yes	45+R3
Load3	No	

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
Time	Name	Busy	Op	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
	Mult2	No					

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
2	FU		Load2							
					Load1					

Note: Unlike 6600, can have multiple loads outstanding

Cycle 3

Instruction status:

				Exec	Write		
Instruction	<i>j</i>	<i>k</i>	Issue	Comp	Result	Busy	Address
LD	F6	34+	R2	1	3	Load1	Yes 34+R2
LD	F2	45+	R3	2		Load2	Yes 45+R3
MULTD	F0	F2	F4	3		Load3	No
SUBD	F8	F6	F2				
DIVD	F10	F0	F6				
ADDD	F6	F8	F2				

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
Time	Name	Busy	Op	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	Yes	MULTD		R(F4)	Load2	
	Mult2	No					

Register result status:

Clock	F0	F2	F4	F6	F8	F10	F12	...	F30
3	FU	Mult1	Load2				Load1		

- Note: registers names are removed (“renamed”) in Reservation Stations; MULT issued vs. scoreboard
- Load1 completing; what is waiting for Load1?

Cycle 4

Instruction status:

				Exec		Write		
Instruction	<i>j</i>	<i>k</i>	Issue	Comp	Result		Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4		Load2	Yes 45+R3
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4				
DIVD	F10	F0	F6					
ADDD	F6	F8	F2					

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
Time	Name	Busy	Op	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	Yes	SUBD	M(A1)			Load2
	Add2	No					
	Add3	No					
	Mult1	Yes	MULTD		R(F4)	Load2	
	Mult2	No					

Register result status:

Clock										
4	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>	
	<i>FU</i>	Mult1	Load2		M(A1)	Add1				

- Load2 completing; what is waiting for Load2?

Cycle 5

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>		Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4				
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2					

Reservation Stations:

			<i>S1</i>		<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
2	Add1	Yes	SUBD	M(A1)	M(A2)		
	Add2	No					
	Add3	No					
10	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
5	FU	Mult1	M(A2)		M(A1)	Add1	Mult2		

Cycle 6

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>		
LD	F6	34+	R2	1	3	4	Load1	Busy
LD	F2	45+	R3	2	4	5	Load2	Address
MULTD	F0	F2	F4	3			Load3	
SUBD	F8	F6	F2	4				
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6				

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
1	Add1	Yes	SUBD	M(A1)	M(A2)		
	Add2	Yes	ADDD		M(A2)	Add1	
	Add3	No					
9	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
6	FU	Mult1	M(A2)		Add2	Add1	Mult2			

- Issue ADDD here vs. scoreboard?

Cycle 7

Instruction status:

Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Exec Comp</i>	<i>Write Result</i>		Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No	
LD	F2	45+	R3	2	4	5	Load2	No	
MULTD	F0	F2	F4	3			Load3	No	
SUBD	F8	F6	F2	4	7				
DIVD	F10	F0	F6	5					
ADDD	F6	F8	F2	6					

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
0	Add1	Yes	SUBD	M(A1)	M(A2)		
	Add2	Yes	ADDD		M(A2)	Add1	
	Add3	No					
8	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
7	FU	Mult1	M(A2)		Add2	Add1	Mult2			

- Add1 completing; what is waiting for it?

Cycle 8

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6				

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
2	Add2	Yes	ADDD	(M-M)	M(A2)		
	Add3	No					
7	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
Clock	8									
	FU	Mult1	M(A2)		Add2	(M-M)	Mult2			

Cycle 9

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6				

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
1	Add2	Yes	ADDD	(M-M)	M(A2)		
	Add3	No					
6	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
Clock	9	FU	Mult1	M(A2)	Add2	(M-M)	Mult2			

Cycle 10

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>		Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6	10			

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
0	Add2	Yes	ADDD	(M-M)	M(A2)		
	Add3	No					
5	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
10	<i>FU</i>	Mult1	M(A2)		Add2	(M-M)	Mult2		

- Add2 completing; what is waiting for it?

Cycle 11

Instruction status:

				Exec		Write		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3			Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6	10	11		

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
4	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
11	FU	Mult1	M(A2)		(M-M+M	(M-M)	Mult2			

- Write result of ADDD here vs. scoreboard?
- All quick instructions complete in this cycle!

Cycle 12

Instruction status:

Instruction status:

Instruction

j

k

Issue

Comp

Result

LD

F6

34+

R2

1

3

4

LD

F2

45+

R3

2

4

5

MULTD

F0

F2

F4

3

SUBD

F8

F6

F2

4

7

8

DIVD

F10

F0

F6

5

ADDD

F6

F8

F2

6

10

11

Exec Write

Load1

Load2

Load3

Busy

Address

No

No

No

Reservation Stations:

<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
				<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
3	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
12	FU	Mult1	M(A2)		(M-M+N	(M-M)	Mult2		

Cycle 13

Instruction status:

Instruction status:

Instruction

j

k

Issue

Comp

Result

LD

F6

34+

R2

1

3

4

LD

F2

45+

R3

2

4

5

MULTD

F0

F2

F4

3

SUBD

F8

F6

F2

4

7

8

DIVD

F10

F0

F6

5

ADDD

F6

F8

F2

6

10

11

Exec

Write

Busy

Address

Load1

No

Load2

No

Load3

No

Reservation Stations:

Time	Name	Busy	Op	<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
				<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
2	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock	F0	F2	F4	F6	F8	F10	F12	...	F30
13	FU	Mult1	M(A2)		(M-M+N	(M-M)	Mult2		

Cycle 15

Instruction status:

				<i>Exec</i>	<i>Write</i>		
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1
LD	F2	45+	R3	2	4	5	Load2
MULTD	F0	F2	F4	3	15		Load3
SUBD	F8	F6	F2	4	7	8	
DIVD	F10	F0	F6	5			
ADDD	F6	F8	F2	6	10	11	

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
0	Mult1	Yes	MULTD	M(A2)	R(F4)		
	Mult2	Yes	DIVD		M(A1)	Mult1	

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
15	FU	Mult1	M(A2)		(M-M+N	(M-M)	Mult2		

Cycle 16

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3	15	16	Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6	10	11		

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
40	Mult2	Yes	DIVD	M*F4	M(A1)		

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
16	FU	M*F4	M(A2)		(M-M+N	(M-M)	Mult2			

Cycle 55

Instruction status:

				<i>Exec</i>		<i>Write</i>		
Instruction	<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>		Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3	15	16	Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5				
ADDD	F6	F8	F2	6	10	11		

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
1	Mult2	Yes	DIVD	M*F4	M(A1)		

Register result status:

Clock	<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
55	FU	M*F4	M(A2)		(M-M+N	(M-M)	Mult2		

Cycle 56

Instruction status:

				Exec		Write		
Instruction		<i>j</i>	<i>k</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3	15	16	Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5	56			
ADDD	F6	F8	F2	6	10	11		

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
<i>Time</i>	<i>Name</i>	<i>Busy</i>	<i>Op</i>	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
0	Mult2	Yes	DIVD	M*F4	M(A1)		

Register result status:

Clock		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
56	FU	M*F4	M(A2)		(M-M+N	(M-M)	Mult2			

- Mult2 is completing; what is waiting for it?

Cycle 57

Instruction status:

				Issue	Exec Comp	Write Result		
Instruction		<i>j</i>	<i>k</i>				Busy	Address
LD	F6	34+	R2	1	3	4	Load1	No
LD	F2	45+	R3	2	4	5	Load2	No
MULTD	F0	F2	F4	3	15	16	Load3	No
SUBD	F8	F6	F2	4	7	8		
DIVD	F10	F0	F6	5	56	57		
ADDD	F6	F8	F2	6	10	11		

Reservation Stations:

				<i>S1</i>	<i>S2</i>	<i>RS</i>	<i>RS</i>
Time	Name	Busy	Op	<i>Vj</i>	<i>Vk</i>	<i>Qj</i>	<i>Qk</i>
	Add1	No					
	Add2	No					
	Add3	No					
	Mult1	No					
	Mult2	Yes	DIVD	M*F4	M(A1)		

Register result status:

		<i>F0</i>	<i>F2</i>	<i>F4</i>	<i>F6</i>	<i>F8</i>	<i>F10</i>	<i>F12</i>	...	<i>F30</i>
Clock	56	FU	M*F4	M(A2)		(M-M+M	(M-M)	Result		

- Once again: In-order issue, out-of-order execution and completion.

Cycle 62

Instruction status:

				<i>Read Exec Write</i>							
Instruction	<i>j</i>	<i>k</i>		<i>Issue</i>	<i>Oper</i>	<i>Comp</i>	<i>Result</i>	<i>Issue</i>	<i>Comp</i>	<i>Result</i>	
LD	F6	34+	R2	1	2	3	4	1	3	4	
LD	F2	45+	R3	5	6	7	8	2	4	5	
MULTD	F0	F2	F4	6	9	19	20	3	15	16	
SUBD	F8	F6	F2	7	9	11	12	4	7	8	
DIVD	F10	F0	F6	8	21	61	62	5	56	57	
ADDD	F6	F8	F2	13	14	16	22	6	10	11	

Tomasulo vs Scoreboard

Pipelined Functional Units (6 load, 3 store, 3 +, 2 x/÷)	Multiple Functional Units (1 load/store, 1 +, 2 x, 1 ÷)
window size: ≤ 14 instructions	≤ 5 instructions
No issue on structural hazard	same
WAR: renaming avoids	stall completion
WAW: renaming avoids	stall issue
Broadcast results from FU	Write/read registers
Control: reservation stations	central scoreboard