

# DOS

Christof Zlabinger

3.3.2023

## Ping of Death

```
czlabinger@czlabingerKDEVM:~$ route -n
Kernel IP routing table
Destination      Gateway          Genmask          Flags Metric Ref    Use Iface
0.0.0.0          10.0.2.2        0.0.0.0          UG      100    0      0 enp1s0
10.0.2.0         0.0.0.0         255.255.255.0    U       100    0      0 enp1s0
169.254.0.0      0.0.0.0         255.255.0.0      U       1000   0      0 enp1s0


czlabinger@czlabingerKDEVM:~$ ping -s 65507 -c 10 10.0.2.2
PING 10.0.2.2 (10.0.2.2) 65507(65535) bytes of data.
65515 bytes from 10.0.2.2: icmp_seq=1 ttl=255 time=0.392 ms
65515 bytes from 10.0.2.2: icmp_seq=2 ttl=255 time=0.409 ms
65515 bytes from 10.0.2.2: icmp_seq=3 ttl=255 time=0.372 ms
65515 bytes from 10.0.2.2: icmp_seq=4 ttl=255 time=0.495 ms
65515 bytes from 10.0.2.2: icmp_seq=5 ttl=255 time=0.374 ms
65515 bytes from 10.0.2.2: icmp_seq=6 ttl=255 time=0.214 ms
65515 bytes from 10.0.2.2: icmp_seq=7 ttl=255 time=0.487 ms
65515 bytes from 10.0.2.2: icmp_seq=8 ttl=255 time=0.369 ms
65515 bytes from 10.0.2.2: icmp_seq=9 ttl=255 time=0.246 ms
65515 bytes from 10.0.2.2: icmp_seq=10 ttl=255 time=0.498 ms

--- 10.0.2.2 ping statistics ---
10 packets transmitted, 10 received, 0% packet loss, time 9199ms
rtt min/avg/max/mdev = 0.214/0.385/0.498/0.092 ms
czlabinger@czlabingerKDEVM:~$ ping -s 10 -c 10 10.0.2.2
PING 10.0.2.2 (10.0.2.2) 10(38) bytes of data.
18 bytes from 10.0.2.2: icmp_seq=1 ttl=255
18 bytes from 10.0.2.2: icmp_seq=2 ttl=255
18 bytes from 10.0.2.2: icmp_seq=3 ttl=255
18 bytes from 10.0.2.2: icmp_seq=4 ttl=255
18 bytes from 10.0.2.2: icmp_seq=5 ttl=255
18 bytes from 10.0.2.2: icmp_seq=6 ttl=255
18 bytes from 10.0.2.2: icmp_seq=7 ttl=255
18 bytes from 10.0.2.2: icmp_seq=8 ttl=255
18 bytes from 10.0.2.2: icmp_seq=9 ttl=255
18 bytes from 10.0.2.2: icmp_seq=10 ttl=255

--- 10.0.2.2 ping statistics ---
10 packets transmitted, 10 received, 0% packet loss, time 9209ms

czlabinger@czlabingerKDEVM:~$
```

## Smurf Attacks



# SYN Flood Attacks

```

curl 10.0.106.246
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <!--
    Modified from the Debian original for Ubuntu
    Last updated: 2022-03-22
    See: https://launchpad.net/bugs/1966004
  -->
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Ubuntu Default Page: It works</title>
    <style type="text/css" media="screen">
      * {
        margin: 0px 0px 0px 0px;
        padding: 0px 0px 0px 0px;
      }

      body, html {
        padding: 3px 3px 3px 3px;

        background-color: #D8DBE2;

        font-family: Ubuntu, Verdana, sans-serif;
        font-size: 11pt;
        text-align: center;
      }

      div.main_page {
        position: relative;
        display: table;

        width: 800px;

```

```

The default Ubuntu document root is <tt>/var/www/html</tt>. You can make your own virtual hosts under /var/www.
</p>
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3193 win=64240 rtt=0.9 ms
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3194 win=64240 rtt=1.9 ms
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3195 win=64240 rtt=0.9 ms
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3196 win=64240 rtt=1.9 ms
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3197 win=64240 rtt=0.9 ms
len=46 ip=10.0.106.246 ttl=64 DF id=0 sport=80 flags=SA seq=3198 win=64240 rtt=1.9 ms

```

```

c2labinger@c2labinger-virtualbox:~$ netstat -n
Active Internet connections (w/o servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
tcp6      0      0 10.0.106.246:80        192.168.10.99:2048     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8677     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1761     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8766     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1901     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8673     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8691     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8686     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8783     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8685     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1783     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:2017     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1909     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1739     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1919     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1983     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1770     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8730     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8704     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1897     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1965     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1744     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1746     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:2014     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1826     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:2052     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:2054     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:8753     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1832     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:2024     SYN_RECV
tcp6      0      0 10.0.106.246:80        192.168.10.99:1863     SYN_RECV

```