

Bridging the AI Divide: Building Explainable, Low-Resource Multilingual LLMs for Inclusive Global Access

1. Abstract

Despite the rapid progress of large language models (LLMs) like GPT, BERT, and LLaMA, most of the world's population — especially speakers of low-resource languages — remains disconnected from the benefits of AI. This paper presents a novel framework for building explainable, multilingual LLMs tailored for low-resource languages such as Kannada, Assamese, and other underrepresented Indian and global languages.

Our approach fine-tunes open-source transformer models using limited yet high-quality datasets, combined with transfer learning and multilingual embeddings. To ensure fairness, transparency, and user trust, we integrate explainable AI techniques (such as LIME and attention-based visualization) into the system, allowing users to understand how the model interprets queries and generates responses.

We demonstrate the system's effectiveness through evaluations on tasks such as translation, summarization, and question-answering in low-resource settings. Results show that our model achieves competitive accuracy while maintaining interpretability.

By democratizing access to AI tools across linguistic and social boundaries, this research contributes toward an inclusive digital future where AI is not limited to the privileged few. The proposed model holds strong promise for applications in education, legal aid, and public services in underserved regions.

2. 1. Introduction

Artificial Intelligence, especially in the form of large language models (LLMs), is revolutionizing the way humans interact with information. However, access to these technologies is not equal. The majority of advanced AI models are trained in and optimized for English and other high-resource languages, excluding billions of users who speak low-resource or indigenous languages.

In countries like India, where linguistic diversity is immense and digital literacy varies greatly, this AI divide can worsen inequality in education, justice, and governance. Existing LLMs also suffer from another major issue — lack of explainability. Users often do not

understand how or why an AI gives a certain answer, leading to mistrust and misuse.

This paper introduces a framework to address both problems: (1) by building multilingual, low-resource LLMs using smart transfer learning and fine-tuning techniques, and (2) by incorporating explainability layers that highlight model reasoning, attention, and decisions in user-friendly ways. Our system is not just technical — it is built for inclusivity, aiming to empower underrepresented communities with AI tools in their own languages, with transparency they can trust.

We envision a future where every student, teacher, social worker, or citizen — regardless of language or region — can benefit from trustworthy AI.

3. 2. Literature Review

Recent advancements in large language models (LLMs) such as GPT-4, BERT, and LLaMA have significantly enhanced the ability of machines to understand and generate human-like text. These models, trained on vast datasets, demonstrate remarkable performance across a wide range of NLP tasks, including question-answering, translation, and summarization. However, most of these models are trained primarily on high-resource languages like English, Mandarin, and Spanish, leaving low-resource languages severely underrepresented.


To address this, models like mBERT, XLM-R, and IndicBERT have emerged, targeting multilingual and cross-lingual tasks. IndicBERT, in particular, supports multiple Indian languages, but its performance degrades significantly for underrepresented dialects due to limited data. Research into low-resource NLP often focuses on techniques like transfer learning, data augmentation, and zero-shot/few-shot learning, yet scalability and quality remain major hurdles.

On the other hand, the growing field of Explainable AI (XAI) aims to make machine learning systems more transparent. Techniques such as LIME, SHAP, and attention visualization have been applied to LLMs to interpret predictions. Despite progress, most existing XAI tools are tailored for English outputs and struggle with multilingual interpretability.

Thus, while there are efforts in both multilingual LLMs and explainable AI individually, there is limited work combining these to serve low-resource, real-world users. Our research aims to bridge this gap by building an explainable, multilingual AI model specifically designed for underserved linguistic communities — an area still lacking in open-source, accessible solutions.

4. 3. Methodology

Figure 1: System Architecture Block Diagram



5. 4. Experiments and Results




Figure: Comparison of BLEU and ROUGE scores for different models on low-resource languages

Figure 2: Example Attention Heatmap or LIME Explanation



Figure 2: Example Attention Heatmap or LIME Explanation

6. 5. Conclusion and Future Work

In this research, we introduced a novel framework for building explainable, multilingual large language models tailored for low-resource languages, focusing primarily on underrepresented Indian languages such as Kannada, Assamese, and Odia. By leveraging pre-trained models like IndicBERT v2 and XLM-R, along with open-source datasets including Samanantar and IndicCorp, we were able to fine-tune high-performance models for tasks like translation, summarization, and question-answering.

The integration of LIME and attention-based visualization significantly improved interpretability, helping users understand model outputs — a critical step toward building trust in AI systems for diverse communities. Moreover, our lightweight architecture ensures accessibility on modest hardware, making the solution practical for educational and public sector deployment in low-resource settings.

Future extensions will explore:

- Support for more low-resource Indian and African languages
- Speech recognition and text-to-speech integration
- Offline/mobile deployment for rural regions
- Fine-tuning on domain-specific datasets (e.g., legal, education)
- Participation in shared tasks such as FLORES and XTREME

7. References

[1] Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2018). BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding.

- [2] Conneau, A., Khandelwal, K., Goyal, N., et al. (2020). Unsupervised Cross-lingual Representation Learning at Scale. ACL.
- [3] AI4Bharat: IndicNLP and IndicCorp Datasets. Available at: <https://ai4bharat.org>
- [4] Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why Should I Trust You?" Explaining the Predictions of Any Classifier.
- [5] Rajpurkar, P., Jia, R., & Liang, P. (2018). Know What You Don't Know: Unanswerable Questions for SQuAD.
- [6] Vaswani, A., Shazeer, N., Parmar, N., et al. (2017). Attention is All You Need.