REDBELLY DAO

TASK-29 FEASIBILITY RESEARCH

Could Redbelly plug into Quant's Overledger?

What Quant's public documentation allows today, what a connection would take, what it could offer institutions on Redbelly, and where compliance could break.

RESEARCH CUT-OFF
23 October 2026

SOURCES
38, each linked at the claim it supports

LABELS
Confirmed Analysis Unknown

> Redbelly and Quant have no announced partnership, talks or plans. This is feasibility research for the Redbelly DAO Community Task Board. It contains no price talk and no investment advice.

Contents

01 Read this first

02 The short answer

03 Why the question is being asked now

04 Overledger in plain words

05 Redbelly, in the terms that matter here

06 Can Redbelly connect now?

07 What a connection would take

08 What it could offer institutions

09 Credentials and assets across chains

10 Not possible yet, and unknown

11 What would change the answer

12 Method and limits

13 Glossary

14 Source list

01

Read this first

This is feasibility research. It asks three things: whether Redbelly Network could connect to Quant's Overledger, what that would take, and what it could offer institutions that use Redbelly.

● READ BEFORE SHARING

No partnership, talks or plans. Redbelly and Quant have no announced partnership or talks, and nothing in this report suggests otherwise S38. Redbelly has not published an official position on bridging S38, so anything that is not in a public source is treated here as unknown.

Every finding in this report sits in one of three labelled panels:

- **Confirmed.** Stated in a public source. The source is linked right next to the claim.
- **Analysis.** Our reasoning, built only on confirmed facts. It is not a statement by Redbelly, Quant or anyone else.
- **Unknown.** Not answered by any public source we could find. We name these gaps so that nobody fills them with guesses.

Research cut-off: 23 October 2026. Overledger's documentation says its list of supported networks can change and that the live list comes from its API S07, so parts of this picture can change quickly. The section What would change the answer lists what to watch.

02

The short answer

● CONFIRMED

- Overledger reaches blockchains through Connectors. Public, permissionless networks in six families, including EVM, can be added self-serve; permissioned and consortium networks need a managed engagement with Quant's team S07.
- Redbelly runs EVM smart contracts written in Solidity S24 and its mainnet is chain ID 151 S22.
- On Redbelly, an account can only write to the network after it claims an access credential from an accredited issuer S29 S17 S28.
- Redbelly is not named in any of the Overledger documentation pages listed in this report S05 S06 S07 S10 S11, and it is not one of the networks Fusion Rollup connected at testnet launch S11.

ANALYSIS

Redbelly is not connected to Overledger today. A thin link, where an Overledger account registers its own Redbelly node and passes signed transactions through, looks possible on paper because Redbelly is EVM-compatible and Overledger lets accounts add new EVM networks. It is untested, and it depends on Quant accepting an identity-gated chain on a route meant for permissionless networks. Anything deeper (a public listing, Quant-held signing, bridges, or a Fusion Rollup connection) is not possible yet unless Quant chooses to support Redbelly. Redbelly's compliance controls would not follow assets across chains by default; a connection would have to be designed to carry them.

Scorecard

We split "connect" into three depths, because each one needs different work:

- **Reach:** Overledger can read Redbelly and pass on transactions that someone else has signed.
- **Orchestrate:** Overledger tools (workflows, signing, webhooks) act on Redbelly directly.
- **Move:** assets or messages travel between Redbelly and other chains through Overledger.

CAPABILITY	DEPTH	STATUS ON 23 OCTOBER 2026	WHAT IT DEPENDS ON
Read Redbelly data through Overledger	Reach	Possible on paper, untested	An account registering a Redbelly node through self-serve, and Quant accepting it S07
Pass signed Redbelly transactions through Overledger	Reach	Possible on paper, untested	The same, plus every sending address holding Redbelly write access S29 S36
Redbelly listed for all Overledger users	Reach	Not available today	A public node from a whitelisted provider, or a Quant engagement S07
Quant-held keys signing on Redbelly	Orchestrate	Unknown	Quant support, and whose identity the signing address would be verified under S09 S29
Bridge flow in Quant Connect to Redbelly	Move	Not available today	Quant supporting Redbelly as a destination for the bridge flow S12
Redbelly as a Fusion Rollup base chain	Move	Not possible yet	A Quant project; no self-serve route is documented S11
Reaching TCH's On-Chain Money network	Move	Unknown	TCH and its banks; the network's ledgers are not public S01
Redbelly compliance carried to other chains	Move	Not by default	How a connection is designed (see Credentials and assets across chains)

03

Why the question is being asked now

CONFIRMED

On 24 September 2026, The Clearing House (TCH) announced that it had selected Quant to power its On-Chain Money Initiative, a network for clearing and settling tokenised deposits between financial institutions S01. Quant says its technology will provide the network's interoperability, orchestration and transaction-management layer, with connections to existing fiat payment systems such as RTP and CHIPS S01 S02 S03. TCH expects the network to be available to participating institutions in the first half of 2027 S01.

The initiative was first unveiled in June 2026 as a bank-led effort that TCH operates S04. Quant also says it will offer a shared Tokenised Deposits-as-a-Service platform to US institutions that process through TCH but do not yet have tokenised deposit capability S02.

ANALYSIS

For Redbelly, the announcement matters indirectly. It shows a major US bank network choosing Quant's software as its connective layer. If Overledger becomes common plumbing for banks, the chains that Overledger can reach may become easier for those banks to reach. That is why the community is asking. It does not mean that TCH's network will connect to Redbelly, or to any public chain.

UNKNOWN

The announcements we reviewed do not say which blockchains the On-Chain Money network will run on, or whether it will connect to public chains at all S01 S02 S03. Whether banks on that network could ever reach assets on Redbelly is therefore unknown.

04

Overledger in plain words

CONFIRMED

Overledger is Quant's platform for building applications that span more than one blockchain. It gives developers one set of credentials and one API across networks [S05]. Its documentation describes these building blocks:

- **Gateway.** The front door. It checks who is calling, routes each request to a Connector or to the Fusion Rollup, applies rate limits and runs multi-step workflows called Flow Applications [S06].
- **Connectors.** Adapters that speak each blockchain's own language. To a developer they look like one multi-DLT RPC endpoint. Behind it, each family of blockchains has its own pool of nodes, made up of nodes Quant runs and nodes that customers register [S07].
- **Overledger Firewall.** Access control in two layers: an off-chain check of whether a user may reach a network, and an on-chain Fusion Firewall that allowlists addresses for contract calls, cross-chain messages and token bridging [S10].
- **Fusion Rollup.** A rollup built as a fork of the OP Stack that anchors to several base chains at once, giving one EVM-compatible environment across them [S11].
- **Signer.** Signing runs through a Signer Flow App. Either the customer holds the keys and signs, or Quant holds them (a testnet hot wallet, or a contracted mainnet KMS or HSM). The Gateway never sees private keys [S09].
- **Quant Connect.** The portal users sign in to. Signing in gives the token used to create API keys [S08], and Quant Connect hosts the bridge flow, which deploys a destination token contract and returns a Bridge ID [S12].

Overledger also documents webhooks for smart contract events [S14] and publishes a full API reference [S13].

How Overledger is put together

S05 S06 S07 S10 S11

WHO CALLS

Your application | Quant Connect portal | Back-end services

GATEWAY

Authentication | Routing | Rate limits | Flow Applications

Firewall: may this user reach this network?

CONNECTORS

Self-serve families

EVM | Solana | Cosmos | SUI | Hedera | Aptos

Managed engagement, for example

Hyperledger Fabric | R3 Corda | Canton | Besu (permissioned) | Quorum

? Redbelly is EVM-compatible but not listed

FUSION ROLLUP

OP Stack fork anchored to several base chains

Deposit | Unify | Trigger | Withdraw or mint

Base chains at testnet launch

Ethereum Sepolia | Polygon Amoy | Quant Besu testnet

Fusion Firewall: address allowlists, mirrored on each base chain

Simplified from Quant's documentation. Redbelly is shown where an EVM network would sit; it is not listed today.

How a chain gets connected today

● CONFIRMED

Overledger's documentation describes two routes onto its Connectors S07:

1. **Self-serve.** For public, permissionless networks in six families: EVM, Solana, Cosmos, SUI, Hedera and Aptos. An account can add its own node to a network Overledger already lists, or add a network Overledger does not list yet, as long as the network belongs to a self-serve family. The first `POST /nodes` call registers both the new network and the node, and the network then becomes available to Overledger users. Each node is either public, which is only allowed from whitelisted providers, or private, which can come from any domain S07.

2. **Managed engagement.** For permissioned and consortium networks, and for new blockchain families, worked through with Quant's team. Named examples include Hyperledger Fabric, R3 Corda, Canton Network, permissioned Hyperledger Besu and Quorum. The documentation says that a network exposing RPC over HTTPS with bearer or API-key authentication can normally be onboarded S07.

The Gateway blocks administrative RPC methods; for EVM networks the examples are `personal_*`, `admin_*` and `txpool_*` S07. Each network has a visibility of public, permissioned or private, and the live list of networks comes from the API (`GET /networks`), not from a fixed page S07. For permissioned networks, the Firewall only lets through users who are on that network's allowlist S10.

Fusion Rollup has its own set of connected base chains. At testnet launch they were Ethereum Sepolia, Polygon Amoy and a Quant-run permissioned Besu testnet S11. Fusion's building blocks are deposit, unify, trigger and withdraw or mint, which cover moving value and calling contracts across chains S11. To send a cross-chain message, a sender on a connected chain must be allowlisted for the specific rollup contract it wants to reach, and the firewall is locked down on mainnet while being more permissive on testnet S11. Quant's own documentation lists the known risks of bridges built as separate contracts: lock-and-mint mismatches, custodian compromise and oracle failure S11.

Redbelly against each Overledger route

S07 S11 S22 S24 S29

Self-serve

Account registers a node with POST /nodes

- ✓ **Family must be self-serve**
  Redbelly runs EVM contracts; EVM is self-serve
- ✗ **Network should be public and permissionless**
  Redbelly is open to read but only verified accounts can write
- ✓ **Private node from any domain**
  Redbelly publishes a public RPC address
- ? **Public node only from whitelisted providers**
  Whether any whitelisted provider serves Redbelly

`Thin link possible on paper. Untested.`

Managed engagement

Worked through with Quant's team

- ✓ **For permissioned or consortium networks**
  Identity-gated writing resembles a permissioned network
- ✓ **RPC over HTTPS**
  Redbelly publishes HTTPS RPC addresses
- ? **Quant chooses to take it on**
  Nothing public either way

`Route to a full listing. Needs Quant.`

Fusion Rollup

Redbelly as a base chain

- ✗ **Listed as a connected base chain**
  Testnet launch: Sepolia, Amoy, Quant Besu
- ✗ **Documented self-serve way to join**
  None found
- ? **Steps, cost and timeline**
  Not public

`Not possible yet.`

Each line compares a documented Overledger rule with a documented Redbelly fact. The verdict on each line is our analysis.

● UNKNOWN

We did not find a documented self-serve way to add a new base chain to Fusion Rollup. The pages we reviewed describe which chains Fusion connected, not how a chain is added S11.

05

Redbelly, in the terms that matter here

● CONFIRMED

- **Purpose.** Redbelly describes itself as a layer 1 blockchain built for real world asset tokenisation S15.

- **EVM base.** Redbelly executes smart contracts written for the EVM in Solidity [S24]. Mainnet is chain ID 151 and Testnet is chain ID 153, and Redbelly publishes a public RPC address for each [S22].
- **Consensus.** Redbelly uses DBFT, a leaderless Byzantine fault tolerant consensus algorithm, together with a "super block" optimisation of the EVM. Its developer portal credits these two for the network's security, finality and scalability [S23].
- **Fees.** The unit price of gas is fixed in US dollar terms and converted to RBNT at execution through an on-chain price oracle [S25].
- **Identity before writing.** Receptor is Redbelly's identity and verifiable credential protocol, built on the W3C verifiable credential data model [S16]. Only accredited issuers can issue the credentials that give network access [S16] [S17]. Users must claim an access credential from an accredited issuer before they can enable their accounts with write access [S29]. The accredited issuer named in the Redbelly access app is Averer, which verifies identity before issuing the Redbelly Network Access Credential [S28]. Users prove a photo identity document through biometric checks [S27] [S36]. Community builders report that unverified wallets cannot send any transaction ("Sender not authorised to write transactions") and that Mainnet and Testnet approvals are separate [S36].
- **Institutions.** Companies and trusts can register through Redbelly's Business verification process [S30].
- **Existing cross-chain routes.** Redbelly's developer portal lists routes for RBNT to Base via LayerZero and to Ethereum mainnet via Polymer, and points to Lucid Labs Bridge for moving RBNT back to Redbelly [S26]. Celer's cBridge connects Redbelly with Ethereum and BNB Chain using a pegged bridge model [S32]. Redbelly announced Wrapped RBNT on Ethereum at contract `0xb45ffb51984d626ee758b336c61cf20990c6bf13` [S33]. LayerZero lists Redbelly Mainnet among its V2 deployments [S34].
- **Community bridges.** A winning DAO Task Board entry is a reference bridge that moves ETH from Ethereum Sepolia to Redbelly Testnet using lock-and-mint with a 2-of-3 relayer set [S35]. A DAO recovery playbook documents how bridged RBNT can get stuck, for example Polymer transfers to Ethereum that need to be relayed by hand [S37].

● ANALYSIS

Two facts carry most of the weight for this question.

First, Redbelly speaks the same EVM language as Overledger's largest self-serve family. Connecting Redbelly to outside systems is also not new: LayerZero, Polymer, Celer and Lucid Labs already do it [S26] [S32] [S34]. That shows Redbelly's EVM base works with mainstream cross-chain tooling. It says nothing about Overledger specifically.

Second, Redbelly is open to read through its public RPC but gated to write: every sending account must be identity-verified [S22] [S29]. Overledger sorts networks into public, permissionless ones (self-serve) and permissioned ones (engagement) [S07]. Redbelly does

not sit cleanly in either box. How Quant would classify it is the first practical question any connection would face.

06

Can Redbelly connect now?

Each Overledger route is tested below against what Redbelly's public documentation says.

Route 1: self-serve node registration

● CONFIRMED

Self-serve onboarding covers networks that Overledger does not list yet, if their family is supported, and EVM is a supported family S07. Redbelly runs EVM contracts S24. A private node can be added from any domain; a public node only from a whitelisted provider S07.

● ANALYSIS

On paper, an Overledger account holder could register a Redbelly RPC endpoint as a private node and reach Redbelly through Overledger's RPC interface. That would be a thin link at the **Reach** depth: the account could read Redbelly data and pass through transactions that a Redbelly-verified account had already signed, using the same credentials it uses for other networks. A listing visible to every Overledger user would also need a public node from a provider Quant has whitelisted. Even a working thin link would not change Redbelly's rule that only verified accounts can write S29 S36. Overledger would only carry the transaction.

● UNKNOWN

- Whether Quant would accept an identity-gated chain on the self-serve route at all, since that route is described as being for public, permissionless networks S07.
- Whether Overledger's EVM Connector works with Redbelly unchanged: its node health checks, its handling of Redbelly's dollar-fixed gas S25, and its handling of Redbelly blocks. No test has been published, and this research did not run one.
- Which node providers Quant has whitelisted, and whether any of them serves Redbelly.
- Whether Redbelly already appears in Overledger's live network list. That list is only available through the API with an account S07.

Route 2: managed engagement

● CONFIRMED

Quant's documentation uses managed engagement for permissioned and consortium networks and for new families, and says a network with HTTPS RPC and bearer or API-key

authentication can normally be onboarded S07.

ANALYSIS

Redbelly's public RPC fits the transport part of that description S22. An engagement is the route by which Redbelly could become a fully listed network with Quant-run nodes, firewall settings and Quant support. It needs Quant to choose to do it. Nothing public says that such work exists or is being considered.

Route 3: Fusion Rollup

CONFIRMED

Fusion connected Ethereum Sepolia, Polygon Amoy and a Quant-run Besu testnet at launch S11. Fusion Firewall policies are mirrored inside the rollup and on each connected base chain S06.

ANALYSIS

Joining Fusion would mean deploying Fusion's base-chain contracts on Redbelly and wiring Redbelly into the rollup's deposit and messaging paths. Those contracts, and every address that deposits or withdraws through them, would need Redbelly write access S29. This would be a project led by Quant, with parties on Redbelly taking part. It is not something the community can switch on.

UNKNOWN

No public source describes the steps, cost or timeline for adding a base chain to Fusion Rollup.

Verdict

ANALYSIS

Not connected today. A thin **Reach** link through the self-serve route looks possible on paper, but it is untested and depends on how Quant classifies Redbelly. **Orchestrate** and **Move** (Quant-held signing, the bridge flow, Fusion Rollup) are not possible yet unless Quant chooses to support Redbelly.

07

What a connection would take

The table lists the work in the order it would happen, in plain words. Who acts is our analysis of the documented roles. It does not describe any actual plan.

STEP	IN PLAIN WORDS	WHO WOULD HAVE TO ACT	DEPENDS ON
1. Pick the route	Choose between a thin self-serve link, a full listing through an engagement, or Fusion Rollup S07 S11	An Overledger account holder, or Quant	How Quant classifies an identity-gated chain
2. Provide a node	Someone runs or supplies a Redbelly RPC endpoint that Overledger calls. A public listing needs a whitelisted provider S07	A node operator or provider, and Quant	Quant's provider whitelist
3. Verify every sender	Every address that signs Redbelly transactions needs a Redbelly access credential S29; companies can use Business verification S30	The institution, an accredited issuer, and Quant if Quant holds keys S09	Redbelly's access process
4. Test the fit	Run the Connector against Redbelly Testnet (chain ID 153) S22: reads, signed writes, rejections for unverified senders, fees, contract event webhooks S14	Quant engineers, with Redbelly developers	An Overledger account and verified test accounts
5. Decide how assets move	Keep assets on Redbelly and move instructions, or represent them on other chains through a bridge or Fusion S11 S12	Asset issuers and Quant	The compliance design in the next section
6. Map compliance	Line up Overledger's allowlists S10 with Redbelly eligibility S16 S21, including what happens when someone stops being eligible	Issuers, Quant and Redbelly	Legal and product decisions
7. Agree terms	Commercial, legal and support arrangements between whoever would run it	The parties involved	Not public

Three depths of connection

S07 S09 S11 S12

01

Reach

Overledger reads Redbelly and carries transactions that verified Redbelly accounts have already signed.

- A Redbelly node registered with Overledger
- Quant accepting the network
- Senders verified on Redbelly

Possible on paper

02

Orchestrate

Overledger tools act on Redbelly: workflows, Quant-held signing, contract webhooks.

- Quant supporting Redbelly in those tools
- Signing addresses verified on Redbelly
- Testing on chain ID 153

Needs Quant

03

Move

Assets or messages travel between Redbelly and other chains through Overledger.

- Bridge flow or Fusion support for Redbelly
- Eligibility carried across chains
- Contracts with Redbelly write access

Not possible yet

Our framework for this report, not Quant terminology.

ANALYSIS

Steps 1 to 4 are enough for a **Reach** link. Steps 5 and 6 are where most of the real effort would go, because they decide whether a Redbelly asset keeps its protections once it touches another chain. Step 3 is specific to Redbelly: on most EVM chains any funded address can send transactions, but on Redbelly every signing address is an identity decision as well as a technical one S29 S36.

08

What it could offer institutions

ANALYSIS

For institutions that already use Overledger:

- **One integration.** Redbelly would sit behind the same credentials and API as their other networks S05 S07, instead of needing its own integration.
- **Workflows across chains.** Overledger's Flow Applications and smart contract webhooks S06 S14 could tie a step on Redbelly to steps elsewhere, for example releasing a payment on one network when a Tokeniser asset changes hands on Redbelly. This needs Quant to support Redbelly in those tools.
- **Custody choices.** The Signer supports self-custody or Quant-held keys in a KMS or HSM S09, which suits institutions with different custody policies, as long as every signing

address is Redbelly-verified [S29].

For institutions using Redbelly:

- **A possible route toward bank networks that standardise on Quant**, if those networks ever connect to public chains. Today that condition is unknown [S01].
- **Redbelly's own features would come along**: identity-verified counterparties [S16] [S29], fees fixed in dollar terms that make costs predictable [S25], and leaderless BFT consensus [S23]. These are the qualities institutions would be weighing when they choose where to issue.

What it would not offer:

- **Compliance does not travel automatically.** Overledger's Firewall controls which users and addresses may act [S10]. Redbelly's controls decide who may hold and move assets on Redbelly [S29] [S31]. They are separate systems, and nothing links them today.
- **No access to TCH's network follows from it.** That network's participants and ledgers are TCH's decision [S01] [S04].
- **A new dependency.** Institutions would rely on a third-party platform whose terms for such a connection are not public.

09

Credentials and assets across chains

This section explains how Redbelly's compliance tools work today, and where they could stop working once an asset or a claim on it leaves Redbelly.

● CONFIRMED

- **Receptor credentials** are W3C verifiable credentials. An issuer issues them, the user (the holder) keeps them, and a verifier checks them S16.
- **Proof by Query** checks a zero-knowledge proof in a verifier smart contract that the verifier deploys on Redbelly Network. The user submits the proof to that contract, and the verifier never sees or stores the personal data S18. **Selective Disclosure** reveals chosen facts off-chain instead S19.
- **Eligibility rules** are queries over credential types such as passport, proof of address and AML/CTF credentials. On-chain checks currently support single queries, with multi-query planned S21. Developers build them with the Eligibility SDK S20.
- **Tokeniser**, which runs on Redbelly, programs eligibility into every asset: identity, KYC, AML, CTF, wholesale and sophisticated investor tests, and target market determination (TMD). Every holder is verified and every transfer is checked against the asset's rules S31.
- **Overledger's Fusion Firewall** allowlists on-chain addresses; Overledger maps users to their authorised addresses off-chain S10, and policies are mirrored on each connected base chain S06.

What happens to a Tokeniser asset's checks when it leaves Redbelly

S11 S18 S31

	ON REDBELLY	ON ANOTHER CHAIN
01 **Holding**	✓ Every holder verified	? Only if the other chain checks
02 **Transferring**	✓ Every transfer checked	? Out of Redbelly's sight
03 **Proving identity**	✓ ZK proof checked on Redbelly	? Needs the result relayed
04 **Losing eligibility**	✓ Reflected on Redbelly	? Copies must be updated
05 **Who holds the key**	✓ One verified account	? Custodian or Quant-held key
06 **Bridge mechanics**	✓ Not involved	? Mint, custody and oracle risk
07 **Coming back**	✓ Eligible recipient only	? Can get stuck

On Redbelly the checks are documented. On the other side they exist only if a connection is built to carry them.

● ANALYSIS

The checks above all run **on Redbelly**. A Receptor proof is checked by a contract on Redbelly S18, and a Tokeniser transfer is checked by the asset's rules on Redbelly S31. Another chain, or a rollup, does not see those checks. It applies its own rules. So a connection either has to bring equivalent checks to the other side, or keep the asset where the checks are.

MOMENT	ON REDBELLY TODAY	ONCE IT TOUCHES ANOTHER CHAIN	WHERE IT COULD BREAK
Holding	Every holder is verified against the asset's rules S31	The other chain applies its own rules	A wrapped token contract without the same checks lets anyone hold it
Transferring	Every transfer is checked S31	Transfers of a wrapped token happen out of Redbelly's sight	Secondary transfers skip eligibility entirely
Proving identity	A zero-knowledge proof is checked by a contract on Redbelly S18	A contract elsewhere cannot read that result unless it is relayed	Eligibility status goes stale, or is relayed wrongly
Losing eligibility	Redbelly's own records reflect the change	Any copy of the status held elsewhere must be updated as well	A holder who is no longer eligible stays allowlisted elsewhere

MOMENT	ON REDBELLY TODAY	ONCE IT TOUCHES ANOTHER CHAIN	WHERE IT COULD BREAK
Who holds the key	One verified account per holder S29	The same asset may sit with a custodian, or behind a Quant-held key S09	It is unclear whose identity stands behind the address
Bridge mechanics	Not applicable	Lock-and-mint, custody and oracles come into play	Lock-and-mint mismatch, custodian compromise, oracle failure S11
Coming back	Only an eligible address can receive	Redeeming to Redbelly needs an eligible recipient	Funds get stuck when the recipient is not verified, a failure the DAO playbook already covers for RBNT S37

Designs that would keep compliance intact

● ANALYSIS

Three designs follow from the facts above. They are options for discussion, not recommendations to any party.

1. **Keep the asset on Redbelly and move instructions.** Overledger coordinates the workflow, but the asset never leaves Redbelly, so every transfer still passes Tokeniser's and Receptor's checks S31 S18. A payment leg could settle elsewhere. This carries the least compliance risk. It needs careful design so that both legs complete or neither does.
2. **Represent the asset elsewhere, with eligibility mirrored.** The destination contract only allows transfers between addresses on an allowlist that mirrors Redbelly eligibility. Overledger's address allowlists S10 are one place such a mirror could live. It needs a trusted way to keep the mirror up to date when people stop being eligible.
3. **Re-prove eligibility on the destination.** The holder proves eligibility again on the other chain, using the same credential. Today Receptor's on-chain verification is documented on Redbelly S18; whether verifier contracts and accredited-issuer trust could run on another chain is unknown.

● UNKNOWN

- Whether Receptor verifier contracts, or the trust in accredited issuers, can be deployed on chains other than Redbelly.
- How Tokeniser would treat a representation of one of its assets on another chain. Tokeniser's public material describes checks on Redbelly only S31.
- Whether Overledger's allowlists could be fed by Redbelly eligibility automatically. The documentation describes allowlists managed by Overledger and by contract deployers

S10 S11, not by external credential systems.

10

Not possible yet, and unknown

CONFIRMED

Not possible yet, based on public sources at the cut-off:

- Using Redbelly as a listed Overledger network. Redbelly is not named in Overledger's documentation S05 S06 S07.
- Creating a Quant Connect bridge to Redbelly. The bridge flow deploys a destination token contract S12, and Redbelly is not named as a network in the documentation we reviewed S07 S12.
- Connecting Redbelly to Fusion Rollup. Redbelly is not among Fusion's connected networks, and no self-serve route is documented S11.
- Sending a Redbelly transaction from an unverified address by any route, Overledger included S29 S36.

UNKNOWN

Unknown:

- How Quant would classify Redbelly: self-serve or managed engagement S07.
- Whether Overledger's EVM Connector works with Redbelly without changes.
- Whether any whitelisted node provider serves Redbelly.
- Whether Quant-held signing keys could be Redbelly-verified, and under whose identity S09 S29.
- Whether TCH's On-Chain Money network will connect to any public chain S01.
- The cost, timeline and commercial terms of any engagement.
- Whether Receptor verification can run on other chains.
- Redbelly's official position on bridging, which has not been published S38.
- Whether Redbelly appears in Overledger's live `GET /networks` list. Checking needs an Overledger account S07.

11

What would change the answer

ANALYSIS

These public signals would move items from "unknown" to "confirmed". They are things to watch, not predictions:

- Redbelly appearing in Overledger's documentation or in the `GET /networks` list S07.
- A published test of an Overledger Connector against Redbelly Testnet, chain ID 153 S22.
- Redbelly publishing an official position on bridging S38.
- TCH publishing which ledgers the On-Chain Money network will use S01.
- Receptor documentation describing verification on chains other than Redbelly S16 S18.

12

Method and limits

- **Sources.** Quant's Overledger documentation and API reference, the TCH and Quant announcements, Redbelly's technical documentation and Vine developer portal, Tokeniser's website, Celer's and LayerZero's documentation, Redbelly's announcement of Wrapped RBNT, and three DAO community repositories, which were read in full. Every source is listed in the source list with what it supports.
- **Checking.** Each claim was checked against the source text available on 23 October 2026. The phrases each source supports are stored in `research/ledger.json`, and the audit (`npm run audit -- --online`) re-fetches every page and confirms that each phrase is still there. For Quant's pages it also confirms that Redbelly is still not named.
- **What we did not do.** We did not open an Overledger account, call Overledger's API or register a node. Every statement about how Overledger would behave with Redbelly is therefore analysis, not a test result.
- **Vendor material.** Product descriptions from Quant, Redbelly and Tokeniser are their own descriptions. We report what they say, and we label anything beyond that as analysis.
- **Neutrality.** This report takes no view on whether a connection should happen. It contains no price discussion and no investment advice.

13

Glossary

TERM	MEANING
Overledger	Quant's platform for applications that span several blockchains S05

TERM	MEANING
Gateway	Overledger's front door: authentication, routing, rate limits, workflows S06
Connector	Overledger's adapter for one family of blockchains S07
Fusion Rollup	Quant's rollup that anchors to several base chains at once S11
EVM	Ethereum Virtual Machine, the smart contract environment Redbelly supports S24
RPC endpoint	The address software calls to read from or send to a blockchain node
Receptor	Redbelly's identity and verifiable credential protocol S16
Verifiable credential	A signed digital statement about a person or company, held by them S16
Accredited issuer	An issuer that Redbelly allows to grant network access S17
Zero-knowledge proof	A way to prove a fact (for example, eligibility) without revealing the data behind it S18
Lock-and-mint	A bridge pattern that locks an asset on one chain and creates a copy on another S35
Tokenised deposit	A bank deposit represented on a ledger, the subject of TCH's initiative S01
KMS or HSM	Key management services and hardware security modules that protect signing keys S09

14

Source list

Every factual claim in this report links to one of the sources below. The phrases listed under each source are the exact text the audit re-checks against the live page.

S01

The Clearing House Partners with Quant to Advance the On-Chain Money Initiative

The Clearing House / 2026-09-24

TCH selected Quant to power the On-Chain Money Initiative, a network for clearing and settling tokenised deposits, connected to RTP and CHIPS and expected to be available to participating institutions in the first half of 2027.

https://www.theclearinghouse.org/payment-systems/Articles/2026/09/The-Clearing-House-Partners-with-Quant-to-Advance-the--On-Chain-Money-Initiative

Phrases checked: "On-Chain Money Initiative", "first half of 2027", "CHIPS"

S02

The Clearing House Partners with Quant to Advance the On-Chain Money Initiative (Quant press release)

Quant / 2026-09-24

Quant's technology provides the network's interoperability, orchestration and transaction-management layer; Quant also offers Tokenised Deposits-as-a-Service to institutions that process through TCH but lack tokenised deposit capability.

https://quant.network/press-releases/the-clearing-house-partners-with-quant-to-advance-the-on-chain-money-initiative/

Phrases checked: "orchestration", "Tokenised Deposits-as-a-Service"

S03

Quant powers The Clearing House's On-Chain Money Initiative in the US

Quant / 2026-09

Quant describes its role as coordinating clearing and settlement of tokenised deposit transactions with connectivity to existing fiat payment systems.

https://quant.network/news/quant-powers-the-clearing-houses-on-chain-money-initiative-in-the-us/

Phrases checked: "tokenised deposit", "fiat payment systems"

S04

Major Financial Institutions Unveil Bank-Led On-Chain Money Initiative

The Clearing House / 2026-06

The initiative was unveiled in June 2026 as a bank-led effort, operated by TCH, for on-chain clearing and settlement of tokenised deposits between banks.

https://www.theclearinghouse.org/payment-systems/Articles/2026/06/Major-Financial-Institutions-Unveil-Bank-Led-On-Chain-Money-Initiative

Phrases checked: "On-Chain Money Initiative", "The Clearing House"

S05 **Start Here (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

Overledger is Quant's multi-DLT platform for applications that span more than one blockchain, with one set of credentials and one API surface; client integrations start with the Gateway and Connectors chapters.

https://docs.overledger.dev/docs/start-here

Phrases checked: "multi-DLT platform", "single set of credentials"

S06 **Overview (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

The Gateway handles authentication, routing to Connectors or the Fusion Rollup, rate limiting, observability and orchestration of Flow Applications; a Cross Chain Messaging component moves data and contract calls between connected networks; Fusion Firewall policies are mirrored on each connected L1.

https://docs.overledger.dev/docs/overview

Phrases checked: "Fusion Rollup", "Flow Applications"

S07 **Connectors (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

Connectors present a single multi-DLT RPC endpoint backed by per-family node pools; six self-serve families (EVM, Solana, Cosmos, SUI, Hedera, Aptos); permissioned and consortium networks need a managed engagement; a first POST /nodes call can register a new network in a supported family; public nodes only from whitelisted providers, private nodes from any domain; administrative RPC methods are blocked; live list via GET /networks.

https://docs.overledger.dev/docs/connectors

Phrases checked: "multi-DLT RPC endpoint", "whitelisted providers", "POST /nodes", "Hyperledger Fabric"

S08 **Authentication (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

Users sign in to Quant Connect for a JWT, mint API keys through the REST API and send them with RPC calls; API keys authenticate access but transactions still need the caller's own wallet signature.

https://docs.overledger.dev/docs/authentication

Phrases checked: "Quant Connect", "API key"

S09 **Signing (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

A Signer Flow App handles signing: either the client holds keys and signs, or Quant holds them (testnet hot wallet, or contracted mainnet KMS or HSM); the Gateway and calling Flow App never see private keys.

https://docs.overledger.dev/docs/signing

Phrases checked: "Signer", "HSM"

S10 **Overledger Firewall (Overledger documentation)**

Quant Developer Hub / accessed 2026-10-23

An off-chain Connector layer decides whether an authenticated user may reach a network (permissioned networks need the user on an allowlist); an on-chain Fusion Firewall allowlists addresses for contract calls, cross-chain messages and token bridging.

https://docs.overledger.dev/docs/overledger-firewall

Phrases checked: "allowlist", "Fusion Firewall"

S11

Fusion Rollup (Overledger documentation)

Quant Developer Hub / accessed 2026-10-23

Fusion is a multi-ledger optimistic rollup (an OP Stack fork) that anchors to several L1s at once; primitives cover deposit, unify, trigger and withdraw or mint; at testnet launch it connected Ethereum Sepolia, Polygon Amoy and a Quant permissioned Besu testnet; the firewall is locked down on mainnet and more permissive on testnet; a sender on a connected network must be allowlisted for the specific rollup recipient; it flags lock-and-mint mismatch, custodian compromise and oracle failure as bridge risks.

https://docs.overledger.dev/docs/fusion-rollup

Phrases checked: "OP Stack", "Polygon Amoy", "Sepolia"

S12

How to create a bridge flow (Overledger documentation)

Quant Developer Hub / accessed 2026-10-23

Bridges are created through a bridge flow in Quant Connect that deploys a destination token contract and returns a Bridge ID used for transfers.

https://docs.overledger.dev/docs/set-a-unilateral-bridge

Phrases checked: "Bridge ID", "Quant Connect"

S13

Overledger API reference

Quant Developer Hub / accessed 2026-10-23

Quant publishes a reference for the Overledger APIs, the interface any connection would be built against.

https://docs.overledger.dev/reference

Phrases checked: "Overledger"

S14

Manage Webhooks for Smart Contract Events (Overledger documentation)

Quant Developer Hub / accessed 2026-10-23

Overledger documents webhooks that notify applications about smart contract events.

https://docs.overledger.dev/docs/manage-webhooks-for-smart-contract-events-1

Phrases checked: "Webhook"

S15

Redbelly Network Technical Documentation

Redbelly Network / accessed 2026-10-23

Redbelly describes itself as a layer 1 blockchain built and optimised for real world asset tokenisation, with identity and eligibility tooling for developers.

https://docs.redbelly.network/

Phrases checked: "Redbelly"

S16

Receptor (Redbelly documentation)

Redbelly Network / accessed 2026-10-23

Receptor is Redbelly's native identity and verifiable credential protocol, built on the W3C verifiable credential data model, with Issuer, Holder and Verifier modules; anyone can issue credentials, but issuers that provide network access are accredited.

https://docs.redbelly.network/pages/receptor/

Phrases checked: "W3C verifiable credential data model", "accredited"

S17 **Issuer module (Redbelly documentation)**

Redbelly Network / accessed 2026-10-23

Only accredited issuers can issue credentials that give users network access.

https://docs.redbelly.network/pages/modules/issuer/

Phrases checked: "accredited issuers"

S18 **Proof by Query (Redbelly documentation)**

Redbelly Network / accessed 2026-10-23

Proof by Query uses zero-knowledge proofs checked by a verifier smart contract that the verifier deploys on Redbelly Network (setZKPRequest), to which the holder submits a proof (submitZKPResponse); personal data is not seen or stored by the verifier.

https://docs.redbelly.network/pages/methods/proof-by-query/

Phrases checked: "setZKPRequest", "submitZKPResponse"

S19 **Selective Disclosure (Redbelly documentation)**

Redbelly Network / accessed 2026-10-23

Selective Disclosure verifies credentials that require users to reveal specified, verifiable information off-chain.

https://docs.redbelly.network/pages/methods/selective-disclosure/

Phrases checked: "off-chain"

S20 **Eligibility SDK: Getting Started (Redbelly documentation)**

Redbelly Network / accessed 2026-10-23

The Eligibility SDK is installed as @redbellynetwork/eligibility-sdk and needs a Redbelly API key and an allowed issuer DID.

https://docs.redbelly.network/pages/eligibility-sdk/getting-started/

Phrases checked: "eligibility-sdk"

S21 **Configure Eligibility Criteria (Redbelly documentation)**

Redbelly Network / accessed 2026-10-23

Eligibility criteria are Iden3-style queries over credential types such as passport, proof of address and AML/CTF credentials; on-chain checks use the credentialAtomicQuerySigV2OnChain circuit; on-chain single queries are supported, multi-query is planned.

https://docs.redbelly.network/pages/eligibility-sdk/configure-eligibility-criteria/

Phrases checked: "credentialAtomicQuerySigV2OnChain"

S22 **Redbelly Network environments (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Mainnet is chain ID 151 with RBNT as currency and a public RPC URL; Testnet is chain ID 153.

https://vine.redbelly.network/environments/

Phrases checked: "151", "153"

S23 **DBFT and super block: security, finality and scalability (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Security, finality and scalability come from DBFT, a leaderless consensus algorithm tolerating faults up to t < n/3, and the super block optimisation of the EVM.

https://vine.redbelly.network/consensus/

Phrases checked: "leaderless", "super block"

S24 **Smart contracts (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Redbelly executes smart contracts written for the EVM in Solidity; testing should happen on Testnet.

https://vine.redbelly.network/sc-smart-contracts

Phrases checked: "Solidity"

S25 **Network fees (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

The unit price of gas is fixed in US dollar terms and converted to RBNT at execution using an on-chain price oracle.

https://vine.redbelly.network/network-fees/

Phrases checked: "oracle"

S26 **Redbelly Network native currency (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Lists routes for RBNT on other chains (Base via LayerZero, Ethereum mainnet via Polymer) and points to Lucid Labs Bridge for moving RBNT back to Redbelly.

https://vine.redbelly.network/native-currency/

Phrases checked: "LayerZero", "Polymer", "Lucid Labs"

S27 **Accessing the network (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Users connect an EVM wallet to the Redbelly access dApp and prove a valid photo identity document through biometric checks before their account is enabled.

https://vine.redbelly.network/id-accessing-the-network

Phrases checked: "access"

S28 **Redbelly Access**

Redbelly Network / accessed 2026-10-23

Identity is verified by the accredited issuer Averer before it issues the Redbelly Network Access Credential to the account.

https://access.redbelly.network/

Phrases checked: "Averer"

S29 **Redbelly DevNet blog post**

Redbelly Network / older post, accessed 2026-10-23

Before users can self-enable their accounts with write access to the network, they must claim an access credential from a network accredited issuer.

https://redbelly.network/blog/devnet

Phrases checked: "write access"

S30 **Node operator guide (Vine developer portal)**

Redbelly Network / accessed 2026-10-23

Companies or trusts may register through Redbelly's Business verification process.

https://vine.redbelly.network/nodes/operator-guide/

Phrases checked: "Business verification"

S31 **Tokeniser**

Tokeniser Pty Ltd / accessed 2026-10-23

Tokeniser operates on Redbelly Network with identity and eligibility built into the protocol; eligibility (identity, KYC, AML, CTF, wholesale and sophisticated investor tests, TMD) is programmed into every asset; every holder is verified and every transfer checked against the asset's rules; features include secondary transfer and collateral mobility.

https://tokeniser.com/

Phrases checked: "every transfer checked against the asset's rules", "Redbelly Network"

S32 **Celer Announces cBridge Support for Redbelly**

Celer Network / 2025-08-01

cBridge connects Ethereum, BNB Chain and Redbelly with a pegged bridge model; RBNT moves from Redbelly to Ethereum and BNB Chain.

https://blog.celer.network/2025/08/01/celer-announces-cbridge-support-for-redbelly/

Phrases checked: "Redbelly", "BNB Chain"

S33 **Redbelly Network on X: Wrapped RBNT live on Ethereum Mainnet**

Redbelly Network / 2025-02-14

Redbelly announced Wrapped RBNT on Ethereum Mainnet with the official contract 0xb45ffb51984d626ee758b336c61cf20990c6bf13.

https://x.com/RedbellyNetwork/status/1890340030197166112

Phrases checked: "0xb45ffb51984d626ee758b336c61cf20990c6bf13"

S34 **Deployed Endpoints, Message Libraries, and Executors (LayerZero V2)**

LayerZero / accessed 2026-10-23

Redbelly Mainnet is listed among LayerZero V2 deployments.

https://docs.layerzero.network/v2/deployments/deployed-contracts

Phrases checked: "Redbelly"

S35 **TASK-08 Existing Bridge Integration Guide (winning entry archive)**

Redbelly DAO Community Task Board / 2026-09

A working lock-and-mint bridge from Ethereum Sepolia to Redbelly Testnet (chain ID 153) secured by a 2-of-3 relayer set, plus research on which bridge protocols support Redbelly.

https://github.com/Redbelly-DAO-Community-Taskboard/TASK-08-bridge-integration-guide

Phrases checked: "lock-and-mint", "2-of-3"

S36 **redbelly-testnet-bridge (ARTICLE.md)**

TASK-08 community entry / 2026-08

Every wallet needs identity verification before it can send any Testnet transaction; unverified deploys fail with 'Sender not authorised to write transactions'; Mainnet and Testnet approvals are separate.

https://github.com/tycayomide/redbelly-testnet-bridge/blob/main/ARTICLE.md

Phrases checked: "Sender not authorised to write transactions", "Mainnet and Testnet approvals are separate"

S37

TASK-16 Unstick Your RBNT: Cross-Chain Recovery Playbook (winning entry archive)

Redbelly DAO Community Task Board / 2026-09

Recovery steps for stuck cross-chain RBNT, including that transfers bridged to Ethereum via Polymer do not relay automatically, and that only the Ethereum wRBNT contract has been officially announced.

https://github.com/Redbelly-DAO-Community-Taskboard/TASK-16-cross-chain-recovery-playbook

Phrases checked: "Cross-Chain Recovery Playbook"

S38

TASK-29 Quant Overledger and Redbelly Interoperability Research (task brief)

Redbelly DAO Community Task Board / 2026-10

Redbelly and Quant have no announced partnership or talks; Redbelly has not published an official position on bridging.

https://taskboard.redbellydao.network/tasks/TASK-29

Phrases checked: "no announced partnership or talks", "official position on bridging"