



Integrating
the Healthcare
Enterprise

IHE Devices
Technical Framework Supplement
Service-oriented Device Point-of-care
Interoperability (SDPi)

Volume 2

Devices Technical Committee

Version 3.0, July 29, 2022: Revision 0.1.9, Draft in Preparation for Public Comment (or Trial
Implementation)

Contents

- Preface..... 1
- 1. Announce Network Presence [DEV-23]..... 2
 - 1.1. Scope 2
 - 1.2. Actor Roles 2
 - 1.3. Referenced Standards 2
 - 1.4. Messages 2

Preface

This is a supplement to the IHE Devices Technical Framework Revision 10.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

<For Public Comment:> This supplement is published on <Month XX, 201x> for Public Comment. Comments are invited and can be submitted at http://www.ihe.net/Public_Comment/#domainname. In order to be considered in development of the Trial Implementation version of the supplement, comments must be received by <Month XX, 201X>.

<For Trial Implementation:> This supplement is published on <Month XX, 201X> for Trial Implementation and may be available for testing at subsequent IHE Connectathons. The supplement may be amended based on the results of testing. Following successful testing it will be incorporated into the Devices Technical Framework. Comments are invited and can be submitted at http://www.ihe.net/Public_Comment/#domainname.

This supplement describes changes to the existing technical framework documents.

“Boxed” instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume.

Amend section W.X by the following:

Where the amendment adds text, make the added text bold underline. Where the amendment removes text, make the removed text bold strikethrough. When entire new sections are added, introduce with editor’s instructions to “add new text” or similar, which for readability are not bolded or underlined.

General information about IHE can be found at www.ihe.net.

Information about the IHE Devices domain can be found at ihe.net/IHE_Domains.

Information about the organization of IHE Technical Frameworks and Supplements and the process used to create them can be found at http://ihe.net/IHE_Process and <http://ihe.net/Profiles>.

The current version of the IHE Devices Technical Framework can be found at http://ihe.net/Technical_Frameworks.

<Comments may be submitted on IHE Technical Framework templates any time at http://ihe.net/Templates_Public_Comments. Please enter comments/issues as soon as they are found. Do not wait until a future review cycle is announced.>

Chapter 1. Announce Network Presence

[DEV-23]

1.1. Scope

This transaction is used to notify all SOMDS Consumer that a service provider system is connected to the network and ready to exchange messages with other SOMDS Participants.

1.2. Actor Roles

Table 1. Actor Roles

Actor:	SOMDS Provider
Role:	Broadcasts the transaction to all listing consumer systems.
Actor:	SOMDS Consumer
Role:	Listens for this transaction to identify any provider systems that it may want to establish a connection with and further discover a provider's service capabilities.

1.3. Referenced Standards

- ISO/IEEE 11073-10207 (2017), Section 9.2 Implicit Discovery

1.4. Messages




Figure 1. DEV-23 Messaging Interaction Diagram

1.4.1. BICEPS Announce Network Presence Message

The AnnounceNetworkPresence() message is part of the SDC/BICEPS “implicit discovery” protocol for allowing SOMDS Consumer systems to receive a notification when a SOMDS Provider system is ready to receive messages from other SOMDS Consumer systems. This is a broadcast message that

is sent from each provider system to all listening consumer systems (zero to many). Limited but sufficient information is provided with the message to enable consumer systems to determine if they are interested in connecting with the provider discovering additional information. Note that additional information may be provided to better facilitate the discovery process.

1.4.2. Trigger Events

This message is sent whenever

1. SOMDS Provider system is connected to a network (see [Figure 1](#)), or
2. when it is returning to normal “on-line” operation after having indicated temporary suspension of SOMDA exchanges (e.g., issuing a *Announce Network Departure [DEV-34] transaction*).

1.4.3. Requirements

A requirement follows, see [R100](#)

R100

Sidebar are used to visually separate auxiliary bits of content that supplement the main text.

- B1 - B2 TIP: They can contain any type of content. .Source code block in a sidebar [source,js]

---- const { expect, expectCalledWith, heredoc } = require('../test/test-utils') ----