

pds

Overview

pds is a library written in *Python* for computing and showing *proportionally dense subgraphs (PDSs)* of maximum possible size in any given graph. Alternatively, the *pds* library also allows generating and displaying random graphs of specific graph classes, such as cubic graphs, *k*-regular bipartite graphs, caterpillars, and trees. Thus, one or all PDSs of maximum possible size can be drawn on randomly generated instances of the above-mentioned graph classes. This library can be imported as a module into any *Python* project by using `import pds`.

Bazgan et al. defined "*a proportionally dense subgraph (PDS) as an induced subgraph of a graph with the property that each vertex in the PDS is adjacent to proportionally as many vertices in the subgraph as in the graph*" (source: <https://arxiv.org/abs/1903.06579>).

The project also contains a non-exhaustive list of *use cases* that show possible usage of the library. In addition, some use cases were used to test conjectures about PDSs in cubic graphs and *k*-regular bipartite graphs. The use cases are described in the section *Usage and Details* (see below).

Installation

On Debian-based Linux

In a **bash** terminal, type:

```
sudo apt update
sudo apt install python3-pip
git clone https://github.com/d-m-3/pds.git
pip install -r requirements.txt
```

On MacOS

1. Check that Python 3 is installed. In a terminal, type:

```
python3 --version
```

2. Download **pip**. In a terminal, type:

```
curl https://bootstrap.pypa.io/get-pip.py -o get-pip.py
```

3. Install **pip**. In a terminal, type:

```
python3 get-pip.py
```

4. Install the modules `networkx` and `matplotlib` with `pip`. In a terminal, type:

```
pip install networkx
pip install matplotlib
```

5. Get the files of the project. Two options:

- a) With `git clone`. In a terminal, type: `git clone https://github.com/d-m-3/pds.git`
- b) Or click on *Code - Download ZIP* on the [project's GitHub page](#).

On Windows

1. To install `pip`, follow the [pip documentation here](#).
2. Install the modules `networkx` and `matplotlib` with `pip`. In a terminal, type:

```
pip install networkx
pip install matplotlib
```

3. Get the files of the project. Two options:

- a) With `git clone`. In a terminal, type: `git clone https://github.com/d-m-3/pds.git`
- b) Or click on *Code - Download ZIP* on the [project's GitHub page](#).

Usage and Details

- `pds.py` is the main library for computing and showing PDSs of maximum possible size in any given graph. Alternatively, the `pds` library also allows generating and displaying random graphs of specific graph classes, such as cubic graphs, k -regular bipartite graphs, caterpillars, and trees. Thus, one or all PDSs of maximum possible size can be drawn on randomly generated instances of the above-mentioned graph classes. This library can be imported as a module into any *Python* project by using `import pds` (see *External Usage* below).
- `pds_tests.py` contains the unit tests for all the functions in `pds.py`, except for the functions that draw and/or save graphs.
- `usecase_draw_1_pds.py`
Goal: Draw a cubic graph or a k -regular bipartite graph and show one PDS of maximum possible size.
Execution and details: It creates a random cubic graph or a k -regular bipartite graph on a given number of vertices. It finds a PDS of maximum possible size, draws the graph, and colors the vertices of the PDS in red. Alternatively, it can create and draw a random k -regular bipartite graph instead of a cubic graph. In that case, a specific layout for bipartite graphs can be used.
- `usecase_draw_all_pds.py`
Goal: Draw all the possible PDSs of maximum possible size for a given cubic graph or k -regular bipartite graph.
Execution and details: It creates a random cubic graph on a given number of vertices. It finds all its PDSs of maximum possible size and draws all the different PDSs on different figures (vertices

belonging to a PDS are colored in red). Alternatively, it can create a random k -regular bipartite graph instead of a cubic graph. In that case, a specific layout for bipartite graphs can be used.

- [usecase_exceptions_cubic.py](#)

Goal: Search for cubic graphs $G = (V, E)$ on $n = |V|$ vertices with $n > 8$, that admit no PDS of maximum possible size.

Execution and details: It creates random cubic graphs and tests if they do not have a PDS of maximum possible size. If such a graph with no PDS of maximum possible size is found, it is drawn, saved as a .png figure and as an edge list that can be imported later, and the program's execution is stopped. The number of vertices in a graph and the number of created and tested graphs can be defined. If the boolean "only_nh" is set to "True", only cubic graphs that do not have a Hamiltonian cycle are considered (please notice that it takes much longer).

- [usecase_exceptions_k_regular_bipartite.py](#)

Goal: Search for k -regular bipartite graphs $G = (V, E)$ on $n = |V|$ vertices with $n > 8$, that admit no PDS of maximum possible size.

Execution and details: It creates random k -regular bipartite graphs and tests if they do not have a PDS of maximum possible size. If such a graph with no PDS of maximum possible size is found, it is drawn and the program's execution is stopped. The number of vertices in a graph, the value of k , and the number of created and tested graphs can be defined.

- [usecase_every_v_in_pds.py](#)

Goal: Test the following conjecture computationally "For any cubic graph $G = (V, E)$ on $n = |V|$ vertices with $n > 8$, every vertex is part of at least one PDS of maximum possible size".

Execution and details: It creates random cubic graphs and tests if, for every graph, every vertex is part of at least one PDS of maximum possible size. If the program finds a graph in which some vertices are not part of any PDS, the graph is drawn, the vertices not belonging to any PDS are displayed, and the program's execution is stopped. The number of vertices in a graph and the number of created and tested graphs can be defined. If the boolean "only_nh" is set to "True", only cubic graphs that do not have a Hamiltonian cycle are considered (please notice that it takes much longer).

- [usecase_every_v_ds2.py](#)

Goal: Test the following conjecture computationally "Every cubic graph $G = (V, E)$ on $n = |V|$ vertices with $n > 8$, has at least one PDS $G[S]$ of maximum possible size such that $d_S(u) = 2$ for every vertex u in S ". This conjecture was proven to be wrong by the finding of counterexamples.

Execution and details: It creates random cubic graphs and tests if, for every graph, there exists a PDS of maximum possible size such that $d_S(v) = 2$ for each vertex v in V . If there is no such PDS for a graph, the graph and all the PDSs of maximum possible size are drawn, and the program's execution is stopped. The number of vertices in a graph and the number of created and tested graphs can be defined. If the boolean "only_nh" is set to "True", only cubic graphs that do not have a Hamiltonian cycle are considered (please notice that it takes much longer).

- [usecase_every_v_ds2_ds3.py](#)

Goal: Test the following conjecture computationally "Every cubic graph $G = (V, E)$ on $n = |V|$ vertices with $n > 8$, has at least one PDS $G[S]$ of maximum possible size such that $d_S(u) = d_S(v) = 3$ for at most two vertices u, v in S ".

Execution and details: It creates random cubic graphs and tests if, for every graph, there exists a PDS of maximum possible size such that $d_S(v) = 2$ for each vertex v in V , except for at most [ds3_nb](#) vertices, where $d_S(v) = 3$. If there is no such PDS for a graph, the graph and all the PDSs of maximum possible size are drawn, and the program's execution is stopped. The number of vertices in a graph

and the number of created and tested graphs can be defined. If the boolean "only_nh" is set to "True", only cubic graphs that do not have a Hamiltonian cycle are considered (please notice that it takes much longer).

- `usecase_create_nham_graph.py`

Goal: Generate, display and save random non-Hamiltonian cubic graphs on a given number of vertices.

Execution and details: It creates a random non-Hamiltonian cubic graph on a given number of vertices, saves it in the given folder, with the number of vertices at the end of the filename. It also saves the figure in .png format in the same directory.

- `usecase_tree.py`

Goal: Create a random tree of maximum degree 3, find and draw a PDS of maximum possible size.

- `usecase_caterpillar.py`

Goal: Create a random caterpillar of maximum degree 3, find and draw a PDS of maximum possible size.

- `usecase_tree_without_max_pds.py`

Goal: Return a tree that does not admit a PDS of maximum possible size.

- `usecase_binomial.py`

Goal: Create an Erdős-Rényi graph, also known as a binomial graph, of maximum degree 3, and try to find and draw a PDS of maximum possible size.

- `gex.py`

Contains specific graphs used for unit tests and exceptions of cubic graphs on eight vertices, i.e., cubic graphs that do not have a PDS of maximum possible size.

External Usage

You can import the `pds` library into any *Python* project:

```
import pds
```