

| #     | Cat-1: Prohibited          |          |          |      |       |                |
|-------|----------------------------|----------|----------|------|-------|----------------|
| Rule  | L1                         | L2       | Func     | MIN  | MAX   | IP62 Rule Name |
| WN.Z1 | WN (R)                     | AP       | None     | 0.0  |       |                |
| WN.Z2 | WN (C)                     | AP       | None     | 0.0  |       |                |
| WN.Z3 | WN (C)                     | AR       | None     | 0.0  |       |                |
| CO.Z1 | CO                         | AA+GC+GR | None     | 0.0  |       |                |
| CO.Z3 | CO                         | M1       | None     | 0.0  |       |                |
| V1.Z1 | V1                         | M1       | None     | 0.0  |       |                |
| V1.Z2 | V1                         | M2       | None     | 0.0  |       |                |
| PO.Z1 | PO                         | M1       | None     | 0.0  |       |                |
| PO.Z2 | PO                         | M2       | None     | 0.0  |       |                |
| PO.Z3 | PO                         | V1 (P)   | Exist    | 0.0  |       |                |
| #     | Cat-2: WN-AC/AR related    |          |          |      |       |                |
| Rule  | L1                         | L2       | Func     | MIN  | MAX   | IP62 Rule Name |
| WN.W1 | WN                         |          | Wmin     | 8.0  |       | ER0001         |
| WN.S1 | WN                         | WN       | Smin     | 12.0 |       | ER0104         |
| WN.S2 | WN (R)                     | WN       | Smin     | 9.5  |       | ER0128         |
| WN.S3 | WN (C)                     | WN       | Smin     | 12.0 |       | ER0130         |
| WN.S4 | WN (R)                     | WN (C)   | Smin     | 9.5  |       | ER0132         |
| WN.S5 | WN (R)                     | WN (R)   | Smin     | 8.0  |       | ER0122         |
| WN.S6 | WN (C)                     | WN (C)   | Smin     | 12.0 |       | ER0129         |
| WN.AP | WN                         | AP       | Smin     | 5.0  |       | ERWLMN01       |
| WN.AN | WN                         | AN       | Smin     | 10.0 |       | ERWLMN03       |
| AR.S1 | AR                         | AR       | Smin     | 4.0  |       | ERWLRR03       |
| AR.WR | AR                         | WN (R)   | Emin     | 10.0 |       | ERWLRR02       |
| AN.WR | AN                         | WN (R)   | Emin     | 5.0  |       | ERWLRR01       |
| AR.AN | AR                         | AN       | Smin     | 4.0  |       | ERWLRR04       |
| AC.W1 | AC                         |          | Wmin/max | 28.5 | 120.0 | Table I-2-1    |
| AC.S1 | AC                         | AC       | Smin     | ???  | ???   |                |
| AC.WC | AC                         | WN (C)   | Emin     | ???  | ???   |                |
| AN.WC | AN                         | WN (C)   | Emin     | 3.0  |       | ERCSIO04       |
| AC.AN | AC                         | AN       | Sfix     | 2.8  | 2.8   | ERCSIO11       |
| AC.GC | AC                         | GC       | Efix     | 1.4  | 1.4   | ERCSIO13       |
| AC.R1 | AC                         | AN (C)   | Donut    | 0.0  |       |                |
| #     | Cat-3: AP/AN/DP/DN related |          |          |      |       |                |
| Rule  | L1                         | L2       | Func     | MIN  | MAX   | IP62 Rule Name |
| AP.W1 | AP                         |          | Wmin     | 1.4  |       | ER0004         |
| AP.S1 | AP                         | AP       | Smin     | 1.4  |       | ER0028         |
| AP.AN | AP                         | AN       | Smin     | 2.8  |       | ERWLMP04       |
| AP.WM | PMOS                       | AP-GC    | Wmin/max | 3.4  | 60.0  | Table I-2-1    |
| AP.LM | PMOS                       | GC-AN    | Lmin/max | 1.0  | 30.0  | Table I-2-1    |
| AP.WN | AP                         | WN       | Emin     | 7.0  |       | ERWLMP02       |
| DP.W1 | DP                         |          | Wmin     | 2.8  |       |                |
| DP.S1 | DP                         | DP       | Smin     | 1.4  |       | =AP.S1         |
| DP.AP | DP                         | AP (M)   | Smin     | 2.8  |       | ERWLMP08       |
| DP.AN | DP                         | AN       | Smin     | 2.8  |       | ERWLMP09       |
| AN.W1 | AN                         |          | Wmin     | 1.4  |       | ER0004         |
| AN.S1 | AN                         | AN       | Smin     | 1.4  |       | ER0028         |
| AN.AP | AN                         | AP       | Smin     | 2.8  |       | ERWLMN05       |
| AN.WM | NMOS                       | AN-GC    | Wmin/max | 3.4  | 60.0  | Table I-2-1    |
| AN.LM | NMOS                       | GC-AN    | Lmin/max | 1.0  | 30.0  | Table I-2-1    |
| AN.WN | AN                         | WN (M)   | Emin     | 5.0  |       | ERWLMP03       |
| DN.W1 | DN                         |          | Wmin     | 2.8  |       |                |
| DN.S1 | DN                         | DN       | Smin     | 1.4  |       | =AN.S1         |
| DN.AP | DN                         | AP       | Smin     | 2.8  |       | ERWLMN10       |
| DN.AN | DN                         | AN (M)   | Smin     | 2.8  |       | ERWLMN11       |
| #     | Cat-4: GC/CO related       |          |          |      |       |                |
| Rule  | L1                         | L2       | Func     | MIN  | MAX   | IP62 Rule Name |
| GC.W1 | GC                         |          | Wmin     | 1.0  |       | ER0014         |
| GC.S1 | GC                         | GC       | Smin     | 1.2  |       | ER0038         |
| GC.AP | GC                         | AP       | Smin     | 0.4  |       | ERWLMP07       |
| GC.AN | GC                         | AN       | Smin     | 0.4  |       | ERWLMN09       |
| GC.EP | PMOS                       | GC       | ECmin    | 1.2  |       | ERMP06         |
| GC.EN | NMOS                       | GC       | ECmin    | 1.2  |       | ERMN06         |
| CO.W1 | CO                         |          | Wmin     | 1.0  |       | ER0020         |
| CO.S1 | CO                         | CO       | Smin     | 1.0  |       | ER0044         |
| CO.WM | CO (M)                     |          | Wfix     | 1.0  | 1.0   | ER0020         |
| CO.WG | CO (G)                     |          | Wfix     | 1.0  | 1.0   | ER0020         |
| CO.WB | CO (B)                     |          | Wfix     | 1.0  | 1.0   | ER0020         |
| CO.WC | CO (C)                     |          | Wfix     | 1.2  | 1.2   |                |
| CO.WD | CO (D)                     |          | Wfix     | 1.2  | 1.2   | ERDP05/ERDN05  |
| CO.SC | CO (C)                     | CO       | Smin     | 1.2  |       |                |
| CO.SD | CO (D)                     | CO       | Smin     | 1.2  |       |                |
| CO.AD | CO (D)                     | AP+AN    | Emin     | 1.2  |       | ERDP24/ERDN23  |

#### Function:

Wmin/max: L1 Width min/max  
 Smin/max: L1 Space min/max (L1=L2)  
 Smin/max: L1 Separate L2 min/max  
 Emin/max: L1 Enclosed L2 min/max  
 Fmin/max: L1 Enclosing L2 min/max  
 ECmin: MOS Endcap min  
 Wfix: L1 Windth equal  
 Sfix: Space equal  
 Donut: L1 Souuounded by L2  
 None: Not Exist

| CO.AP  | CO                      | AP      | Emin      | 0.8  |       | ERMP10          |
|--------|-------------------------|---------|-----------|------|-------|-----------------|
| CO.AN  | CO                      | AN      | Emin      | 0.8  |       | ERMN11          |
| CO.GG  | CO                      | GC (G)  | Smin      | 1.0  |       | ERMP12/ERMN12   |
| CO.GC  | CO                      | GC+GR   | Emin      | 0.8  |       | ER0050          |
| #      | Cat-5: AC/AR/GR related |         |           |      |       |                 |
| Rule   | L1                      | L2      | Func      | MIN  | MAX   | IP62 Rule Name  |
| AR.W1  | RR                      | RR (L)  | Wmin/max  | 2.8  | 20.0  | Table I-2-1     |
| AR.L1  | RR                      | RR (W)  | Lmin/max  | 13.0 | 100.0 | Table I-2-1     |
| AR.GC  | GC                      | AR      | Smin      | 1.0  |       | ERRR15          |
| AR.PW  | GC (R)                  |         | Wmin      | 2.0  |       | ERRR06          |
| AR.XY  | AR                      | Bevel   | XYmin     | 1.0  |       |                 |
| GC.AN  | GC (R)                  | AN      | Smin      | ???  | ???   |                 |
| GC.R1  | AR                      | GC (R)  | Donut     | 0.0  |       |                 |
| GC.R2  | GC (R)                  | WN (R)  | TieDown   | 0.0  |       |                 |
| GR.W1  | RS                      | RS (L)  | Wmin/max  | 4.0  | 20.0  | Table I-2-1     |
| GR.L1  | RS                      | RS (W)  | Lmin/max  | 20.0 | 100.0 | Table I-2-1     |
| GR.S1  | RS                      | RS      | Smin      | 2.0  |       | ERRS04          |
| CR.W1  | CO (RR)                 |         | Wmin      | 1.0  |       |                 |
| CR.W2  | CL (RR)                 |         | Wmin/max  | 1.0  | 97.5  | CO (L)          |
| CR.AT  | CO (RR)                 | AR (T)  | Emin      | 1.5  |       |                 |
| CR.AS  | CO (RR)                 | AR (S)  | Emin      | 1.0  |       |                 |
| CC.W1  | CO (C)                  |         | Wfix      | 1.2  | 1.2   | ERCSIO01        |
| CC.S1  | CO (C)                  | CO (C)  | SFIX      | 1.2  | 1.2   | ERCSIO14        |
| CC.AC  | CO (C)                  | AC      | Emin      | 2.9  |       | ERCSIO03        |
| CC.AN  | CO (C)                  | AN      | Emin      | 1.2  |       | ERCSIO02        |
| #      | Cat-6: BEOL related     |         |           |      |       |                 |
| Rule   | L1                      | L2      | Func      | MIN  | MAX   | IP62 Rule Name  |
| M1.W1  | M1                      |         | Wmin      | 1.8  |       | ER0021          |
| M1.W2  | M1 (W)                  |         | Wmin      | 10.0 |       | ER0021          |
| M1.S1  | M1                      | M1      | Smin      | 1.4  |       | ER0045          |
| M1.SC  | M1 (C)                  | M1 (C)  | Smin/Smax | 10.0 | 10.0  | ERCSIO05        |
| M1.CO  | M1                      | CO (S)  | Fmin      | 0.8  |       | ER0051          |
| M1.CC  | M1                      | CO (CC) | Fmin      | 1.3  |       | ERCSIO02        |
| M1.CL  | M1                      | CO (L)  | Fmin      | 1.2  |       | ER1305          |
| M1.SW  | M1 (W)                  | M1      | Smin      | 2.0  |       | ER1402          |
| V1.W1  | V1                      |         | Wfix      | 1.4  | 1.4   | ER0022          |
| V1.S1  | V1                      | V1      | Smin      | 1.5  |       | ER0046          |
| V1.M1  | V1                      | M1      | Emin      | 1.0  |       | ER0052          |
| V1.GC  | V1                      | GC      | Smin      | 1.2  |       | ER1508          |
| V1.CO  | V1                      | CO      | Smin      | 1.0  |       | ER1506          |
| V1.CL  | V1                      | CO (L)  | Smin      | 1.4  |       | ER1507          |
| M2.W1  | M2                      |         | Wmin      | 3.0  |       | ER0023          |
| M2.S1  | M2                      | M2      | Smin      | 2.0  |       | ER0047          |
| M2.V1  | M2                      | V1      | Fmin      | 1.0  |       | ER0052          |
| #      | Cat-7: ESD related      |         |           |      |       |                 |
| Rule   | L1                      | L2      | Func      | MIN  | MAX   | IP62 Rule Name  |
| APE.WM | PMOSE                   | APE-GC  | Wmin/max  | 11.0 | 60.0  | Table I-2-1     |
| APE.LM | PMOSE                   | GC-ANE  | Lmin/max  | 2.0  | 30.0  | Table I-2-1     |
| APE.AN | APE                     | AN      | Smin      | 10.0 |       | ERWLMPE15       |
| APE.XY | APE                     | Bevel   | XYmin     | 1.4  |       | ERMPE06         |
| APE.CO | APE                     | CO      | Smin      | 2.0  |       | ERWLMPE16       |
| ANE.WM | NMOSE                   | ANE-GC  | Wmin/max  | 11.0 | 60.0  | Table I-2-1     |
| ANE.LM | NMOSE                   | GC-ANE  | Lmin/max  | 2.0  | 30.0  | Table I-2-1     |
| ANE.AP | ANE                     | AP      | Smin      | 10.0 |       | ERWLMN14        |
| ANE.XY | ANE                     | Bevel   | XYmin     | 1.4  |       | ERMNE15         |
| ANE.CO | ANE                     | CO      | Smin      | 2.0  |       | ERWLMN15        |
| COE.W1 | CO (E)                  |         | Wfix      | 3.0  | 3.0   | ERMPE12/ERMNE13 |
| COE.S1 | CO (E)                  | CO      | Smin      | 1.6  |       | ERMPE13/ERMNE15 |
| CDE.GC | CD (E)                  | GC      | Smin      | 7.0  |       | ERMPE04/ERMNE08 |
| CSE.GC | CS (E)                  | GC      | Smin      | 3.0  |       | ERMPE03/ERMNE09 |
| COE.AP | CO (E)                  | AP      | Emin      | 4.0  |       | ERMPE05/ERMPE31 |
| COE.AN | CO (E)                  | AN      | Emin      | 4.0  |       | ERMNE10/ERMNE32 |
| #      | Cat-8: PAD related      |         |           |      |       |                 |
| Rule   | L1                      | L2      | Func      | MIN  | MAX   | IP62 Rule Name  |
| PO.W1  | PO                      |         | Wmin      | 70.0 |       | ER1809          |
| PO.S1  | PO                      | PO      | Smin      | 64.0 |       | ER1810          |
| M2.PO  | M2 (P)                  | PO      | Fmin      | 5.0  |       | ER1703          |
| M1.PO  | M1 (P)                  | PO      | Fmin      | 5.0  |       | ER1704          |
| PO.V1  | PO                      | V1 (P)  | Emin      | 10.0 |       | ER1811/ER1703   |
| PO.AP  | PO                      | AP      | Smin      | 14.0 |       | ER1808          |
| PO.AN  | PO                      | AN      | Smin      | 14.0 |       | ER1808          |
| PO.GC  | PO                      | GC      | Smin      | 14.0 |       | ER1807          |
| PO.M1  | PO                      | M1      | Smin      | 14.0 |       | ER1801          |
| PO.M2  | PO                      | M2      | Smin      | 14.0 |       | ER1802          |
| M2.PE  | M2                      |         | EXTL      | 19.0 |       | ER1803          |
| M2.PW  | M2                      |         | EXTW      | 40.0 |       | ER1803          |

|        |                              |    |      |      |     |                |
|--------|------------------------------|----|------|------|-----|----------------|
| M1.PE  | M2                           |    | EXTL | 19.0 |     | ER1804         |
| M1.PW  | M2                           |    | EXTW | 40.0 |     | ER1804         |
| #      | Cat-9: Electrical / Optional |    |      |      |     |                |
| Rule   | L1                           | L2 | Func | MIN  | MAX | IP62 Rule Name |
| GC.ANT | GC                           |    | ANTE | 0.0  |     |                |
|        |                              |    |      |      |     |                |