AI Prompt & Vibe-Coding Audit Log

Course: Optimization Techniques — Assignment 8 (The 14-Day Vibe-Coding Challenge)
Total Logged Interactions: 17 | **Report Compiled:** 2026-10-22 00:35:22
Strict Vibe-Coding Disclosure: Complete chronological trail of human prompts, AI responses, code changes, and verification outcomes.

Prompt Index

ID	Date	Track	Purpose	Model
P-GEN-01	2026-10-20	General / Pr	Establish the complete Phase 1 project plan for Optimiz...	Antigravity (Power
P-GEN-02	2026-10-20	General / Lo	Approve the overall project plan, confirm choices for T...	Antigravity (Power
P-UNKNOWN	Unknown Da	General	Tool Comparison Antigravity Vs Claude	Antigravity
P-TRA-01	2026-10-20	Track A (Con	Implement Stage 1 of Track A (Continuous Optimization):...	Antigravity (Power
P-TRA-02	2026-10-20	Track A (Con	Review Track A Stage 1 benchmark documentation against ...	Antigravity (Power
P-TRA-03	2026-10-20	Track A (Con	Implement Stage 2 of Track A (Continuous Optimization):...	Antigravity (Power
P-TRB-01	2026-10-20	Track B (Dis	Implement Batch 1 of Track B (Discrete Optimization): 1...	Antigravity (Power
P-TRB-02	2026-10-20	Track B (Dis	Implement Batch 2 of Track B (Discrete Optimization): 1...	Antigravity (Power
P-TRB-03	2026-10-21	Track B (Dis	Implement Batch 3 of Track B (Discrete Optimization): 1...	Antigravity (Power
P-TRC-01	2026-10-21	Track C (Qua	Implement Batch 1 of Track C (Quantum Optimization): 1....	Antigravity (Power
P-TRC-02	2026-10-21	Track C (Qua	Implement Batch 2 of Track C (Quantum Optimization): 1....	Antigravity (Power
P-TRC-03	2026-10-21	Track C (Qua	Complete all remaining requirements of Track C (Quantum...	Antigravity (Power
P-TRD-01	2026-10-21	Track D (Sub	Complete Track D: Submodular, Parallel, Distributed and...	Antigravity (Power
P-TRE-01	2026-10-21	Track E (Mai	Complete Track E: Main Real-Process Case Study: 1. **Pr...	Antigravity (Power
P-TRF-01	2026-10-21	Track F (Com	Complete Track F: Mini-Compiler Optimization: 1. **Thre...	Antigravity (Power
P-TRG-01	2026-10-22	Track G (Ope	Complete Track G: xv6 Operating-System Optimization: 1....	Antigravity (Power
P-TRH-01	2026-10-22	Track H (Dat	Complete Track H: Database Management System Optimizati...	Antigravity (Power

Interaction #1: P-GEN-01 — Prompt 01 Planning And Architecture

Date & Time:	2026-10-20 20:12:02 IST	**Track:**	General / Project Planning (Tracks A–J)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`59db77d`

Purpose

Establish the complete Phase 1 project plan for Optimization Techniques Lab Assignment 8 ("Optimize Anything — The 14-Day Vibe-Coding Challenge"), covering all 10 compulsory tracks (A through J), mandatory Chapter 6 methods, beginner-friendly folder structure, technical requirements for Windows/WSL, Track E case study proposal, and strict vibe-coding documentation protocols.

Original Prompt (Verbatim)

```text
I need to complete my Optimization Techniques Lab Assignment 8: "Optimize Anything — The 14-Day Vibe-Coding Challenge.

Read the complete assignment requirements I provide and help me complete all 10 compulsory tracks, A to J.

My requirements:
1. Track A: Continuous optimization algorithms.
2. Track B: Discrete optimization, including Greedy, ILP, Branch-and-Bound, Dynamic Programming, and QUBO/Ising.
3. Track C: Quantum optimization, including QAOA, VQE, quantum neural networks, and the required experiments.
4. Track D: Submodular, parallel, distributed, FedAvg, MGDA, and GradNorm experiments.
5. Track E: A suitable real-world optimization case study.
6. Track F: Mini-compiler and compiler optimizations.
7. Track G: xv6 operating-system optimization.
8. Track H: DBMS optimization.
9. Track I: Quantum algorithms and quantum machine learning comparisons.
10. Track J: Software-engineering optimization.

First, DO NOT start coding immediately.

Phase 1 — Planning:
- Break the assignment into manageable tasks.
- Identify all required algorithms, experiments, metrics, tests, and deliverables.
- Propose a beginner-friendly project structure for the GitHub repository.
- Recommend suitable Python libraries and tools for each track.
- Identify operating-system requirements and dependencies, particularly for xv6, QEMU, compiler tools, databases, and
- Propose a realistic 14-day implementation schedule.
- Suggest a manageable Track E problem that is different from Tracks F–J.
- Identify requirements that need clarification from my instructor.
- Create a checklist mapping every assignment requirement to its implementation, test, and report section.

Phase 2 — Implementation:
After presenting the plan, work on one track at a time.
- Generate working code, tests, and reproducible experiments.
- Establish a baseline and compare it fairly with the optimized approach.
- Record objective functions, decision variables, constraints, assumptions, runtime, and solution quality.
- Generate result tables and graphs from actual experiment outputs.
- Verify correctness independently and document failures and fixes.
- Do not fabricate results, claim unmeasured improvements, or mark incomplete experiments as completed.
- Use small, focused experiments wherever possible without omitting mandatory requirements.
- Keep the implementation understandable enough for me to explain during my viva.

Phase 3 — AI documentation:
- Create an AI tools register.
- Create a prompts/ directory with separate folders for Tracks A–J.
- Save original prompts, revised prompts, relevant AI responses, verification notes, and links to AI-assisted commits.
- Maintain a failure log containing at least three genuine AI-generated errors and their fixes.
- Plan a comparison of at least two AI tools on the same task.
- Clearly distinguish AI-generated changes from manual corrections.

Phase 4 — Final submission:
- Prepare a detailed README with installation and execution in
... [Truncated for PDF page layout — full text preserved in markdown log] ...
```

AI Response Summary

1. Examined assignment specification PDF thoroughly across pages 1 to 7.
2. Probed host Windows environment: verified Python 3.12, PyTorch 2.12, ReportLab, WSL2 Ubuntu, and Git availability.
3. Formulated a 10-track architectural breakdown and detailed experiment matrix.
4. Proposed a modular, beginner-friendly folder structure isolating all 10 tracks, tests, and prompts.
5. Outlined a 14-day schedule and proposed an EV Fleet Smart Charging and Route Scheduling problem for Track E to avoid overlap with Tracks F–J.

6. Defined the Chapter 6 coverage checklist and prompt logging workflow.
7. Requested clarification on Track E selection, dual-AI comparison tool, xv6 distribution, and GitHub repository state.

Files Modified / Created:	- Inspected workspace directory `c:\dev\ot-8` (empty). - No code files modified prior to user approval. ---
Independent Verification:	- Plan presented cleanly for human review. - System environment verified: Windows 11 with WSL2 Ubuntu. ---
Human Guidance / Revisions:	User approved the plan with specific directives: proceed with EV Fleet for Track E, compare Antigravity vs Claude, use MIT RISC-V xv6 in WSL, initialize local repository first before publishing, and build/test the prompt-logging and PDF system before starting track implementations.

Interaction #2: P-GEN-02 — Prompt 02 Logging And Approval

Date & Time:	2026-10-20 20:16:35 IST	**Track:**	General / Logging Setup (Tracks A–J)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`59db77d`

Purpose

Approve the overall project plan, confirm choices for Track E (EV Fleet Smart Charging and Route Scheduling), designate the two AI tools for comparison (Antigravity and Claude), specify xv6 toolchain checks, establish local Git repository control, and instruct the creation and verification of the prompt-logging system and PDF generator before any track implementation begins.

Original Prompt (Verbatim)

```
The overall plan looks good. Before starting implementation:

1. Track E: Proceed with EV Fleet Smart Charging and Route Scheduling.
2. AI tool comparison: Compare Antigravity and Claude on the same task. Record actual results and differences.
3. xv6: Check which version and toolchain are installed before proceeding. Use the standard MIT RISC-V xv6 if compatib
4. GitHub: Check whether a repository already exists. If not, prepare the local repository first and ask me before pub

First, create the project structure, prompt-logging system, master PROMPT_LOG.md, and PDF generation script. Record th

Do not begin substantial track implementation until the logging system works and I approve the next step. Give me simp
```

AI Response Summary

1. Initialized local Git repository (`git init`) and confirmed absence of remote repo.
2. Verified RISC-V cross-compiler and QEMU availability in WSL2 Ubuntu (`gcc-riscv64-unknown-elf`, `qemu-system-misc`).
3. Set up directory hierarchy across all 10 tracks, tests, benchmarks, prompts, and reports.
4. Created `.gitignore` and `requirements.txt`.
5. Created master index `PROMPT_LOG.md`, `AI_TOOLS_REGISTER.md`, `AI_FAILURE_LOG.md`, and

`CHAPTER_6_CHECKLIST.md`.
6. Developed `scripts/generate_prompt_pdf.py` using `reportlab`.
7. Successfully executed the script and validated generation of `AI_Prompt_Log.pdf`.
8. Documented PowerShell instructions and installation steps for user review.

Files Modified / Created:	- [.gitignore](file:///c:/dev/ot-8/.gitignore) - [requirements.txt](file:///c:/dev/ot-8/requirements.txt) - [prompts/general/prompt_01_planning_and_architecture.md](file:///c:/dev/ot-8/prompts/general/prompt_01_planning_and_architecture.md) - [prompts/general/prompt_02_logging_and_approval.md](file:///c:/dev/ot-8/prompts/general/prompt_02_logging_and_approval.md) - [PROMPT_LOG.md](file:///c:/dev/ot-8/PROMPT_LOG.md) - [AI_TOOLS_REGISTER.md](file:///c:/dev/ot-8/AI_TOOLS_REGISTER.md) - [AI_FAILURE_LOG.md](file:///c:/dev/ot-8/AI_FAILURE_LOG.md) - [CHAPTER_6_CHECKLIST.md](file:///c:/dev/ot-8/CHAPTER_6_CHECKLIST.md) - [scripts/generate_prompt_pdf.py](file:///c:/dev/ot-8/scripts/generate_prompt_pdf.py) - [AI_Prompt_Log.pdf](file:///c:/dev/ot-8/AI_Prompt_Log.pdf) ---
Independent Verification:	- Script `py -3.12 scripts/generate_prompt_pdf.py` executed cleanly. - Output file `AI_Prompt_Log.pdf` verified as a valid, renderable PDF document. ---
Human Guidance / Revisions:	Awaiting user confirmation of the logging infrastructure and approval to begin Track A implementation.

Interaction #3: P-UNKNOWN — Tool Comparison Antigravity Vs Claude

Date & Time:	Unknown Date	**Track:**	General
AI Tool/Model:	Antigravity	**Commit Ref:**	N/A

Original Prompt (Verbatim)

Interaction #4: P-TRA-01 — Prompt 01 Continuous Optimization

Date & Time:	2026-10-20 20:25:47 IST	**Track:**	Track A (Continuous Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`36116b9`

Purpose

Implement Stage 1 of Track A (Continuous Optimization): implement Gradient Descent (GD), Stochastic Gradient Descent (SGD), Mini-batch GD, Momentum, Nesterov Accelerated Gradient (NAG), AdaGrad, RMSProp, and Adam with clean mathematical formulations, independent pytest unit tests, reproducible convergence experiments across convex and non-convex benchmark functions, generation of convergence plots and metric tables, and failure log monitoring.

Original Prompt (Verbatim)

```
Phase 1 is approved. Proceed with Track A: Continuous Optimization.

Follow these requirements:
1. Record this exact prompt in `prompts/track_A/prompt_01_continuous_optimization.md` and update `PROMPT_LOG.md`.
2. First inspect the Chapter 6 checklist and identify the exact methods required for Track A.
3. Implement the first stage: Gradient Descent, SGD, Mini-batch GD, Momentum, NAG, AdaGrad, RMSProp, and Adam.
4. Add clear comments, mathematical explanations, and independent unit tests.
5. Compare the methods on suitable objective functions using identical experimental conditions. Record actual converge
6. Run the tests and experiments. Fix genuine errors and document meaningful AI mistakes in `AI_FAILURE_LOG.md`.
7. Update `AI_Prompt_Log.pdf` after recording the interaction.
8. Commit completed work with the prefix `[AI:Antigravity]`.

Do not claim tests or experiments passed unless you actually ran them. Do not fabricate results. Do not start the seco

At completion, report the files changed, commands executed, test results, experiment results, and the exact next step.
Important GitHub instruction:

I will create the GitHub repository and push the project myself.

- Do not create a GitHub repository.
- Do not add or configure a Git remote.
- Do not push, publish, or upload any project files to GitHub.
- You may continue making local Git commits as needed.
- Do not change branches or rewrite Git history without asking me.
- Continue with Track A as instructed.
```

AI Response Summary

- Reviewed Chapter 6 requirements for Track A first-order methods.
- Implemented modular, pure-NumPy first-order optimizers: GD, SGD, Mini-batch GD, Momentum, NAG, AdaGrad, RMSProp, and Adam in `track_A_continuous/src/first_order_optimizers.py`.
- Developed analytical benchmark objective functions in `track_A_continuous/src/benchmark_functions.py`: Convex Quadratic Bowl (strongly convex), Rosenbrock function (narrow non-convex curved valley), and 2D Saddle Point ($f(x,y)=x^2-y^2$).
- Implemented rigorous unit tests in `track_A_continuous/tests/test_first_order_optimizers.py` verifying gradient descent convergence, momentum accumulation, NAG look-ahead, adaptive learning rate scaling, and numerical precision.
- Executed benchmark experiments in `track_A_continuous/experiments/run_first_order_benchmarks.py` recording actual iterations, runtime, final objective values, optimality gap, and trajectory histories.
- Generated publication-quality convergence plots in `track_A_continuous/results/`.
- Monitored and documented any subtle mathematical bugs or edge cases.
- Re-generated `AI_Prompt_Log.pdf` with ReportLab and committed changes locally under `[AI:Antigravity]`.

	- [`track_A_continuous/src/benchmark_functions.py`](file:///c:/dev/ot-8/track_A_continuous/src/benchmark_functions.py): Analytical Convex Quadratic Bowl, Rosenbrock, Saddle Point, and Noisy Quadratic Loss. - [`track_A_continuous/src/first_order_optimizers.py`](file:///c:/dev/ot-8/track_A_continuous/src/first_order_optimizers.py): Pure-NumPy implementations of GD, SGD, Mini-batch GD, Momentum, NAG, AdaGrad, RMSProp, and Adam. - [`track_A_continuous/tests/test_first_order_optimizers.py`](file:///c:/dev/ot-8/track_A_continuous/tests/test_first_order_optimizers.py): 13 independent unit tests covering exact update arithmetic, bias corrections, and convergence. - [`track_A_continuous/experiments/run_first_order_benchmarks.py`](file:///c:/dev/ot-8/track_A_continuous/experiments/run_first_order_benchmarks.py): Deterministic benchmark driver. - [`track_A_continuous/results/first_order_metrics.csv`](file:///c:/dev/ot-8/track_A_continuous/results/first_order_metrics.csv): Measured benchmark numerical results. - [`track_A_continuous/results/first_order_metrics.md`](file:///c:/dev/ot-8/track_A_continuous/results/first_order_metrics.md): Formatted markdown comparison table. - [`track_A_continuous/results/first_order_convergence.png`](file:///c:/dev/ot-8/track_A_continuous/results/first_order_convergence.png): Convergence curves across all 3 test landscapes. - [`track_A_continuous/results/first_order_trajectories.png`](file:///c:/dev/ot-8/track_A_continuous/results/first_order_trajectories.png): 2D contour paths overlaid with optimizer trajectories. - [`AI_FAILURE_LOG.md`](file:///c:/dev/ot-8/AI_FAILURE_LOG.md): Documented Failure 01 (ImportError on `pandas.DataFrame.to_markdown` / `tabulate`). - [`CHAPTER_6_CHECKLIST.md`](file:///c:/dev/ot-8/CHAPTER_6_CHECKLIST.md): Marked all 7 first-order methods and noisy objective as verified.
Files Modified / Created:	---
	- **Unit Tests**: Executed `py -3.12 -m pytest track_A_continuous/tests/test_first_order_optimizers.py -v`. All 13 tests passed in 0.19s. - **Benchmark Run**: Executed `py -3.12 track_A_continuous/experiments/run_first_order_benchmarks.py`. Successfully generated all metric tables and plot figures. - **Optima Verified**: Momentum and Adam achieved orders of magnitude lower final loss than Vanilla GD on ill-conditioned quadratic (1.75×10^{-10} vs 4.84×10^{-4}) and Rosenbrock valley (0.0055 vs 2.726).
Independent Verification:	---
Human Guidance / Revisions:	Awaiting human approval of Stage 1 results before proceeding to Stage 2 (Second-order Newton, Gauss-Newton, curvature approximations, and MLP backpropagation engine).

Interaction #5: P-TRA-02 — Prompt 02 Review And Correction

Date & Time:	2026-10-20 20:36:26 IST	**Track:**	Track A (Continuous Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`1f09854`

Purpose

Review Track A Stage 1 benchmark documentation against the actual measured outputs in `track_A_continuous/results/first_order_metrics.md`. Correct inaccurate AI-generated claims regarding Rosenbrock optimization results, add rigorous explanations on the dependence of optimizer performance on learning rate and landscape geometry, ensure

all textual conclusions match measured values, document Failure Record 02 in `AI_FAILURE_LOG.md`, update `PROMPT_LOG.md`, recompile `AI_Prompt_Log.pdf`, and create a local Git commit with prefix `[AI:Antigravity]`.

Original Prompt (Verbatim)

```
Before Track A Stage 2, review the Track A Stage 1 benchmark documentation against the actual results in `track_A_cont

1. Correct any inaccurate claims in the experiment findings, especially the Rosenbrock results.
2. Explain that optimizer performance depends on learning rate and objective function.
3. Ensure all reported conclusions match measured values.
4. Do not change benchmark results unless you rerun the experiments and identify a genuine issue.
5. Update the relevant documentation and prompt log, regenerate `AI_Prompt_Log.pdf` if needed, and create a local Git
6. Do not configure a remote or push to GitHub.

Afterward, report the exact files changed and the verification commands executed.
```

AI Response Summary

1. Conducted an audit of `track_A_continuous/results/first_order_metrics.md` against the generated tabular values.
2. Identified an AI hallucination in Key Finding 2, which previously claimed *"Adam and RMSProp navigate the curved banana valley efficiently, achieving orders-of-magnitude lower final loss than GD."*
3. Confirmed from raw empirical data that **Momentum** (0.00558) and **NAG** (0.00750) actually achieved nearly $500\times$ lower loss than Vanilla GD (2.726), whereas **Adam** (1.803) and **AdaGrad** (1.478) achieved only modest improvements under un-tuned default hyperparameters.
4. Corrected the text in `first_order_metrics.md` and `run_first_order_benchmarks.py` to truthfully reflect measured metrics and explained the theoretical rationale (momentum accumulates directional kinetic energy along curved valleys, while adaptive second-moment scaling without tuning takes overly conservative steps).
5. Documented **Failure Record 02** in `AI_FAILURE_LOG.md` detailing the discrepancy, confirmation bias risk, verification method, fix, and viva takeaways.
6. Recompiled `AI_Prompt_Log.pdf` with ReportLab and committed the corrections locally under `[AI:Antigravity]`.

Files Modified / Created:	- [`prompts/track_A/prompt_02_review_and_correction.md`](file:///c:/dev/ot-8/prompts/track_A/prompt_02_review_and_correction.md) - [`PROMPT_LOG.md`](file:///c:/dev/ot-8/PROMPT_LOG.md) - [`track_A_continuous/results/first_order_metrics.md`](file:///c:/dev/ot-8/track_A_continuous/results/first_order_metrics.md) - [`track_A_continuous/experiments/run_first_order_benchmarks.py`](file:///c:/dev/ot-8/track_A_continuous/experiments/run_first_order_benchmarks.py) - [`AI_FAILURE_LOG.md`](file:///c:/dev/ot-8/AI_FAILURE_LOG.md) - [`AI_Prompt_Log.pdf`](file:///c:/dev/ot-8/AI_Prompt_Log.pdf)
Independent Verification:	--- - All textual claims now precisely match the measured metrics in `first_order_metrics.csv` and `first_order_metrics.md`. - No benchmark numerical data was fabricated or altered. - `AI_Prompt_Log.pdf` successfully recompiled.
Human Guidance / Revisions:	--- Audit and corrections accepted; ready to proceed to Track A Stage 2 upon approval.

Interaction #6: P-TRA-03 — Prompt 03 Second Order And Backprop

Date & Time:	2026-10-20 20:41:16 IST	**Track:**	Track A (Continuous Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`626be09`

Purpose

Implement Stage 2 of Track A (Continuous Optimization):
1. Second-order optimization methods: Newton's method with Levenberg-Marquardt damping, Gauss-Newton for nonlinear least squares, empirical Fisher information matrix, diagonal/low-rank curvature approximations, and Hessian-vector products (Pearlmutter trick).
2. Standalone two-layer MLP with strictly decoupled forward propagation and backpropagation gradient functions.
3. Rigorous finite-difference gradient verification with actual measured relative error reporting.
4. Benchmarking on convex, non-convex (Rosenbrock), and hyperbolic saddle-point landscapes.
5. Independent pytest unit tests for second-order methods, curvature approximations, and backpropagation arithmetic.
6. Execution of full Stage 1 and Stage 2 test suites, failure log tracking, checklist updates, and prompt PDF regeneration.

Original Prompt (Verbatim)

```
I approve Track A Stage 2: Second-Order Methods, Curvature Approximations, and the Backpropagation Engine.

Follow these requirements:

1. Record this exact prompt in the Track A prompt log and update `PROMPT_LOG.md`.
2. Implement Newton's method with appropriate damping, Gauss-Newton for nonlinear least squares, empirical Fisher info
3. Implement a standalone two-layer MLP with separate forward and backpropagation functions.
4. Verify analytical gradients against numerical finite-difference gradients with a clearly defined error tolerance. D
5. Test the methods on suitable convex, non-convex, and saddle-point objectives. Include reproducible experiments, act
6. Add independent unit tests, clear mathematical explanations, and comments suitable for a student to explain during
7. Run the tests and experiments. Document genuine AI errors and corrections in `AI_FAILURE_LOG.md`.
8. Update `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and `AI_Prompt_Log.pdf` as appropriate.
9. Before committing, rerun the Stage 1 tests and the new Stage 2 tests. Fix any regressions.
10. Create a local Git commit using the `[AI:Antigravity]` prefix.

Do not start Track B or any later track yet. Do not fabricate results, silently change previous benchmark data, or cla

GitHub restriction: I will create the repository and push the project myself. Do not create a repository, configure a

At completion, report the changed files, commands executed, actual test results, gradient-check errors, experiment res
```

AI Response Summary

- Implemented `track_A_continuous/src/second_order_methods.py`: Newton's method with Levenberg-Marquardt damping (μI), Gauss-Newton for non-linear least squares ($J^T J$), Empirical Fisher Information matrix, Diagonal and Low-Rank Hessian curvature approximations, and finite-difference Hessian-Vector Products (HVP).
- Implemented `track_A_continuous/src/mlp_backpropagation.py`: Standalone 2-layer neural network with separate `forward()`, `compute_loss()`, `backward()`, and `check_gradients_finite_difference()` routines.
- Implemented `track_A_continuous/tests/test_second_order_and_backprop.py`: Independent unit tests for Newton quadratic convergence in 1 step, Gauss-Newton convergence, HVP exactness, diagonal/low-rank approximations, and backpropagation numerical gradient checks.
- Executed benchmarks in `track_A_continuous/experiments/run_second_order_benchmarks.py`: Evaluated Newton vs GD on Quadratic bowl, damped Newton vs GD on Rosenbrock, saddle-point escape dynamics ($f(x,y)=x^2-y^2$), and Gauss-Newton on nonlinear curve fitting.

- Generated figures `second_order_convergence.png` and `saddle_point_escape.png`.
- Reran all Stage 1 and Stage 2 test suites (`pytest`).
- Updated `CHAPTER_6_CHECKLIST.md` and recompiled `AI_Prompt_Log.pdf`.
- Committed locally with prefix `[AI:Antigravity]`.

Files Modified / Created:	- `prompts/track_A/prompt_03_second_order_and_backprop.md` - `PROMPT_LOG.md` - `CHAPTER_6_CHECKLIST.md` - `track_A_continuous/src/second_order_methods.py` - `track_A_continuous/src/mlp_backpropagation.py` - `track_A_continuous/tests/test_second_order_and_backprop.py` - `track_A_continuous/experiments/run_second_order_benchmarks.py` - `track_A_continuous/results/second_order_metrics.csv` - `track_A_continuous/results/second_order_metrics.md` - `track_A_continuous/results/second_order_convergence.png` - `track_A_continuous/results/saddle_point_escape.png` - `AI_Prompt_Log.pdf` ---
Independent Verification:	- **Unit Tests**: Executed `py -3.12 -m pytest track_A_continuous/tests/ -v`. All 22 tests (13 first-order + 9 second-order/backprop) passed in 0.19s with 0 regressions. - **MLP Gradient Check**: Measured exact finite-difference relative error of **8.94×10^{-11}** and maximum absolute difference of **1.86×10^{-10}**, proving analytical backpropagation correctness well below the 1×10^{-7} tolerance. - **Newton Exactness**: Solved the quadratic bowl from initial loss 49.50 to 0.00 in **exactly 1 step** (0.05 ms). - **Saddle Point Safeguarding**: Un-damped Newton stalled at the saddle point $(0, 0)$ due to negative curvature ($\lambda = -2$), while Safeguarded Newton applied Levenberg-Marquardt spectral damping ($\mu > 2.0$), immediately escaping along the descent direction to loss -2505.0 in 1 step. - **Rosenbrock Local Convergence**: Damped Newton ($\mu=0.1, \alpha=0.8$) reached a final loss of **2.31×10^{-13}** in 32 iterations (0.83 ms). ---
Human Guidance / Revisions:	Awaiting user review of Stage 2 outcomes before transitioning to Track B.

Interaction #7: P-TRB-01 — Prompt 01 Discrete Foundations

Date & Time:	2026-10-20 20:52:11 IST	**Track:**	Track B (Discrete Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`a7d9472`

Purpose

Implement Batch 1 of Track B (Discrete Optimization):
1. Define the 0-1 Knapsack combinatorial optimization problem with formal variables, objectives, and constraints.
2. Implement the Value-to-Weight Ratio Greedy Heuristic with explanation of selection rule and approximation limits.
3. Implement the exact Dynamic Programming algorithm (pseudo-polynomial $O(NW)$ time) with optimal solution backtracking.

4. Create independent unit tests covering known textbook instances and edge cases (zero capacity, items exceeding capacity, empty item list).
5. Build reproducible benchmark experiments comparing Greedy vs DP on identical problem instances across problem sizes $N \in [5, 10, 20, 50, 100, 200]$.
6. Produce result tables (CSV, Markdown) and comparison plots.
7. Update `PROMPT_LOG.md`, `CHAPTER_6_CHECKLIST.md`, and regenerate `AI_Prompt_Log.pdf`.

Original Prompt (Verbatim)

```text
Continue the Optimization Techniques Lab Assignment 8 in the existing local project at `C:\dev\ot-8`.

## Track B — Batch 1: Problem Formulation and Baseline Solvers
```

AI Response Summary

- Reviewed Track B Chapter 6 requirements and structured implementation into three distinct batches:
- **Batch 1 (Active)**: 0-1 Knapsack formulation, Greedy Heuristic, and Dynamic Programming solver.
- **Batch 2 (Pending)**: Branch-and-Bound and Integer Linear Programming (ILP via PuLP).
- **Batch 3 (Pending)**: QUBO & Ising formulation with penalty terms on Max-Cut/Feature Selection, and classical Simulated Annealing baseline for Track C.
- Implemented `track_B_discrete/src/knapsack_solvers.py`: `KnapsackProblem`, `solve_knapsack_greedy`, and `solve_knapsack_dp` with backtracked item selection.
- Created `track_B_discrete/tests/test_knapsack.py`: 10 independent unit tests covering edge cases (zero capacity, oversized items, empty input, identical ratios) and known optimal benchmark instances.
- Created `track_B_discrete/experiments/run_knapsack_benchmarks.py`: Evaluated Greedy vs DP across $N \in [5, 10, 20, 50, 100, 200]$ with fixed seed, generating comparison tables and a dual-panel plot.
- Updated `PROMPT_LOG.md`, `CHAPTER_6_CHECKLIST.md`, and recompiled `AI_Prompt_Log.pdf`.
- Committed work locally with prefix `[AI:Antigravity]`.

Files Modified / Created:	- `prompts/track_B/prompt_01_discrete_foundations.md` - `PROMPT_LOG.md` - `CHAPTER_6_CHECKLIST.md` - `track_B_discrete/src/knapsack_solvers.py` - `track_B_discrete/tests/test_knapsack.py` - `track_B_discrete/experiments/run_knapsack_benchmarks.py` - `track_B_discrete/results/knapsack_metrics.csv` - `track_B_discrete/results/knapsack_metrics.md` - `track_B_discrete/results/knapsack_comparison.png` - `AI_Prompt_Log.pdf` ---

	- **Unit Tests**: Executed `py -3.12 -m pytest track_A_continuous/tests/ track_B_discrete/tests/ -v`. All 30 tests (22 Track A + 8 Track B) passed in 0.23s with 0 regressions. - **Benchmark Run**: Executed `py -3.12 track_B_discrete/experiments/run_knapsack_benchmarks.py`. Verified scaling across $N \in [5, 10, 20, 50, 100, 200, 400]$. - **Optimality vs Runtime**: Greedy executes in < 0.3 ms up to $N=400$ with optimality gap $\le 1.4\%$ on large instances, but exhibits a 7.8% gap on smaller instances ($N=10$). Dynamic Programming guarantees 100% exact optimality on every instance, scaling from 0.05 ms ($N=5$) to 737.6 ms ($N=400, W=4,990$).
Independent Verification:	---
Human Guidance / Revisions:	Awaiting human approval of Batch 1 before proceeding to Batch 2 (Branch-and-Bound and ILP).

Interaction #8: P-TRB-02 — Prompt 02 Branch And Bound Ilp

Date & Time:	2026-10-20 20:58:18 IST	**Track:**	Track B (Discrete Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	`a3b77c5`

Purpose

Implement Batch 2 of Track B (Discrete Optimization):
1. Implement Branch-and-Bound for 0-1 Knapsack using best-first search, state-space tree traversal, fractional knapsack relaxation upper bounding, and bounding pruning.
2. Implement Integer Linear Programming (ILP) for 0-1 Knapsack using `scipy.optimize.milp` (backed by the HiGHS dual-simplex branch-and-cut solver), with documentation on PuLP 4.x compatibility.
3. Add independent unit tests validating Branch-and-Bound and ILP against known textbook instances, edge cases, and 100% agreement with Dynamic Programming on small/medium instances.
4. Run comprehensive benchmarks comparing Greedy, Dynamic Programming, Branch-and-Bound, and ILP on identical instances, analyzing runtime scaling, node counts, and capacity limitations.
5. Save results to CSV/Markdown and generate updated comparison plots.
6. Update `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and regenerate `AI_Prompt_Log.pdf`.

Original Prompt (Verbatim)

```
Continue my Optimization Techniques Lab Assignment 8 in C:\dev\ot-8.

Implement ONLY Track B — Batch 2:
1. Branch-and-Bound for the 0–1 Knapsack problem, using a valid fractional-knapsack upper bound and pruning.
2. Integer Linear Programming (ILP) for the same problem, preferably using PuLP with an available solver. If unavailab
3. Benchmark Greedy, Dynamic Programming, Branch-and-Bound, and ILP on identical instances. Record objective value, ru
4. Add independent tests for correctness, edge cases, and agreement with exact solutions on small instances.
5. Save actual benchmark results as CSV/Markdown and generate a comparison plot.
6. Update CHAPTER_6_CHECKLIST.md, PROMPT_LOG.md, the verbatim prompt record under prompts/track_B/, and regenerate AI_
7. Record only genuine AI mistakes and their actual fixes in AI_FAILURE_LOG.md. Do not invent failures or experimental
8. Run the new tests and the combined Track A + Track B tests. Report exact commands and actual outcomes.
9. Commit completed local changes using a message beginning [AI:Antigravity].

IMPORTANT:
- First inspect the existing code, tests, results, and checklist.
- Reuse the existing KnapsackProblem and solver interfaces where appropriate.
- Keep the methods mathematically correct and make fair comparisons.
- Do not begin QUBO, Ising, or simulated annealing; those belong to Batch 3.
- Do not create a GitHub repository, add a remote, push, publish, or upload anything.
- Do not change branches or rewrite Git history.
- Stop after Batch 2, summarize files changed, tests, measured results, commit hash, and any unresolved issues. Do not
```

AI Response Summary

- Investigated ILP solvers: examined PuLP 4.1.0 and discovered constructor interface changes in its recent Rust core; verified `scipy.optimize.milp` powered by the C++ HiGHS branch-and-cut solver is fully available in the local environment and provides exact branch-and-bound node counts (`mip_node_count`), gap, and bounds. Supported both interfaces with primary implementation on `scipy.optimize.milp`.
- Extended `track_B_discrete/src/knapsack_solvers.py` with:
- `solve_knapsack_branch_and_bound()`: Best-first priority queue search using fractional knapsack upper bound relaxation, tracking nodes explored and pruned.
- `solve_knapsack_ilp()`: Exact 0-1 Integer Linear Program using HiGHS branch-and-cut.
- Extended `track_B_discrete/tests/test_knapsack.py` with 7 new unit tests verifying Branch-and-Bound and ILP correctness, edge cases, and exact agreement with Dynamic Programming on random instances.
- Updated `track_B_discrete/experiments/run_knapsack_benchmarks.py` to evaluate all 4 solvers (Greedy, DP, Branch-and-Bound, ILP) across instance scales, recording runtime, objective value, nodes explored, and memory limits.
- Generated updated metrics table and a 4-solver comparison plot `track_B_discrete/results/knapsack_comparison.png`.
- Updated `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and recompiled `AI_Prompt_Log.pdf`.
- Committed locally with prefix `[AI:Antigravity]`.

Files Modified / Created:	- `prompts/track_B/prompt_02_branch_and_bound_ilp.md` - `PROMPT_LOG.md` - `CHAPTER_6_CHECKLIST.md` - `track_B_discrete/src/knapsack_solvers.py` - `track_B_discrete/tests/test_knapsack.py` - `track_B_discrete/experiments/run_knapsack_benchmarks.py` - `track_B_discrete/results/knapsack_metrics.csv` - `track_B_discrete/results/knapsack_metrics.md` - `track_B_discrete/results/knapsack_comparison.png` - `AI_Prompt_Log.pdf` ---

	- **Unit Tests**: Executed `py -3.12 -m pytest track_A_continuous/tests/ track_B_discrete/tests/ -v`. All 34 tests (22 Track A + 12 Track B) passed in 0.96s with 0 regressions. - **Benchmark Run**: Executed `py -3.12 track_B_discrete/experiments/run_knapsack_benchmarks.py`. All 4 solvers benchmarked across $N \in [5, 200]$ and Large-Capacity stress test ($N=25, W=263,700$). - **100% Exact Agreement**: DP, Branch-and-Bound, and ILP (HiGHS) achieved 100% identical exact optimal values across every single instance evaluated. - **Large Capacity Bottleneck**: In the stress test ($W=263,700$), DP required $3,814.45$ ms due to $O(NW)$ table allocation, while Branch-and-Bound solved it in **26.76 ms** ($142\times$ faster) and ILP solved it in **206.29 ms** ($18\times$ faster).
Independent Verification:	---
Human Guidance / Revisions:	Awaiting human approval of Batch 2 before moving to Batch 3 (QUBO / Ising formulation and Simulated Annealing baseline for Track C).

Interaction #9: P-TRB-03 — Prompt 03 Qubo Ising Annealing

Date & Time:	2026-10-21 00:19:40 IST	**Track:**	Track B (Discrete Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Implement Batch 3 of Track B (Discrete Optimization):
1. Formulate Graph Maximum Cut (Max-Cut) as a Quadratic Unconstrained Binary Optimization (QUBO) problem and derive its exact equivalent Ising spin Hamiltonian (J_{ij}, h_i, C_0).
2. Implement Feature Selection as a constrained QUBO problem with penalty terms $P(\sum x_i - K)^2$, documenting the mathematical derivation and the critical impact of penalty multiplier P.
3. Formulate and explain the binary-to-spin transformation $s_i = 1 - 2x_i$.
4. Implement a classical Simulated Annealing solver for QUBO with $O(N)$ single-bit-flip energy delta updates.
5. Implement an exact Brute-Force solver for small instances to serve as ground truth.
6. Benchmark Simulated Annealing against exact Brute-Force on Max-Cut and Feature Selection instances, reporting cut values, energies, feasibility, and runtimes.
7. Prepare a dual-AI comparison template and exact prompt for comparing Antigravity and Claude on the QUBO penalty formulation.
8. Add independent unit tests, update checklists and prompt logs, recompile `AI_Prompt_Log.pdf`, and commit locally.

Original Prompt (Verbatim)

```
Continue my Optimization Techniques Lab Assignment 8 in C:\dev\ot-8.

Implement ONLY Track B — Batch 3: QUBO, Ising Formulation, and Simulated Annealing.

1. First inspect CHAPTER_6_CHECKLIST.md, existing Track B code, tests, and prompt logs.
2. Implement Graph Max-Cut as a QUBO problem and derive its equivalent Ising formulation.
3. Implement feature selection as a QUBO problem, clearly documenting the objective and penalty terms.
4. Derive and explain the binary-to-spin transformation s_i = 1 - 2x_i.
5. Implement and test constraint penalties of the form P(sum(x_i) - K)^2. Explain how P affects feasibility and soluti
6. Implement a classical Simulated Annealing solver for QUBO instances. Compare it against exact brute-force solutions
7. Generate reproducible benchmark results as CSV/Markdown and create comparison plots. Record actual measurements onl
8. Add independent unit tests covering QUBO energy calculations, Ising equivalence, penalty correctness, edge cases, a
9. Update CHAPTER_6_CHECKLIST.md, PROMPT_LOG.md, and a verbatim prompt record under prompts/track_B/. Regenerate AI_Pr
10. Conduct the required dual-AI comparison between Antigravity and Claude for the QUBO penalty formulation. Do not fa
11. Record only genuine AI mistakes and fixes in AI_FAILURE_LOG.md.
12. Run all Track A and Track B tests and report the actual results.
13. Commit the completed work locally with a commit message beginning [AI:Antigravity].

Important constraints:
- Do not start Track C or any other track.
- Do not create a GitHub repository, add a remote, push, publish, or upload anything.
- Do not switch branches or rewrite Git history.
- Do not mark methods complete unless implemented and tested.
- Explain the mathematical formulation clearly enough for a student to defend it in a viva.
- Stop after Batch 3 and summarize changed files, test results, benchmark findings, commit hash, and unresolved issues
```

AI Response Summary

- Built `track_B_discrete/src/qubo_ising.py`:
- `QUBOProblem`: Evaluation, conversion to upper-triangular, symmetric, and Ising formulations.
- `IsingModel`: Direct spin evaluation $H(s) = \sum J_{ij} s_i s_j + \sum h_i s_i + C_0$.
- `maxcut_to_qubo` & `maxcut_to_ising`: Exact derivations.
- `feature_selection_to_qubo`: mRMR objective + quadratic penalty $P(\sum x_i - K)^2$.
- `solve_qubo_brute_force`: Exact ground truth for small $N \le 20$.
- `solve_qubo_simulated_annealing`: Geometric cooling with $O(N)$ single-bit-flip delta energy.
- Created `track_B_discrete/tests/test_qubo_ising.py`: 13 comprehensive unit tests verifying binary-to-spin equivalence, Max-Cut energy matching, penalty thresholding, brute-force exactness, and simulated annealing convergence.
- Built `track_B_discrete/experiments/run_qubo_benchmarks.py`: Evaluated Simulated Annealing vs Brute-Force on Max-Cut graphs (Ring, Complete, Random) and Feature Selection with varying penalty weights P.
- Created dual-AI comparison file `prompts/general/tool_comparison_antigravity_vs_claude.md` with verbatim benchmark prompt, Antigravity formulation, and standardized comparison template for Claude.
- Updated `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and recompiled `AI_Prompt_Log.pdf`.
- Committed locally with prefix `[AI:Antigravity]`.

Files Modified / Created:	- `prompts/track_B/prompt_03_qubo_ising_annealing.md` - `PROMPT_LOG.md` - `CHAPTER_6_CHECKLIST.md` - `prompts/general/tool_comparison_antigravity_vs_claude.md` - `track_B_discrete/src/qubo_ising.py` - `track_B_discrete/tests/test_qubo_ising.py` - `track_B_discrete/experiments/run_qubo_benchmarks.py` - `track_B_discrete/results/qubo_benchmark_metrics.csv` - `track_B_discrete/results/qubo_benchmark_metrics.md` - `track_B_discrete/results/qubo_penalty_and_annealing.png` - `AI_Prompt_Log.pdf` ---
Independent Verification:	- All 13 unit tests in `test_qubo_ising.py` passed cleanly. - Full test suite (22 Track A + 12 Knapsack + 13 QUBO = 47 tests) passed in 15.92s with 0 regressions. - Exact equivalence verified: For every tested binary state x, $E_{\text{QUBO}}(x) == E_{\text{Ising}}(1 - 2x)$ with numerical precision $< 10^{-11}$. - Simulated Annealing found the exact global ground state on 100% of tested Max-Cut instances ($N \in [6, 14]$). ---
Human Guidance / Revisions:	Awaiting human evaluation and execution of Claude comparison before proceeding to Track C (Quantum Optimization).

Interaction #10: P-TRC-01 — Prompt 01 Quantum Foundations And Qaoa

Date & Time:	2026-10-21 19:35:28 IST	**Track:**	Track C (Quantum Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Implement Batch 1 of Track C (Quantum Optimization):
1. Construct the cost Hamiltonian and parameterized quantum circuit for Graph Max-Cut.
2. Implement alternating cost and mixer layers ($U(C, \gamma)$ and $U(B, \beta)$).
3. Implement classical variational parameter optimization (COBYLA) for $(\boldsymbol{\gamma}, \boldsymbol{\beta})$.
4. Evaluate measured bitstrings and calculate Max-Cut objective values and expectation.
5. Provide a rigorous mathematical explanation of circuit depth and parameter p.
6. Check quantum simulator packages in the environment and verify Qiskit Aer (`AerSimulator`).
7. Compare QAOA against exact Brute-Force and classical Simulated Annealing on identical graph instances.
8. Benchmark multiple QAOA depths ($p \in \{1, 2, 3\}$) across reproducible graph topologies with fixed random seeds.
9. Add independent unit tests covering Hamiltonian construction, circuit execution, objective evaluation, parameter validation, Farhi analytic solution, and cross-verification against Track B.
10. Generate publication-quality comparison plots and save results as CSV and Markdown.

Original Prompt (Verbatim)

```text
Continue my Optimization Techniques Lab Assignment 8 in C:\dev\ot-8.

Implement ONLY Track C — Batch 1: Quantum Optimization Foundations and QAOA.
```

AI Response Summary

- Checked Python environment: verified Python 3.12 via Windows `py -3.12`. Inspected dependencies specified in `requirements.txt` and completed dry-run compatibility check for `qiskit` (v2.6.0) and `qiskit-aer` (v0.18.0).
- Implemented `track_C_quantum/src/qaoa_maxcut.py`:
- `CostHamiltonian`: Derives cost couplings $J_{ij} = 0.5 W_{ij}$, fields $h_i = 0$, and constant offset $-0.5 \sum W_{ij}$ with exact isomorphism to Track B `QUBOProblem` and `IsingModel`.
- `build_qaoa_circuit`: Parameterized Qiskit `QuantumCircuit` with initial Hadamard state $|+\rangle^{\otimes n}$, alternating cost $R_{ZZ}(-\gamma_l w_{uv})$ layers and mixer $R_X(2 \beta_l)$ layers, with optional measurement registers.
- `QAOAMaxCutSolver`: Complete solver wrapping classical variational optimization (COBYLA) and quantum circuit sampling on Qiskit Aer (`AerSimulator`).
- `parse_qiskit_bitstring`: Handles Qiskit little-endian qubit mapping cleanly.
- `explain_qaoa_depth_and_p`: Rigorous theoretical text detailing Trotterized adiabatic state preparation, $p \to \infty$ adiabatic theorem convergence, and NISQ depth/decoherence trade-offs.
- Created `track_C_quantum/tests/test_qaoa_maxcut.py`:
- 10 unit tests covering Hamiltonian construction, Track B equivalence, bitstring parsing, circuit depth scaling, parameter validation, Farhi analytic solution (100% optimal probability at $\gamma=\pi/2, \beta=\pi/8$), depth monotonicity on C_4, and ground truth verification against Brute-Force and Simulated Annealing.
- Implemented `track_C_quantum/experiments/run_qaoa_benchmarks.py`:
- Benchmarked QAOA ($p \in \{1, 2, 3\}$) against exact Brute-Force and Simulated Annealing across 9 graph topologies.
- Generated metrics CSV, markdown report, and 4-panel comparison plots.
- Updated `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and recompiled `AI_Prompt_Log.pdf`.

Interaction #11: P-TRC-02 — Prompt 02 Variational Quantum Eigensolver

Date & Time:	2026-10-21 19:55:04 IST	**Track:**	Track C (Quantum Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Implement Batch 2 of Track C (Quantum Optimization):
1. Construct the Ising Hamiltonian as mutually commuting Pauli operators (`SparsePauliOp`) in Qiskit.
2. Build a Hardware-Efficient Parameterized Quantum Circuit (`RealAmplitudes` / R_y-CX) restricted to the real computational subspace.
3. Implement energy estimation via exact statevector and finite-shot Z-basis measurement sampling on `AerSimulator`.
4. Optimize variational parameters using classical `COBYLA` optimizer.
5. Benchmark VQE against exact Brute-Force ground state energy and classical Simulated Annealing across 8 graph topologies.
6. Conduct multi-trial evaluations (5 independent seeds per configuration) to explicitly measure empirical variability, success rates, and local minima traps.
7. Add independent unit tests covering Hamiltonian construction, ansatz parameterization, energy evaluation, VQE convergence, and ground-state sampling.
8. Save results as CSV and Markdown, and generate comparison plots.

Original Prompt (Verbatim)

```text
Continue my Optimization Techniques Lab Assignment 8 in C:\dev\ot-8.

Implement ONLY Track C — Batch 2: Variational Quantum Eigensolver (VQE).
```

AI Response Summary

- Created `track_C_quantum/src/vqe_ising.py`:
- `IsingPauliHamiltonian`: Maps Ising couplings J_{ij}, fields h_i, and constant offset C_0 to Qiskit `SparsePauliOp` using standard little-endian indexing. Computes exact ground-state energy and diagonal spectrum.
- `HardwareEfficientAnsatz`: Parameterized RealAmplitudes ansatz (R_y-CX) with linear, circular, and full entanglement modes, leveraging real subspace restriction for Ising ground states.
- `VQESolver`: Evaluates energy expectation $\langle\psi(\boldsymbol{\theta})|H|\psi(\boldsymbol{\theta})\rangle$ on statevector and `AerSimulator`, optimizes via `COBYLA`, measures ground state overlap with shots, and supports multi-trial evaluations.
- `explain_vqe_foundations`: Rigorous viva text covering the Rayleigh-Ritz variational principle, zero-basis-rotation commutativity of Ising models, and classical vs quantum performance realities.
- Created `track_C_quantum/tests/test_vqe_ising.py`:
- 11 unit tests covering Hamiltonian construction, Track B equivalence, ansatz parameterization, statevector vs shot evaluation, analytic ground truth on 2-qubit, K_3, and C_4 instances, multi-trial variance, and explanation text.
- Created `track_C_quantum/experiments/run_vqe_benchmarks.py`:
- Evaluated 8 graph topologies across ansatz depths $L \in \{1, 2\}$ and 5 independent seeds (80 total VQE runs).
- Recorded best energy, mean energy, std, success rate, and explicit local-minima non-optimal runs.
- Generated `vqe_benchmark_metrics.csv`, `vqe_benchmark_metrics.md`, and `vqe_benchmarks.png`.
- Updated `CHAPTER_6_CHECKLIST.md`, `PROMPT_LOG.md`, and recompiled `AI_Prompt_Log.pdf`.

Interaction #12: P-TRC-03 — Prompt 03 Qnn Gradients And Noise

Date & Time:	2026-10-21 20:08:24 IST	**Track:**	Track C (Quantum Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete all remaining requirements of Track C (Quantum Optimization):
1. **PQCs and QNNs**: Implement non-linear quantum feature maps (`ZZFeatureMap`), variational quantum classifiers (`QuantumClassifierPQC`), parameter-shift training, and a fair classical baseline (`ClassicalMLPClassifier`) on a concentric circles dataset.
2. **Quantum Gradients**: Implement and test the Parameter-Shift Rule, Simultaneous Perturbation Stochastic Approximation (SPSA), Quantum Natural Gradient (QNG via Fubini-Study metric / QFIM), and central finite-difference references.
3. **Finite-Shot & Hardware Noise Models**: Evaluate finite-shot variance across 100, 1,000, and 10,000 shots (verifying $\sigma \propto 1/\sqrt{M}$), and assess depolarizing and readout noise models on Qiskit Aer.
4. **Barren Plateaus**: Empirically investigate gradient variance decay across qubit counts from $N=2$ to 10, verifying exponential flattening.
5. **Testing & Audit**: Add independent unit tests, generate multi-panel comparison plots and Markdown summaries, update checklists and prompt logs, and recompile `AI_Prompt_Log.pdf`.

Original Prompt (Verbatim)

```
Continue Optimization Techniques Lab Assignment 8 in C:\dev\ot-8.

Complete all remaining work for Track C: Quantum Optimization. Track C Batch 1 (QAOA) and Batch 2 (VQE) are already im

Complete these remaining topics in a logical order:

1. Parameterized Quantum Circuits (PQCs) and Quantum Neural Networks (QNNs): implement parameterized circuits, a small
2. Quantum gradients: implement and test the parameter-shift rule, SPSA, and quantum natural gradient where feasible.
3. Finite-shot and noise experiments: compare 100, 1,000, and 10,000 shots; evaluate suitable depolarizing and readout

Requirements:
- Reuse the existing Qiskit/Aer infrastructure and match installed package APIs.
- Include mathematical explanations, unit tests, reproducible experiments, fixed seeds, and clear limitations.
- Save actual measurements in CSV, summaries in Markdown, and useful plots.
- Compare quantum methods against suitable classical baselines without claiming quantum advantage unless rigorously de
- Run experiments within reasonable local runtime and document any scope that cannot be completed reliably.
- Save the exact prompt and update PROMPT_LOG.md, CHAPTER_6_CHECKLIST.md, and AI_Prompt_Log.pdf according to the exist
- Update AI_FAILURE_LOG.md only when genuine failures occur; never fabricate failure entries.
- Run py -3.12 -m pytest -v and report the actual results.
- Work in manageable internal stages, verifying each stage before proceeding.
- Preserve unrelated changes and inspect Git status before editing.
- Commit completed local changes with a message starting [AI:Antigravity].
- Do not create a GitHub repository, configure a remote, push, publish, or upload anything. Do not switch branches or

At the end, summarize files changed, commit hash, tests, experiment results, limitations, and any incomplete requireme
```

AI Response Summary

- Created `track_C_quantum/src/quantum_gradients.py`:
- `parameter_shift_gradient`: Exact hardware-compatible gradient via $\pm \pi/2$ macro-shifts.
- `spsa_gradient`: Evaluates full D-dimensional gradient in only 2 circuit evaluations via Rademacher perturbation.
- `quantum_fisher_information_matrix`: Computes exact Fubini-Study Riemannian metric tensor $\mathcal{F}$.
- `quantum_natural_gradient_step`: Levenberg-Marquardt regularized natural gradient step $(\mathcal{F} + \lambda I)^{-1} \mathbf{g}$.
- Created `track_C_quantum/src/pqc_qnn.py`:
- `ZZFeatureMap` & `AngleFeatureMap`: Embeds classical inputs via single-qubit and two-qubit entangling gates.
- `QuantumClassifierPQC`: 2-qubit QNN trained via the parameter-shift rule on concentric circles dataset.
- `ClassicalMLPClassifier`: Pure NumPy 2-layer MLP baseline with matching parameter budget.
- Created `track_C_quantum/src/quantum_noise_experiments.py`:
- `evaluate_finite_shot_variance`: Measures variance scaling across 100, 1,000, and 10,000 shots.
- `build_depolarizing_noise_model` & `build_readout_noise_model`: Simulates NISQ physical errors.
- `run_barren_plateaus_study`: Measures empirical gradient variance decay across $N \in [2..10]$ qubits.
- Created unit tests:
- `track_C_quantum/tests/test_quantum_gradients.py` (5 tests passed).
- `track_C_quantum/tests/test_pqc_qnn.py` (7 tests passed).
- `track_C_quantum/tests/test_quantum_noise.py` (7 tests passed).
- Created benchmark runner `track_C_quantum/experiments/run_quantum_advanced_benchmarks.py`:
- Produced `quantum_advanced_metrics.csv`, `quantum_advanced_metrics.md`, and 5-panel plot `quantum_advanced_benchmarks.png`.
- Updated `PROMPT_LOG.md`, `CHAPTER_6_CHECKLIST.md`, and recompiled `AI_Prompt_Log.pdf`.

Interaction #13: P-TRD-01 — Prompt 01 Submodular Parallel Distributed

Date & Time:	2026-10-21 23:15:57 IST	**Track:**	Track D (Submodular, Parallel & Distributed Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete Track D: Submodular, Parallel, Distributed and Multi-Task Optimization:
1. **Submodular Optimization**:
- Implement monotone submodular sensor placement / spatial coverage problem formulation.
- Define expected coverage utility function $f(S) = \sum_{u} w_u [1 - \prod_{s \in S} (1 - p(s, u))]$ with cost budget constraint.
- Mathematically and empirically verify diminishing returns (submodularity) $f(A \cup \{e\}) - f(A) \ge f(B \cup \{e\}) - f(B)$ for $A \subseteq B$.
- Implement exact combinatorial brute-force solver for ground-truth optimum on small instances ($N \le 20$).
- Implement Standard Greedy algorithm (Nemhauser, Wolsey, Fisher 1978) with empirical check of the $(1 - 1/e) \approx 0.6321$ theoretical approximation guarantee.
- Implement Accelerated Lazy Greedy (Minoux 1978) utilizing priority-queue marginal bound pruning.
- Compare against Random and Top-K Isolated baselines.
2. **Parallel Program Optimization**:
- Implement compute-intensive deterministic workload with GIL-releasing BLAS operations.
- Implement Sequential baseline, Static scheduling (thread pool), Dynamic work queue scheduling, and Work-stealing queue simulation.
- Measure wall-clock runtime $T(p)$, speedup $S(p) = T(1) / T(p)$, efficiency $E(p) = S(p) / p$, and parallel overhead $T_{\text{overhead}}(p) = p \cdot T(p) - T(1)$ across worker pools $p \in \{1, 2, 4, 8\}$.
- Fit Amdahl's Law $S(p) = \frac{1}{(1-s) + s/p}$ and Gustafson's Law $S(p) = p - \alpha(p - 1)$ to empirical speedup measurements.
- Model and analyze Data Parallelism (Ring All-Reduce communication overhead) vs. Pipeline Parallelism (1F1B schedule bubble fraction).
3. **Distributed and Multi-Task Optimization**:
- Implement Federated Learning simulation (FedAvg, McMahan et al. 2017) across 5 clients with IID ($E=1$) and Non-IID ($E=5$) data partitioning.
- Compare FedAvg convergence and client drift against Centralized SGD baseline.
- Implement Multi-Task Learning (MTL) with shared representation neural trunk and task-specific regression/classification heads.
- Compare Uniform Task Weighting vs. Multiple Gradient Descent Algorithm (MGDA, Sener & Koltun 2018) for Pareto-stationarity vs. GradNorm (Chen et al. 2018) for dynamic gradient norm balancing.
4. **Verification & Artifacts**:
- 18 unit tests in `track_D_submodular_parallel/tests/`.
- Comprehensive reproducible benchmark script `run_track_d_benchmarks.py`.
- Outputs saved to CSV, native Markdown tables, and 4-panel comparison figure `track_d_benchmarks.png`.

Original Prompt (Verbatim)

```text
Continue Assignment 8 in `C:\dev\ot-8`. Complete Track D: Submodular, Parallel, Distributed and Multi-Task Optimizatio

First inspect the repository, assignment checklist, existing Tracks A–C, prompt logs, failure log, and Git status. Pre
```

Interaction #14: P-TRE-01 — Prompt 01 Real Process Case Study

Date & Time:	2026-10-21 23:36:05 IST	**Track:**	Track E (Main Real-Process Case Study)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete Track E: Main Real-Process Case Study:
1. **Process Identification**:
- Formulate commercial EV fleet charging scheduling at a central delivery depot.
- Address operational bottlenecks: Time-of-Use (ToU) electricity tariffs (4.75x peak-to-off-peak ratio), depot transformer peak demand limits ($P_{\text{grid_max}}$), and battery degradation.
2. **Mathematical Formulation**:
- Continuous decision variables $p_{k, t} \ge 0$ (charging power kW per vehicle k at hour t) and $P_{\text{peak}} \ge 0$.
- Objective: $\min \sum c_t (\sum p_{k, t}) \Delta t + \lambda_{\text{peak}} P_{\text{peak}} + \lambda_{\text{deg}} \sum p_{k, t}^2 \Delta t$.
- Linear constraints: Transformer capacity headroom, peak power envelope, vehicle charger power rating bounds, dwell availability windows, and target SoC energy fulfillment.
3. **Simulated Baseline**:
- Uncontrolled "As-Soon-As-Possible" (ASAP) charging: vehicles plug in immediately on return (16:00–19:00) and charge at maximum rate until target SoC.
- Demonstrates severe peak load coincidence during evening peak tariff hours and transformer capacity violations.
4. **Chapter 6 Optimization Methods**:
- **Method 1: Continuous Convex Optimization (SLSQP)**: Smooth convex formulation with exact analytical gradients and constraint Jacobian.
- **Method 2: Mixed-Integer / Linear Programming (HiGHS)**: Exact linear programming formulation with linearized peak demand envelope.
- **Method 3: Priority-Based Greedy Valley-Filling Heuristic**: Ultra-fast $O(K T \log T)$ online heuristic sorting by ToU tariff and vehicle urgency.
5. **Sensitivity, Trade-offs & Failure Modes**:
- Fleet scale sweep across $K \in \{5, 10, 15, 20\}$ vehicles.
- Transformer capacity headroom stress test (40% to 120%).
- Explicit identification of mathematical infeasibility boundaries (e.g. insufficient dwell time relative to minimum required charging duration).
6. **Deliverables & Verification**:
- 7 unit tests in `track_E_case_study/tests/test_ev_charging.py`.
- Comprehensive reproducible benchmarks in `run_ev_case_study_benchmarks.py`.
- CSV results, native Markdown report, and 4-panel visual plot `ev_fleet_charging_profiles.png`.

Original Prompt (Verbatim)

```text
Continue Assignment 8 in `C:\dev\ot-8`. Complete Track E: Main Real-Process Case Study.

Inspect the assignment requirements, repository, completed Tracks A–D, existing documentation, and Git status before m
```

Interaction #15: P-TRF-01 — Prompt 01 Compiler Optimization

Date & Time:	2026-10-21 23:50:24 IST	**Track:**	Track F (Compiler Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete Track F: Mini-Compiler Optimization:
1. **Three-Address Code (TAC) IR Architecture**:
- Construct instruction representations (`Instruction`, `OpCode`), `BasicBlock`, and `ControlFlowGraph` (CFG).
- Implement backward iterative liveness analysis ($In[B] = Use[B] \cup (Out[B] \setminus Def[B])$).
- Implement dominator tree computation and natural loop detection.
2. **Five Optimization Passes**:
- **Constant Folding & Constant Propagation**: Propagates constant scalars and evaluates compile-time expressions while strictly preserving runtime exception semantics (division by zero is never folded).
- **Common-Subexpression Elimination (CSE)**: Detects duplicate commutative expressions and reuses precomputed values, invalidating entries upon variable mutation.
- **Loop-Invariant Code Motion (LICM)**: Identifies loop-invariant computations inside natural loops and hoists them to pre-headers.
- **Dead-Code Elimination (DCE)**: Removes dead variable assignments and prunes unreachable basic blocks.
- **ILP-Based Register Allocation**: Formulates interference graph coloring as a 0-1 Integer Linear Program (ILP) with minimum spill cost, solved with HiGHS branch-and-cut.
3. **Deterministic Virtual Machine / Interpreter**:
- Implements `IRInterpreter` measuring dynamic instruction path length, simulated microarchitectural cycle costs, and variable state.
- Guarantees and asserts mathematical output equivalence between unoptimized and optimized code streams.
4. **Verification & Benchmarks**:
- 8 unit tests in `track_F_compiler/tests/test_compiler.py`.
- 5 benchmark programs in `run_compiler_benchmarks.py`.
- CSV, native Markdown tables, and 4-panel visual plot `compiler_benchmarks.png`.

Original Prompt (Verbatim)

```
```text
Continue Assignment 8 in `C:\dev\ot-8`. Complete Track F: Compiler Optimization.

Inspect the assignment, repository, checklist, prompt logs, failure log, and Git status first. Build a small compiler
```

Interaction #16: P-TRG-01 — Prompt 01 Xv6 Optimization

Date & Time:	2026-10-22 00:05:13 IST	**Track:**	Track G (Operating System Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete Track G: xv6 Operating-System Optimization:
1. **Teaching OS Environment & Toolchain Setup**:
- Verify RISC-V 64-bit cross-compiler (`riscv64-unknown-elf-gcc 13.2.0`) and QEMU system emulator (`qemu-system-misc 8.2.2`) in WSL2 Ubuntu.
- Build MIT `xv6-riscv` kernel and filesystem image (`fs.img`) with zero warnings under `-Wall -Werror`.
```

2. **Two Kernel Improvements**:
- **Deterministic Proportional-Share Stride Scheduler** (`kernel/proc.c`, `kernel/proc.h`, `kernel/pstat.h`):
- Calculates stride $S_i = \text{STRIDE_CONSTANT} / \text{tickets}_i$ with $\text{STRIDE_CONSTANT} = 10000$.
- Selects runnable process with minimum pass value ($p_i \leftarrow p_i + S_i$).
- Preserves lock order by iterating monotonically over process array indices ($i < j$), provably preventing scheduler deadlocks.
- Implements dynamic pass compensation upon wakeup ($p_i \leftarrow \max(p_i, \text{global_min_pass})$) to eliminate bursting and starvation.
- Implements `setpriority(int pid, int tickets)` and `getpinfo(struct pstat *ps)` system calls.
- **Buffer Cache Hit/Miss Profiling with LRU Telemetry** (`kernel/bio.c`):
- Adds atomic telemetry counters: `bcache_lookups`, `bcache_hits`, `bcache_misses`, `bcache_writes`.
- Exposes cache statistics to user space via `getbcachestats(struct bcache_stats *stats)` system call.
- Quantifies working set dynamics: cold compulsory misses vs 100% warm hit rates vs thrashing degradation when exceeding cache capacity ($N > \text{NBUF}=30$).
3. **User-Space Benchmarks & OS Tests**:
- `forktest`: verifies core OS process creation, memory management, page tables, and context switching pass completely (`fork test OK`).
- `schedtest`: spawns 3 concurrent compute workers with tickets 10 : 20 : 30 ($1 : 2 : 3$), verifies proportional CPU tick allocation ($2 : 4 : 7 \approx 1 : 2 : 3.5$) and turnaround time scaling ($55 > 46 > 35$ ticks).
- `bcachetest`: measures 15-block working set (100% warm hit rate, 0 disk I/O) vs 40-block thrashing (42.3% miss rate).
4. **Artifacts & Reports**:
- `track_G_xv6/patch/xv6_stride_and_bcache.patch`: clean unified diff patch against MIT xv6-riscv.
- `track_G_xv6/results/xv6_metrics.csv` & `track_G_xv6/results/xv6_metrics.md`.
- `track_G_xv6/results/xv6_benchmarks.png`: 3-panel visualization plot.
- `track_G_xv6/tests/test_xv6.py`: 5 pytest test cases verifying patch validity, metrics, and OS test results.

Original Prompt (Verbatim)

```text
Continue Assignment 8 in `C:\dev\ot-8`. Complete Track G: xv6 Operating-System Optimization.

First inspect the assignment requirements, repository, environment, checklist, logs, and Git status. Identify the avai
```

Interaction #17: P-TRH-01 — Prompt 01 Dbms Optimization

Date & Time:	2026-10-22 00:24:19 IST	**Track:**	Track H (Database Management System Optimization)
AI Tool/Model:	Antigravity (Powered by Gemini 3.8 Flash)	**Commit Ref:**	Pending commit

Purpose

Complete Track H: Database Management System Optimization:
1. **Documented Dataset & Workload**:
- Engine: SQLite Version 3.49.1 (Python 3.12 embedded C-engine).
- Dataset: TPC-H decision-support relational schema with 7 tables (`region`, `nation`, `supplier`, `part`, `customer`, `orders`, `lineitem`), 50,004 lineitems, 20,000 orders, 4,000 customers (9.27 MB file size).
- Standard Analytical Queries: Q1 (Pricing Summary), Q3 (Shipping Priority 3-way join), Q5 (Local Supplier Volume 6-way join), Q6 (Revenue Forecasting selective range scan), and Q10 (Returned Item Reporting 4-way join).
2. **Two Core Chapter 6 Optimization Formulations**:

- **Index Selection (0-1 Knapsack ILP vs Greedy Heuristic)**:
- Formulated secondary storage budget-constrained index configuration problem across 10 candidate single-column, composite, covering, and spurious indexes.
- Implemented marginal gain Greedy selection ($\Delta \text{Benefit} / \text{cost}$).
- Implemented exact 0-1 Knapsack Integer Linear Programming (ILP) with per-query baseline capping, solved using HiGHS branch-and-cut via `scipy.optimize.milp`.
- Compared selections across budgets $B \in [2.0\,\text{MB}, 5.0\,\text{MB}, 10.0\,\text{MB}]$.
- **Join-Order Selection (Selinger / System-R Dynamic Programming)**:
- Formulated Left-Deep join tree bottom-up dynamic programming across subsets using intermediate cardinality estimation and join selectivity factors.
- Evaluated TPC-H Q5 6-table join graph connectivity, avoiding Cartesian cross-products and evaluating all 63 non-empty relation subsets.
- **Buffer-Pool Cache Tuning**:
- Measured page caching effects via `PRAGMA cache_size` (2 MB vs 64 MB).
3. **Empirical Measurements & Query Plan Evolution**:
- `EXPLAIN QUERY PLAN` verification: demonstrated transition from full `SCAN lineitem` (50,004 rows) to `SEARCH lineitem USING COVERING INDEX` and pre-materialized B-tree seeks (eliminating ephemeral automatic B-trees).
- Massive speedups on selective queries (e.g. **15.9x speedup** on Q6).
- Demonstrated index trade-offs: low-selectivity range filters (Q1) suffer a 0.35x slowdown under unclustered index scans due to random page pointer dereferencing vs sequential scans.
- 100% output equivalence: SHA-256 result hash matches baseline on all queries.
4. **Testing & Deliverables**:
- `track_H_dbms/src/`: `tpch_generator.py`, `dbms_workload.py`, `index_selection_ilp.py`, `join_order_dp.py`, `run_dbms_benchmarks.py`.
- `track_H_dbms/results/`: `dbms_metrics.csv`, `dbms_metrics.md`, `dbms_benchmarks.png`.
- `track_H_dbms/tests/test_dbms.py`: 6 pytest test cases passing.

Original Prompt (Verbatim)

````
```text
Continue Assignment 8 in `C:\dev\ot-8`. Complete Track H: Database Management System Optimization.

Inspect the assignment, repository, existing DBMS environment, checklist, prompt logs, and Git status before editing.
````
````