

HITSZBEAMER

Beamer

yanglatex2e@gmail.com

yangjingxuan@stu.hit.edu.cn

v1.1.0 (2022/05/20)

HITSZBEAMER

PPT

L^AT_EX

1. L^AT_EX Project Public License 1.3c
- 2.
3. L^AT_EX Project Public License 1.3c

|

1

HITSZBEAMER (Harbin Institute of Technology, ShenZhen L^AT_EX Beamer Template)

L^AT_EX Beamer

??

2

HITSZBEAMER CTAN TeXLive MiKTeX

```
$ tlmgr install hitszbeamer
```

```
$ texdoc hitszbeamer
```

HITSZBEAMER

- [GitHub](#)
- [CTAN](#)

2.1

HITSZBEAMER

```
hitszbeamer.dtx
main.tex
figures/
makedoc.bat
makebeamer.bat
makeclean.bat
makecleanall.bat
Makefile          Linux & Mac OS
hitszbeamer.pdf
```

hitszbeamer.pdf

3

L^AT_EX BibT_EX T_EX L^AT_EX

3.1

- QQ group: 1039392552
- Github Issues: <http://github.com/YangLaTeX/hitszbeamer/issues>
- Email: yanglatex2e@gmail.com, yangjingxuan@stu.hit.edu.cn

3.2

*.sty

Beamer

main.tex

```

%%=====
% !Mode:: "TeX:UTF-8"
% !TEX program = PdLaTeX
%%=====
%  hitszbeamer
%  V1.1.0
%  Jingxuan Yang
%  yangjingxuan@stu.hit.edu.cn & yanglatex2e@gmail.com
%  QQ 1039392552 LaTeX hitszthesis
%  Beamer
%  README.md hitszbeamer.pdf
%  beamer make doc make doc.makedoc.bat
%  *hitszbeamer.sty
%  GNU make make beamer
%  Windows makebeamer.bat
%  hitszbeamer.pdf
%  2022/05/20
%  ** hitszbeamer.pdf
%  CTAN
%  cmd texdoc hitszbeamer
%  GitHub
%  https://github.com/YangLaTeX/hitszbeamer
%%=====

% <beamer> <compress>
% aspectratio 16:9
\documentclass[compress, aspectratio=169]{beamer}
% \documentclass[compress]{beamer}

\PassOptionsToPackage[numbers, square, sort&compress]{natbib} % Package natbib Error:
Bibliography not compatible with author-year citations

% <hitszbeamer>
\usetheme{hitszbeamer}
\usepackage{transparent}

% \usepackage{custom}

\AtBeginSection[]
{
  \begin{frame}
    \frametitle{}
    \tableofcontents[currentsection]
  \end{frame}
}

```

```

% 设置文档类
\begin{document}

% 设置图形路径
\graphicspath{{figures/}}

% 设置标题
\title[Two-tone]{\textit{Two-tone}}
\author[ ]{\textit{ }}
\institute[ ]{\textit{ }}
\date{\small \vskip -10pt \today}

% 设置帧
\begin{frame}
  \maketitle
\end{frame}

% 设置章节
% \section*{ }
% \frame{
%   \frametitle{\secname}
%   \tableofcontents[hideallsubsections]
% }

% 输入背景
\input{body/background.tex}

% 输入文献
\section{ }
\input{body/literature.tex}

% 输入方法
\section{ }
\input{body/method.tex}

% 输入进度
\section{ }
\input{body/progress.tex}

% 输入参考文献
\bibliographystyle{hitzbeamer}
\begin{frame}[allowframebreaks]{ }
  \bibliography{reference}
\end{frame}

% Q&A
\section{Q&A}
\begin{frame}{\secname~ }
  \begin{center}
    \huge {That's all. Thank you!}
  \end{center}

```

```

\vspace{1cm}
\huge {Q\&A}
\end{center}
\end{frame}

% 测试测试测试
\end{document}
\end{frame}

\subsection{测试测试测试}

\begin{frame}{测试测试测试}
\begin{block}{测试测试测试测试}
$$
k: \left[ -\pi , \pi \right] \rightarrow \left[ 0, 1 \right]
$$
\end{block}
\end{frame}

\subsection{测试测试测试}

\begin{frame}{测试测试测试}

\end{frame}

\subsection{测试测试测试}

\begin{frame}{测试测试测试}

\end{frame}

\subsection{测试测试测试}

\begin{frame}{测试测试测试}

\end{frame}

\section{测试测试测试测试}

\subsection{测试测试测试测试}

\begin{frame}{测试测试测试测试}
\begin{block}{测试测试测试测试}
\begin{itemize}
\setlength{\itemsep}{6pt}
\item XXXX
\item XXXX
\item XXXX
\item XXXX
\end{itemize}
\end{block}
\end{frame}

```

```

\end{block}
\end{frame}

\subsection{XXX X}

\begin{frame}{XXX X}
  \begin{block}{XXX X}
    \begin{itemize}
      \setlength{\itemsep}{6pt}
      \item XXXX\cite{liu2016}
      \item XXXX\cite{ren2010}
      \item XXXX
      \item XXXX
    \end{itemize}
  \end{block}
\end{frame}

\section{XXX X X X X}

\begin{frame}{XXX X X X X}
  \begin{block}{XX}
    \begin{itemize}
      \item XXXX
    \end{itemize}
  \end{block}
  \begin{block}{XXX X X X}
    \begin{itemize}
      \item XXXX
    \end{itemize}
  \end{block}
\end{frame}

\section{XXX X X X X}

\begin{frame}{XXX X X X X}
  \begin{block}{XXX X X X X}
    \begin{itemize}
      \setlength{\itemsep}{6pt}
      \item XXXX\cite{Chen1992}
      \item XXXX\cite{Gravagne2003}
      \item XXXX\cite{xin1994}
      \item XXXX\cite{zhai2015}
    \end{itemize}
  \end{block}
\end{frame}

\bibliographystyle{hitszbeamer}

\begin{frame}[allowframebreaks]{XXX X}
  \bibliography{reference}

```

```

\end{frame}

\section{Q\&A}

\begin{frame}{\secname~ }
  \begin{center}
    \huge {That's all. Thank you!}\\
    \vspace{1cm}
    \huge {Q\&A}
  \end{center}
\end{frame}

% 谢谢 谢谢 谢谢
\end{document}

```

3.3

main.tex

4

4.1

4.1.1 Windows

makedoc.bat	makebeamer.bat	Beamer	makeclean.bat
makecleanall.bat			

4.1.2 Linux & Mac OS

```
$ make doc
```

Beamer

```
$ make beamer
```

```
$ make clean
```

```
$ make cleanall
```

5

XDUstyle thubeamer
HITSZBEAMER Github

6

6.1

```

1 <*hitszbeamer>
2 \def\hitszbeamer{\textsc{Hitsz}\-\textsc{Beamer}}
3 \RequirePackage{tikz}
4 \usetikzlibrary{external}
5 \RequirePackage{pgf}
6 \RequirePackage{multicol}
7 \RequirePackage{multimedia}
8 \RequirePackage{calc}
9 \RequirePackage[UTF8]{ctex}
10 \RequirePackage[square,sort&compress]{natbib}

11 \DeclareOptionBeamer{hitszred}{%
12   \PassOptionsToPackage{hitszred}{beamercolorthemehitszbeamer}
13   \PassOptionsToPackage{hitszred}{beamerinnerthemehitszbeamer}
14   \PassOptionsToPackage{hitszred}{beamerouterthemehitszbeamer}
15 }
16 \DeclareOptionBeamer{hitszblue}{%
17   \PassOptionsToPackage{hitszblue}{beamercolorthemehitszbeamer}
18   \PassOptionsToPackage{hitszblue}{beamerinnerthemehitszbeamer}
19   \PassOptionsToPackage{hitszblue}{beamerouterthemehitszbeamer}
20 }
21 \ProcessOptionsBeamer

22 \mode<presentation>
23 {
24   \useinnertheme{hitszbeamer}
25   \useoutertheme{hitszbeamer}
26   \usecolortheme{hitszbeamer}
27 }
28
29 \mode<all>
30 </hitszbeamer>

```

6.2

```

31 <*hitszcolorstyle>
32 \DeclareOptionBeamer{hitszred}{\def\beamer@hitszcolor{hitszred}}
33 \DeclareOptionBeamer{hitszblue}{\def\beamer@hitszcolor{hitszblue}}
34 \ProcessOptionsBeamer
35
36 \def\beamer@hitszcolorred{hitszred}

```

```

37 \mode<presentation>
38 {
39   \ifx\beamer@hitszcolor\beamer@hitszcolorred%
40     \definecolor{beamer@headercolor}{RGB}{175,33,37}
41   \else
42     \definecolor{beamer@headercolor}{rgb}{0.0,0.415,0.682}
43   \fi
44
45   \setbeamercolor{title}{fg=white,bg=beamer@headercolor}
46   \setbeamercolor{frametitle}{fg=beamer@headercolor,bg=beamer@headercolor!30}
47   \setbeamerfont{frametitle}{size=\large}
48
49   \setbeamercolor{secondbottomline}{fg=white,bg=beamer@headercolor}
50   \setbeamercolor{firstbottomline}{fg=white,bg=beamer@headercolor!80}
51   \setbeamercolor{block title}{fg=white,bg=beamer@headercolor}
52   \setbeamercolor{block title example}{%
53     use={normal text,example text},fg=white,bg=example text.fg!75!green
54   }
55   \setbeamercolor{fine separation line}{}
56   \setbeamercolor{item projected}{fg=white}
57   \setbeamercolor{palette sidebar primary}{use=normal text,fg=normal text.fg}
58   \setbeamercolor{palette sidebar quaternary}{use=structure,fg=structure.fg}
59   \setbeamercolor{palette sidebar secondary}{use=structure,fg=structure.fg}
60   \setbeamercolor{palette sidebar tertiary}{use=normal text,fg=normal text.fg}
61   \setbeamercolor{section in sidebar}{fg=brown}
62   \setbeamercolor{section in sidebar shaded}{fg=gray}
63   \setbeamercolor{separation line}{}
64   \setbeamercolor{sidebar}{bg=beamer@headercolor!30}
65   \setbeamercolor{sidebar}{parent=palette primary}
66   \setbeamercolor{structure}{fg=beamer@headercolor}
67   \setbeamercolor{subsection in sidebar}{fg=brown}
68   \setbeamercolor{subsection in sidebar shaded}{fg=gray}
69   \setbeamercolor{logo}{bg=beamer@headercolor!50}
70 }
71
72 \mode<all>
73 </hitszcolorstyle>

```

6.3

```

74 <{*hitszinnerstyle}
75 \RequirePackage{tikz}
76 \usetikzlibrary{external}

77 \DeclareOptionBeamer{hitszred}{\def\beamer@hitszcolor{hitszred}}
78 \DeclareOptionBeamer{hitszblue}{\def\beamer@hitszcolor{hitszblue}}
79 \ProcessOptionsBeamer
80

```

```

81 \newlength{\beamer@plainpagewidth}
82 \def\beamer@hitszcolorblue{hitszblue}

83 \mode<presentation>
84
85 \usefonttheme{structurebold}
86 \setbeamertemplate{caption}[numbered]{}
87 \useinnertheme[shadow]{rounded}
88
89 \newcommand\varparallel{%
90   \mathrel{%
91     \text{%
92       \tikz[baseline] \draw (0em,-0.3ex) -- (.4em,1.7ex) (.2em,-0.3ex) -- (.6em,1.7ex);
93     }%
94   }%
95 }
96
97 \makeatletter
98 \newcommand{\frameofframes}{/}
99 \newcommand{\setframeofframes}[1]{
100   \renewcommand{\frameofframes}{#1}
101 }
102 \setbeamertemplate{footline}{%
103   \begin{beamercolorbox}[colsep=1.5pt]{upper separation line foot}
104   \end{beamercolorbox}
105   \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
106     leftskip=.3cm,rightskip=.3cm plus1fil]{firstbottomline}%
107     \leavevmode{\usebeamerfont{author in head/foot}\insertshortauthor}%
108     \hfill%
109     {\usebeamerfont{institute in head/foot}}%
110     \usebeamercolor[fg]{frame number}%
111     \insertshortinstitute
112   }%
113   \end{beamercolorbox}%
114   \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
115     leftskip=.3cm,rightskip=.3cm plus1fil]{secondbottomline}%
116     {\usebeamerfont{title in head/foot}\insertshorttitle}%
117     \hfill%
118     {\usebeamerfont{frame number}\usebeamercolor[fg]{frame number}\insertframenum~\frameofframes~\insertshortframe}
119   \end{beamercolorbox}%
120   \begin{beamercolorbox}[colsep=1.5pt]{lower separation line foot}
121   \end{beamercolorbox}
122 }
123 \makeatother
124
125 \mode<all>
126 </hitszinnerstyle>

```

6.4

```

127 <*hitszouterstyle>

128 \DeclareOptionBeamer{hitszred}{\def\beamer@hitszcolor{hitszred}}
129 \DeclareOptionBeamer{hitszblue}{\def\beamer@hitszcolor{hitszblue}}
130 \ProcessOptionsBeamer
131
132 \mode<presentation>
133
134 %  logo
135 \pgfdeclaremask{figmask}{figures/hitlogo-mask.jpg}
136 \pgfdeclareimage[mask=figmask,width=0.17\linewidth,interpolate=true]{hitlogomasked}{figures/hitlogo.jpg}
137 \logo{\pgfuseimage{hitlogomasked}}
138
139 % 
140 \setbeamertemplate{navigation symbols}{}
141
142 %  <sidebar> 
143 \useoutertheme[width=0.17\linewidth]{sidebar}
144
145 \mode<all>
146 </hitszouterstyle>

```