

Package ‘MplusReadR’

November 16, 2020

Title Tabulate and Format Mplus Output

Version 0.0.0.9000

Imports MplusAutomation, htmlTable, dplyr, magrittr

Description The MplusReadR package formulates MPlus output into APA-formatted tables, ready for inclusion in scientific publications. Users can adjust the variables and parameters displayed. It also includes helper functions which check whether models converged, and indicates what variables and parameters are available.

License `use_mit_license()`

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

R topics documented:

apa_table	1
model_converge	2
tidy_bivar	2
tidy_compile	3
tidy_null	4
tidy_univar	4
Index	6

apa_table	<i>APA-style Mplus Tables</i>
-----------	-------------------------------

Description

Creates APA-style tables containing output from multiple Mplus objects.

Usage

```
apa_table(tidy_data, model_type)
```

Arguments

tidy_data A tidy dataset of Mplus models, created by `tidy_compile()`
 model_type One of 'null', 'univariate', or 'bivariate'.

Value

APA-style table of Mplus output.

model_converge	<i>Check Model Convergence</i>
----------------	--------------------------------

Description

Determines whether any of the Mplus models did not converge. Models that do not converge will not report confidence intervals. This is used to determine whether a model converged.

Usage

```
model_converge(Mplus_file)
```

Arguments

Mplus_file An mplus object generated by the Mplus Automation package from Mplus output using the `MplusAutomation::readModels()` function. This can contain multiple files.

Value

A tidy dataset indicating whether each of the models converged.

tidy_bivar	<i>Extract Variables from Bivariate Models</i>
------------	--

Description

Extracts specified parameters and variables from a singular Mplus bivariate model.

Usage

```
tidy_bivar(Mplus_file, model_n = 1, standardised = TRUE)
```

Arguments

Mplus_file An Mplus object generated by the Mplus Automation package from Mplus output using the `readModels` function. Can contain multiple MPlus files.
 model_n If a Mplus object contains more than one model, this determines which model to select. Defaults to 1.

Value

A tibble containing the name of the dataset, paramheaders, parameters, point estimates, CIs, and names of outcome and predictor variables.

See Also

[readModels](#)

tidy_compile	<i>Compile Mplus Data</i>
--------------	---------------------------

Description

Creates a tidy dataset containing analyses from multiple Mplus objects. This can then be used in the `mplus_apa_table()` function, or can be saved separately.

Usage

```
tidy_compile(  
  Mplus_file,  
  model_type,  
  rounding = 2,  
  parameters = NULL,  
  variables = NULL,  
  paramheaders = NULL,  
  outcomes = NULL,  
  standardised = TRUE  
)
```

Arguments

Mplus_file	An mplus object generated by the Mplus Automation package from Mplus output using the MplusAutomation::readModels() function.
model_type	One of 'null', 'univariate', or 'bivariate'.
rounding	a value between 0 and 3. Defaults to 2.
parameters	parameters in the Mplus output, without the variable name at the start e.g. NAMEAN is MEAN, NASDW is SDW. Must be in capitals, and exactly like it is in the original output. These can be found using <code>mplus_check_parameters()</code> . Defaults to all available parameters.
variables	Variables from the Mplus output. Exact variable names can be found using <code>mplus_check_parameters()</code> . Defaults to all available variables.
paramheaders	parameter headers from the Mplus output. Exact parameter headers can be found using <code>mplus_check_parameters()</code> . For null models, defaults to New.Additional.Parameters. For univariate and bivariate models, defaults to Z.ON and R2.
outcomes	Outcome variables in the Mplus output. Available outcomes can be found using <code>mplus_check_parameters()</code> . Defaults to all outcomes.
standardised	Whether standardised or unstandardised output should be used for univariate and bivariate models. Defaults to TRUE.

Value

A tibble containing specified variables and parameters from multiple Mplus models.

tidy_null	<i>Extract Variables from Null Models</i>
-----------	---

Description

Extracts specified parameters and variables from a singular Mplus null model.

Usage

```
tidy_null(Mplus_file, model_n = 1)
```

Arguments

Mplus_file	An Mplus object generated by the Mplus Automation package from Mplus output using the <code>MplusAutomation::readModels()</code> function. Can contain multiple MPlus files.
model_n	If a Mplus object contains more than one model, this determines which model to select. Defaults to 1.

Value

A tibble containing the name of the dataset, paramheaders, total number of observations and participants, parameters, point estimates, CIs, and variable names.

See Also

[readModels](#)

tidy_univar	<i>Extract Variables from Univariate Models</i>
-------------	---

Description

Extracts specified parameters and variables from a singular Mplus univariate model.

Usage

```
tidy_univar(Mplus_file, model_n = 1, standardised = TRUE)
```

Arguments

Mplus_file	An Mplus object generated by the Mplus Automation package from Mplus output using the readModels function. Can contain multiple MPlus files.
model_n	If a Mplus object contains more than one model, this determines which model to select. Defaults to 1.

Value

A tibble containing the name of the dataset, paramheaders, parameters, point estimates, CIs, and names of outcome and predictor variables.

See Also

[readModels](#)

Index

`apa_table`, [1](#)

`model_converge`, [2](#)

`MplusAutomation::readModels()`, [2–4](#)

`readModels`, [2–5](#)

`tidy_bivar`, [2](#)

`tidy_compile`, [3](#)

`tidy_compile()`, [2](#)

`tidy_null`, [4](#)

`tidy_univar`, [4](#)