

- [[MC]] – Multiple Choice
- [[SingleAnswer]] – Single answer question
- [[Vertical]] – Vertical layout
- [[Horizontal]] – Horizontal layout
- [[MultipleAnswer]] – Single answer question
- [[Vertical]] – Vertical layout
- [[Horizontal]] – Horizontal layout
- [[DropDown]] – Dropdown list
- [[Select]] – Select box
- [[MultiSelect]] – Multiple answer select box
- [[Matrix]] – Matrix Table
- [[SingleAnswer]] – Single answer question
- [[MultipleAnswer]] – Multiple answer question
- [[TextEntry]] or [[TE]] – Text Entry
- [[SingleLine]] – Single line question
- [[Essay]] – Essay box question
- [[Form]] – Form question
- [[ConstantSum]] or [[CS]] – Constant Sum
- [[RankOrder]] or [[RO]] – Rank Order
- [[Text]] or [[DB]] – Text/Graphic (Descriptive Block)

OTHER TAGS

- `[[SimpleFormat]]` – Specifies the file is a simple formatted file.
- `[[AdvancedFormat]]` – Specifies the file is an advanced formatted file.
- `[[ED:{field}:{value}]]` – Adds Embedded Data to the Survey Flow with the given field. If a value is specified, then the field will be set to that value.
- `[[Question:{question type code}:{question sub-type code}:{question sub-sub-type code}]]`– Specifies a new question with a specific type, either MC, Matrix, TE, CS, RO, or DB. Optionally, a question sub-type code can be used.
- `[[Choices]]` – Specifies the choices for a multiple choice question or the statements for a matrix question (one per line after the tag).
- `[[Answers]]` – Specifies the choices for a matrix question (one per line after the tag).
- `[[AdvancedChoices]]` – Specifies we are using advanced choice formatting, allowing for recode values and multiline choices.
- `[[Choice:{recode value}]]` – Specifies the start of a choice. An optional recode value can be used to set the recode value of the choice.
- `[[AdvancedAnswers]]` – Specifies we are using advanced answer formatting, allowing for recode values and multiline answers.
- `[[Answer:{recode value}]]` – Specifies the start of an answer. An optional recode value can be used to set the recode value of the answer.
- `[[MultipleAnswer]]` – Specifies that the question should be a multiple answer question.
- `[[ID:question ID]]` – Specifies the question ID.
- `[[PageBreak]]` – Specifies a page break.
- `[[Block]]` – Specifies a block should begin.
- `[[Block:block name]]` – Specifies a block should begin with a specific name.

[[AdvancedFormat]]

[[ED:State]]

[[ED:Gender]]

[[ED:SawSurvey:1]]

[[Block:MC Block]]

[[Question:MC:Dropdown]]

drop down

[[Choices]]

choice a

choice b

choice c

[[Question:MC:Select]]

select

[[Choices]]

choice a

choice b

choice c

[[Question:MC:MultiSelect]]

multiselect

[[Choices]]

choice a

choice b

choice c

[[Question:MC:SingleAnswer:Horizontal]]

single answer horizontal

[[Choices]]

choice a

choice b

choice c

[[Question:MC:MultipleAnswer:Horizontal]]

multiple answer horizontal

[[Choices]]

choice a

choice b

choice c

[[Block]]

[[Question:MC]]

[[ID:q1]]

This is a multiple choice question. With one value recoded.

[[AdvancedChoices]]

[[Choice]]

choice a

with text on

multiple lines

[[Choice]]

choice b

[[Choice]]

choice c

[[Choice:99]]

N/A with recode 99

[[PageBreak]]

[[Question:Matrix]]

This question is a matrix question.

It has lots of question text on multiple lines and uses
advanced answers.

[[Choices]]

statement a

statement b

statement c

[[AdvancedAnswers]]

[[Answer]]

answer 1

[[Answer]]

answer 2

[[Answer]]

answer 3

[[PageBreak]]

[[Question:Matrix]]

This question is a matrix question and uses advanced choices and
answers with recode values.

[[AdvancedChoices]]

[[Choice]]

choice a

[[Choice]]

choice b

[[Choice]]

choice c

[[Choice]]

choice d

[[AdvancedAnswers]]

[[Answer:10]]

answer 1 - recode 10

[[Answer:20]]

answer 2 - recode 20

[[Answer:30]]

answer 3 - recode 30