FRM System
FRM System
Use-Case Specification: Check for unconfirmed users

Version 1.0

Revision History

Date	Version	Description	Author
06/11/16	1.0	Creation of Document	Daniel Raiser
09/11/16	1,1	name correction	Daniel Wagner

Table of Contents

1. Edit Profile....4
1.1 Brief Description....4
2. Flow of Events....5
2.1 Basic Flow....5
3. Special Requirements....6
3.1 Functionality....6
3.2 Usability....6
3.3 Reliability....6
3.4 Performance....6
3.5 Supportability....6
3.6 Design Constraints....6
3.7 On-line User Documentation and Help System Requirements....6
3.8 Purchased Components....6
3.9 Interfaces....6
4. Preconditions....6
4.1 Running System....6
5. Postconditions....6
6. Extension Points....6

©FRM System, 2016

Use-Case Specification: Check for unconfirmed users

1. Edit Profile

1.1 Brief Description

The purpose of this use case is to periodically check for user accounts that are unconfirmed with a time stamp older than 24 hours and to delete those.

2. Flow of Events

2.1 Basic Flow

The system checks for accounts with the “temporary” flag every hour and deletes all of those, which have a time stamp that is more than 24 hours old.


System
System starts
Check for temporary accounts older than 24 hours
Any accounts found
yes
no
Delete accounts
Sleep for 1 hour
[No Shutdown]
[Shutdown]

3. Special Requirements

3.1 Functionality

3.2 Usability

3.3 Reliability

3.4 Performance

3.5 Supportability

3.6 Design Constraints

3.7 On-line User Documentation and Help System Requirements

3.8 Purchased Components

3.9 Interfaces

4. Preconditions

4.1 Running System

The System must be running

5. Postconditions

All user accounts that are unconfirmed and older than 24 hours are deleted.

6. Extension Points