

**FRM System**  
**FRM System**  
**Use-Case Specification: Register**

**Version 1.2**

## Revision History

Date	Version	Description	Author
02/11/16	1.0	Creation of Document	Daniel Raiser
14/11/16	1.1	added link to .features file	Daniel Wagner
23/11/16	1.2	updated the UML activity diagram	Daniel Wagner

## Table of Contents

1. Register .....	4
1.1 Brief Description .....	4
2. Flow of Events .....	4
2.1 Basic Flow .....	4
3. Special Requirements .....	6
3.1 Functionality .....	6
3.2 Usability .....	6
3.3 Reliability .....	6
3.4 Performance .....	6
3.5 Supportability .....	6
3.6 Design Constraints .....	6
3.7 On-line User Documentation and Help System Requirements .....	6
3.8 Purchased Components .....	6
3.9 Interfaces .....	6
4. Preconditions .....	7
4.1 Open Website .....	7
5. Postconditions .....	7
6. Extension Points .....	7

# Use-Case Specification: Register

## 1. Register

### 1.1 Brief Description

The purpose of this use case is to enable guests who do not have an account on the website to create one with which the user will be able to log in. This will allow him to use the full functionality of the website. On successful account creation, the user will receive an E-Mail to inform him, that his account has been created.

## 2. Flow of Events

### 2.1 Basic Flow

Any visitor on the website will be able to click the “Register” button in order to begin with the registration process. To successfully create an account, the user has to insert his name and E-Mail address into the corresponding fields, create a password and agree to the general terms and conditions. The E-Mail address and password will be used for the login.

After clicking the “Submit” button, the system checks whether all information stated meet the requirements. If the validation is not successful, the fields that are not filled properly are marked red and the user is asked to correct them. If the validation is successful, the user will receive an E-Mail for verification, containing an activation link for his account. After clicking on this link, the user's account will be unlocked and the user can use the website. He will also automatically logged in. If the user does not receive the E-Mail for some reason, he is reminded, to check his spam folder and whether the E-Mail provided was typed in correctly. If the E-Mail address was correct and the mail was also not found in the spam folder, the user can choose to resend the mail.

The user also has the possibility to click the “Cancel Registration” button in the registration screen if he wants to do so. In this case none of the user's data will be stored and the browser will navigate back to the main page of the website.


The user's data will be temporarily stored when the “Submit” button is pressed and all data provided is valid. If the the validation link in the E-Mail is not used in 24 hours, the data will be deleted again. If it is used in this time frame, the data will be stored permanently (until the associated account is deleted).

In order to ensure that all data of temporary accounts which were not activated in time will be deleted after 24 hours, the system will periodically check if there is data which needs to be deleted and then delete it.

## 2.2

[Link to the full size UML Activity Diagram: Registration](#)

[Link to the corresponding .features Gherkin file: Registration](#)



### 3. Special Requirements

#### 3.1 Functionality

#### 3.2 Usability

#### 3.3 Reliability

#### 3.4 Performance


#### 3.5 Supportability

#### 3.6 Design Constraints

#### 3.7 On-line User Documentation and Help System Requirements

#### 3.8 Purchased Components

#### 3.9 Interfaces



The screenshot shows a web browser window with a single tab titled "Registration". The address bar displays the URL "https://frmsystem.de/Registration". The page content includes a registration form with the following fields and controls:

- First Name:
- Last Name:
- E-Mail Address:
- Password:
- Reenter Password:
- A radio button followed by the text "I read the general terms and conditions and agree to them".
- A blue "Submit" button.

**Domain Characteristic Table**

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR		
		Simple	Average	Complex
Number of User Input	7	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Outputs	3	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Inquiries	0	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of Files	1	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of External Interfaces	0	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Complexity Adjustment Table](#) | [FP Calculation](#)
**Complexity Adjustment Table**

ITEM	COMPLEXITY ADJUSTMENT QUESTIONS	SCALE					
		No Influence 0	1	2	3	4	Essential 5
1	Does the system require reliable backup and recovery?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
2	Are data communications required?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
3	Are there distributed processing functions?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4	Is performance critical?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5	Will the system run in an existing, heavily utilized operational environment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
6	Does the system require on-line data entry?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
7	Does the on-line data entry require the input transaction to be built over multiple screens or operations?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
8	Are the master files updated on-line?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
9	Are the inputs, outputs, files or inquiries complex?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
10	Is the internal processing complex?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11	Is the code to be designed reusable?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12	Are conversion and installation included in the design?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
13	Is the system designed for multiple installations in different organizations?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14	Is the application designed to facilitate change and ease of use by the user?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Domain Characteristic Table](#) | [FP Calculation](#)

4.

Function Points: 40

## **5. Preconditions**

### **5.1 Open Website**

To register on the website, the user has to open it and click on the “Register” Button on the start page.

## **6. Postconditions**

## **7. Extension Points**