Universal manuscript template for Optica **Publishing Group journals**

- AUTHOR ONE, 1 AUTHOR TWO, 2,* AND AUTHOR THREE 2,3
- I Peer Review, Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW,
- Washington, DC 20036, USA
- 2 Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW, Washington, DC
- 20036, USA
- ³Currently with the Department of Electronic Journals, Optica Publishing Group, 2010 Massachusetts
- Avenue NW, Washington, DC 20036, USA
- *opex@optica.org
- Abstract: LATEX manuscripts submitted to Optica Publishing Group journals may use these instructions and this universal template format. The template simplifies manuscript preparation and eases transfer between journals. Applied Optics, JOSA A, JOSA B, Journal of Optical Communications and Networking, and Photonics Research authors should use the length-check
- template if a precise length estimate is needed. Optics Letters authors and authors of short Optica
- articles are encouraged to use the length-check template. Authors using this universal template
- will still need to adhere to article-length restrictions based on the final, published format.
- © 2022 Optica Publishing Group

1. Introduction

Adherence to the specifications listed in this template is essential for efficient review and publication of submissions. Proper reference format is especially important (see Section 8).

Corresponding author

- We require manuscripts to identify a single corresponding author. The corresponding author typically is the person who submits the manuscript and handles correspondence throughout the
- peer review and publication process.
- \author{Author One\authormark{1} and Author Two\authormark{2,*}} 26
- \address{\authormark{1}Peer Review, Publications Department, 28
- Optica Publishing Group, 2010 Massachusetts Avenue NW,
- Washington, DC 20036, USA\\
- \authormark{2}Publications Department, Optica Publishing Group,
- 2010 Massachusetts Avenue NW, Washington, DC 20036, USA\\ 32
- \email{\authormark{*}opex@optica.org}
- This format will generate the following appearance:

AUTHOR ONE AND AUTHOR Two 2,*

- ¹Peer Review, Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW, 37
- Washington, DC 20036, USA
- ²Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW, Washington, DC 39
- 20036, USA

33

*opex@optica.org

- If other statements about author contribution and contact are needed, they can be added in addition to the corresponding author designation.

45

- 46 \address{\authormark{1}Peer Review, Publications Department,
- 47 Optica Publishing Group, 2010 Massachusetts Avenue NW,
- 48 Washington, DC 20036, USA\\
- 49 \authormark{2}Publications Department, Optica Publishing Group,
- 50 2010 Massachusetts Avenue NW, Washington, DC 20036, USA\\
- 51 \authormark{3}The authors contributed equally to this work.\\
- 52 \authormark{*}opex@optica.org}}
- This format will generate the following appearance:

AUTHOR ONE 1,3 AND AUTHOR TWO 2,3,*

- ⁵⁵ Peer Review, Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW,
- 56 Washington, DC 20036, USA
- ⁵⁷ Publications Department, Optica Publishing Group, 2010 Massachusetts Avenue NW, Washington, DC
- 58 20036, USA
- ³The authors contributed equally to this work.
- *opex@optica.org

61 3. Abstract

The abstract should be limited to approximately 100 words. If the work of another author is cited in the abstract, that citation should be written out without a number, (e.g., journal, volume, first page, and year in square brackets [Opt. Express 22, 1234 (2014)]), and a separate citation should be included in the body of the text. The first reference cited in the main text must be [1]. Do not include numbers, bullets, or lists inside the abstract.




Fig. 1. Sample caption (Fig. 2, [1]).

4. Assessing final manuscript length

- The Universal Manuscript Template is based on the Express journal layout and will provide
- an accurate length estimate for Optics Express, Biomedical Optics Express, Optical Materials

Express, and our newest title Optics Continuum. Applied Optics, JOSAA, JOSAB, Optics Letters, Optica, and Photonics Research publish articles in a two-column layout. To estimate the final page count in a two-column layout, multiply the manuscript page count (in increments of 1/4 page) by 60%. For example, 11.5 pages in the Universal Manuscript Template are roughly

equivalent to 7 composed two-column pages. Note that the estimate is only an approximation, as

treatment of figure sizing, equation display, and other aspects can vary greatly across manuscripts.

Authors of Letters may use the legacy template for a more accurate length estimate.

5. Figures, tables, and supplementary materials

5.1. Figures and tables

Figures and tables should be placed in the body of the manuscript. Standard LATEX environments should be used to place tables and figures:

```
81 \begin{figure}[htbp]
82 \centering\includegraphics[width=7cm]{opticafig1}
83 \caption{Sample caption (Fig. 2, \cite{Yelin:03}).}
84 \end{figure}
```

5.2. Supplementary materials in Optica Publishing Group journals

Our journals allow authors to include supplementary materials as integral parts of a manuscript.

Such materials are subject to peer-review procedures along with the rest of the paper and should
be uploaded and described using our Prism manuscript system. Please refer to the Author
Guidelines for Supplementary Materials in Optica Publishing Group Journals for more detailed
instructions on labeling supplementary materials and your manuscript.

Authors may also include Supplemental Documents (PDF documents with expanded descriptions or methods) with the primary manuscript. At this time, supplemental PDF files are not accepted for partner titles, JOCN and *Photonics Research*. To reference the supplementary document, the statement "See Supplement 1 for supporting content." should appear at the bottom of the manuscript (above the References heading).

96 5.3. Sample Dataset Citation

1. M. Partridge, "Spectra evolution during coating," figshare (2014), http://dx.doi.org/10.6084/m9.figshare.1004612.

98 5.4. Sample Code Citation

2. C. Rivers, "Epipy: Python tools for epidemiology," figshare (2014) [retrieved 13 May 2015], http://dx.doi.org/10.6084/m9.figshare.1005064.

6. Mathematical and scientific notation

6.1. Displayed equations

101

102

Displayed equations should be centered. Equation numbers should appear at the right-hand margin, in parentheses:

$$J(\rho) = \frac{\gamma^2}{2} \sum_{k(\text{even}) = -\infty}^{\infty} \frac{(1 + k\tau)}{\left[(1 + k\tau)^2 + (\gamma \rho)^2 \right]^{3/2}}.$$
 (1)

All equations should be numbered in the order in which they appear and should be referenced from within the main text as Eq. (1), Eq. (2), and so on [or as inequality (1), etc., as appropriate].

7. Backmatter

126

127

128

129

130

131

132

133

134

140

141

142

143

146

Backmatter sections should be listed in the order Funding/Acknowledgment/Disclosures/Data
Availability Statement/Supplemental Document section. An example of backmatter with each of
these sections included is shown below.

Funding. Content in the funding section will be generated entirely from details submitted to Prism.

Authors may add placeholder text in the manuscript to assess length, but any text added to this section in the manuscript will be replaced during production and will display official funder names along with any grant numbers provided. If additional details about a funder are required, they may be added to the Acknowledgments, even if this duplicates information in the funding section. See the example below in Acknowledgements.

Acknowledgments. The section title should not follow the numbering scheme of the body of the paper.

Additional information crediting individuals who contributed to the work being reported, clarifying who received funding from a particular source, or other information that does not fit the criteria for the funding block may also be included; for example, "K. Flockhart thanks the National Science Foundation for help identifying collaborators for this work."

Disclosures. Disclosures should be listed in a separate nonnumbered section at the end of the manuscript.
 List the Disclosures codes identified on the Conflict of Interest policy page, as shown in the examples below:

ABC: 123 Corporation (I,E,P), DEF: 456 Corporation (R,S). GHI: 789 Corporation (C).

125 If there are no disclosures, then list "The authors declare no conflicts of interest."

Data Availability Statement. A Data Availability Statement (DAS) will be required for all submissions beginning 1 March 2021. The DAS should be an unnumbered separate section titled "Data Availability" that immediately follows the Disclosures section. See the Data Availability Statement policy page for more information.

Optica has identified four common (sometimes overlapping) situations that authors should use as guidance. These are provided as minimal models, and authors should feel free to include any additional details that may be relevant.

- When datasets are included as integral supplementary material in the paper, they must be declared (e.g., as "Dataset 1" following our current supplementary materials policy) and cited in the DAS, and should appear in the references.
- Data availability. Data underlying the results presented in this paper are available in Dataset 1, Ref. [3].
- 2. When datasets are cited but not submitted as integral supplementary material, they must be cited in the DAS and should appear in the references.
 - **Data availability.** Data underlying the results presented in this paper are available in Ref. [3].
 - 3. If the data generated or analyzed as part of the research are not publicly available, that should be stated. Authors are encouraged to explain why (e.g. the data may be restricted for privacy reasons), and how the data might be obtained or accessed in the future.
- Data availability. Data underlying the results presented in this paper are not publicly available at this time but may be obtained from the authors upon reasonable request.
 - 4. If no data were generated or analyzed in the presented research, that should be stated.
 - **Data availability.** No data were generated or analyzed in the presented research.
- Supplemental document. See Supplement 1 for supporting content.

8. References

Proper formatting of references is extremely important, not only for consistent appearance but also for accurate electronic tagging. Please follow the guidelines provided below on formatting, callouts, and use of BibT_FX.

8.1. Formatting reference items

Each source must have its own reference number. Footnotes (notes at the bottom of text pages) are not used in our journals. References require all author names, full titles, and inclusive pagination.

Examples of common reference types can be found in the style guide.

The commands \begin{thebibliography} {} and \end{thebibliography} format the section according to standard style, showing the title **References**. Use the \bibitem{label} command to start each reference.

8.2. Formatting reference citations

References should be numbered consecutively in the order in which they are referenced in the body of the paper. Set reference callouts with standard \cite{} command or set manually inside square brackets [1].

To reference multiple articles at once, simply use a comma to separate the reference labels, e.g. \cite{Yelin:03, Masajada:13, Zhang:14}, produces [1–3].

166 8.3. BibT_FX

BibTEX may be used to create a file containing the references, whose contents (i.e., contents of .bbl file) can then be pasted into the bibliography section of the .tex file. A BibTEX style file, opticajnl.bst, is provided.

If your manuscript already contains a manually formatted \begin{thebibliography}... \end{thebibliography} list, then delete the latexmkrc file (if present) from your submission files. However you should ensure that your manually-formatted reference list adheres to style accurately.

174 9. Conclusion

After proofreading the manuscript, compress your .tex manuscript file and all figures (which should be in EPS or PDF format) in a ZIP, TAR or TAR-GZIP package. All files must be referenced at the root level (e.g., file figure-1.eps, not /myfigs/figure-1.eps). If there are supplementary materials, the associated files should not be included in your manuscript archive but be uploaded separately through the Prism interface.

Add references with BibTeX or manually. [1–8]

References

180

181

182

- D. Yelin, D. Oron, S. Thiberge, E. Moses, and Y. Silberberg, "Multiphoton plasmon-resonance microscopy," Opt. Express 11, 1385–1391 (2003).
- J. Masajada, M. Bacia, and S. Drobczyński, "Cluster formation in ferrofluids induced by holographic optical tweezers,"
 Opt. Lett. 38, 3910–3913 (2013).
- Y. Zhang, S. Qiao, L. Sun, Q. W. Shi, W. Huang, L. Li, and Z. Yang, "Photoinduced active terahertz metamaterials with nanostructured vanadium dioxide film deposited by sol-gel method," Opt. Express 22, 11070–11078 (2014).
- 4. Optica Publishing Group, "Optica," https://opg.optica.org.
- P. Forster, V. Ramaswamy, P. Artaxo, T. Bernsten, R. Betts, D. Fahey, J. Haywood, J. Lean, D. Lowe, G. Myhre,
 J. Nganga, R. Prinn, G. Raga, M. Schulz, and R. V. Dorland, "Changes in atmospheric consituents and in radiative forcing," in Climate Change 2007: The Physical Science Basis. Contribution of Working Group 1 to the Fourth assessment report of Intergovernmental Panel on Climate Change, S. Solomon, D. Qin, M. Manning, Z. Chen,
 M. Marquis, K. B. Averyt, M. Tignor, and H. L. Miler, eds. (Cambridge University Press, 2007).

- 6. B. H. Dean, D. L. Aronstein, S. J. Smith, R. Shiri, and S. D. Acton, "Phase retrieval algorithm for JWST flight and testbed telescope," in *Space Telescopes and Instrumentation I: Optical, Infrared, and Millimeter*, vol. 6265 (2006), p. 17.
- R. McKay, "X-ray crystallography," Ph.D. thesis, Princeton University (1982).
 C. Rivers, "Epipy: Python tools for epidemiology," figshare (2014) [retrieved 13 May 2015], http://dx.doi.org/10.6084/m9.figshare.1005064.