Northstar Labs

Product Manual

PRODUCT_MANUAL-01 - Atlas upload file size limit

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas upload file size limit: 25 MB per file.

This section defines the rule for atlas upload file size limit. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-02 - Atlas supported import formats

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas supported import formats: CSV and JSON.

This section defines the rule for atlas supported import formats. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-03 - Atlas API rate limit

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas API rate limit: 120 requests per minute per workspace.

This section defines the rule for atlas api rate limit. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-04 - Atlas deleted project recovery period

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas deleted project recovery period: 30 calendar days.

This section defines the rule for atlas deleted project recovery period. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-05 - Atlas export link validity

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas export link validity: 24 hours.

This section defines the rule for atlas export link validity. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-06 - Atlas automatic backup interval

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas automatic backup interval: 24 hours.

This section defines the rule for atlas automatic backup interval. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-07 - Atlas default workspace storage

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas default workspace storage: 2 GB.

This section defines the rule for atlas default workspace storage. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-08 - Atlas simultaneous editor limit

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas simultaneous editor limit: 8 editors per project.

This section defines the rule for atlas simultaneous editor limit. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-09 - Atlas audit export format

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas audit export format: CSV.

This section defines the rule for atlas audit export format. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-10 - Atlas supported interface languages

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas supported interface languages: English and Spanish.

This section defines the rule for atlas supported interface languages. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-11 - Atlas project archive reactivation owner

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas project archive reactivation owner: a workspace administrator.

This section defines the rule for atlas project archive reactivation owner. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.

Northstar Labs

Product Manual

PRODUCT_MANUAL-12 - Atlas session idle timeout

Fictional demonstration knowledge base. Version 1.0. This policy applies to employees and the Atlas product only where explicitly stated.

Atlas session idle timeout: 60 minutes.

This section defines the rule for atlas session idle timeout. Employees should use this published rule when planning the activity described in this section. The policy owner is responsible for keeping the approved wording current. A request that falls outside the scope of this rule must be referred to the policy owner rather than interpreted as an automatic exception.

Operational process: read the applicable section before submitting a request. Describe the business purpose, attach the supporting information, and route the request through the approved internal workflow. The reviewer checks whether the request is complete and whether it falls within the published policy. Keep the approval with the request so that the decision can be audited later.

The procedural notes describe administration of this section. They do not create additional benefits, prices, service commitments, or technical limits. Different policies can use similar terminology while governing different activities. A rule from another document should not be substituted for this section without an explicit cross-reference. Employee-specific records, forecasts, future policy revisions and confidential credentials are outside the scope of this demonstration knowledge base.