

CEH - S N I F F I N G

Configuration:

Your machine is HACKER, running Windows XP Professional.
The IP address of your machine is 192.168.100.66/24.
Your target machine is :

1. WIN2000, running Windows 2000
The IP address of WIN2000 is 192.168.100.2/24.
2. WIN2003, running Windows 2003
The IP address of WIN2000 is 192.168.100.1/24.

Objectives:

1. Poison your LAN using ARP Poisoning
2. Sniff the the victim traffic
3. Capture FTP password

Tools:

Cain & Abel

Preparation:

Ensure that all virtual machines are connected.

Logon to HACKER virtual machine and try to test connectivity between these three machines by using standard ping command.

Detailed Steps:


1. In WIN2000, open command prompt , then type this :

```
C:\>arp -d
```

then

```
C:\>arp -a
```

You will see the result similar to this :



Just ignore the value of VM-NAT interface. As you can see that there's no ARP entry for subnet 192.168.100.x/255

2. Do that in WIN2003 machine as well

3. From WIN2000 check the MAC of Virtual LAN interface.

```
C:\>ipconfig /all
```

Windows 2000 IP Configuration

Host Name : WIN2000

Ethernet adapter **Virtual LAN:**

Connection-specific DNS Suffix . :
Description : VMware Accelerated
AMD PCNet Adapter


Physical Address. : **00-0C-29-62-C0-70**
DHCP Enabled. : No
IP Address. : **192.168.100.2**
Subnet Mask : 255.255.255.0

Then ping the ip address of WIN2003 machine :

```
C:\>ping 192.168.100.1
```


Then check the arp table list on both machines, and note it.

```
C:\> arp -a
```




4. Do the same things at WIN2003 machine.


5. From your HACKER machine, check the physical address too and write it down.




6. In HACKER machine, run Cain & Abel : go to **Start - Program - Cain - Cain**
Then click on 'Configure', to configure the interface that we want to use, which has the ip address of **192.168.100.66**.



7. Activate the **sniffer button** (the green/second button from the left on the top panel), then go to sniffer tab (on the top tab panel), then press the big blue PLUS (+) sign , then start scanning your network (just click OK)




You will the the scanning result :




8. After that, still on the sniffer tab :


- click on the **APR tab** on the bottom panel
- on **APR menu tree**, click '**APR**'
- on the right top column, just click on **any column**
- click the big blue **PLUS sign (+)**
- you will go to the "**New ARP Poison Routing**" window,
- then on the left panel, click the ip address of **WIN2003** server (192.168.100.1)
- on the right panel, click the ip address of **WIN2000** server (192.168.100.2).



- Then click OK.




9. Start poisoning, by clicking on the yellow **APR button** (like a radioactive/nuclear button) on the top panel.




10. Go to your WIN2000 machine, then from the command prompt, try to FTP to WIN2003 machines, using username : **administrator**, password : **password**.

C:\> ftp 192.168.100.1



11. In Cain Abel, click on the bottom **Passwords** tab , then click on 'FTP' tree



12. Try to set WIN2003 virtual network card to connect to the internet. (use NAT & DHCP mode), poison the arp between VMWARE gateway and WIN2003 machine. then open friendster, and try to login ☺ . See the result !!

