

# ThePiHut test

15.05.2018

Nikola Dimic

For Toptal Belgrade, Serbia

#### **Overview**

Tests are written in Java using Selenium and TestNG

Browser: Mozilla Firefox

This project tests the following:

- Login
- Searching products
- Adding products to the cart
- Removing products from the cart
- Checkout process

## **Pages**

Pages that are tested in this project are

- Home page ( <a href="https://thepihut.com/">https://thepihut.com/</a>)
- Search results page ( <a href="https://thepihut.com/pages/search-results?q=YOUR\_QUERY">https://thepihut.com/pages/search-results?q=YOUR\_QUERY</a>)
- Login page (<a href="https://thepihut.com/account/login">https://thepihut.com/account/login</a>)
- Shopping Cart page (<a href="https://thepihut.com/cart">https://thepihut.com/cart</a>)
- Account page (<a href="https://thepihut.com/account">https://thepihut.com/account</a>)
- Product page ( <a href="https://thepihut.com/products/PRODUCT NAME">https://thepihut.com/products/PRODUCT NAME</a>)
- Checkout page
- Shipping page

#### **Tests**

- Add to cart test (4 tests)
- Login test ( 2 tests )
- Checkout test
- Search test (3 tests)

#### **Test flow**

#### Add to cart

#### • Initialize empty cart

Before any test using the cart initialize empty cart.

- 1. Go to home page
- 2. Go to cart
- 3. Check if shopping cart title is displayed correctly
- 4. Get number of items in the cart
- 5. If cart is not empty remove all items from the cart
- 6. Check if shopping cart is now empty
- 7. Go back to home page

#### Add one item to cart test (type: positive)

Initialize empty cart.

- 1. Go to home page
- 2. Click on some product and go to product page
- 3. Check if product page is displayed correctly
- 4. Get price of product
- 5. Add the product to the cart
- 6. Go to the cart
- 7. Check if shopping cart title is displayed correctly
- 8. Get price from shopping cart
- 9. Check if prices from shopping cart and product page are the same
- 10. Check if product counter is now set to 1
- 11. Go back to home page

### Add multiple same items to cart test (type: positive)

Initialize empty cart. All the steps are the same as the last test except

- 5. Add the product to the cart *multiple times*
- 10. Check if product counter is now set to *number of additions*

#### Add multiple different items test (type: positive)

Before any test using the cart initialize empty cart.

- 1. Go to home page
- 2. Click on some product and go to product page
- 3. Check if product page is displayed correctly
- 4. Get price of product
- 5. Add the product to the cart
- 6. Go back to home page
- 7. Repeat steps 2 5
- 8. Go to the cart
- 9. Check if shopping cart title is displayed correctly
- 10. Get price from shopping cart
- 11. Check if prices from shopping cart and product page are the same
- 12. Check if product counter is now set to 2
- 13. Go back to home page

#### Remove item from cart test (type: positive)

Before any test using the cart initialize empty cart.

- 1. Go to home page
- 2. Click on some product and go to product page
- 3. Check if product page is displayed correctly
- 4. Add the product to the cart
- 5. Go to the cart
- 6. Check if shopping cart title is displayed correctly
- 7. Check if product counter is now set to 2
- 8. Remove all items from cart
- 9. Check if product counter is now set to 2
- 10. Check if empty cart message is displayed
- 11. Go back to home page

#### Search test

## Search for invalid item test (type: negative)

- 1. Go to home page
- 2. Search for some item that doesn't exist
- 3. Check if search page is displayed correctly
- 4. Check if number of results is zero
- 5. Check if the result message is displayed correctly

### Price search test (type: positive)

- 1. Go to home page
- 2. Search for some valid item
- 3. Check if search page is opened and text is correctly displayed
- 4. Get number of results and check if the number is correct
- 5. Select first price range and check if price range is correct
- 6. Check if prices of items displayed are in selected range
- 7. Check if number of results has changed
- 8. Go back to home page

### Category search test (type: positive)

- 1. Go to home page
- 2. Search for some valid item
- 3. Check if search page is opened and text is correctly displayed
- 4. Get the title of some category from sidebar
- 5. Click on that category
- 6. Check if title of the page is the same as category from the sidebar
- 7. Go back to home page

#### Login test

Before any test using the login - If logged in then log out

## • Positive log in (type: positive)

- 1. Go to home page
- 2. Click on login button and check if login page is opened
- 3. Sign into account
- 4. Check if name, logout button and order history title are displayed correctly
- 5. Click on logout button
- 6. Check if user is returned to home page

## Invalid credentials login (type: negative)

- 1. Go to home page
- 2. Click on login button and check if login page is opened
- 3. Sign in with invalid credentials
- 4. Check if error message is displayed correctly
- 5. Return to home page

## Checkout test (type: positive)

Combines lot of the tests above and is best described trough this diagram:

