

FSIQ Food Cost Analyzer — Complete Build SOP

v3.3

Last updated: May 2026 | **Zap version:** 3.3 | **Status:** Production-ready

Contents

1. [What This Does](#)
 2. [Architecture Overview](#)
 3. [Prerequisites & Accounts](#)
 4. [Pre-Build: Assets & PDFMonkey Template](#)
 5. [GHL Form Fields](#)
 6. [Build Order](#)
 7. [Step 1 — GHL Catch Hook \(Trigger\)](#)
 8. [Step 2 — Website Code \(Code by Zapier\)](#)
 9. [Step 3 — Website Check \(Code by Zapier\)](#)
 10. [Step 4 — Qualification Logic \(Code by Zapier\)](#)
 11. [Step 5 — Paths \(Split into 4 Branches\)](#)
 12. [Steps 6, 8, 10 — DQ Emails \(3 Variants\)](#)
 13. [Step 13 — Website Info Crawl \(Code by Zapier\)](#)
 14. [Step 14 — AI Researcher \(Anthropic\)](#)
 15. [Step 15 — Research Analysis \(Code by Zapier\)](#)
 16. [Step 16 — Prompt Delay](#)
 17. [Step 17 — AI Narrative Builder \(Anthropic\)](#)
 18. [Step 18 — PDF Code Prep \(Code by Zapier\)](#)
 19. [Step 19 — PDFMonkey: Generate Document](#)
 20. [Step 20 — Delay](#)
 21. [Step 21 — Qualified Email \(Microsoft Outlook\)](#)
 22. [PDFMonkey Template HTML](#)
 23. [QA Checklist](#)
 24. [Known Issues & Maintenance](#)
-

1. What This Does

A restaurant operator fills out a form on the FoodServiceIQ website. Within ~90 seconds they receive a personalized, 6-page PDF report estimating how much they're overpaying on food costs — or a warm, tailored email explaining why they weren't qualified.

Qualified flow: GHL form → Zapier → website scrape → AI analysis → AI narrative → PDFMonkey PDF → Outlook email with PDF link + Calendly booking button.

Disqualified flow: GHL form → Zapier → qualification check fails → one of 3 tailored DQ emails (below threshold / invalid website / national chain).

2. Architecture Overview

Step	Type	Purpose	Runs For
1	GHL Webhook (Trigger)	Receives form submission	All
2	Code by Zapier	Normalizes website URL	All
3	Code by Zapier	Checks website (Cloudflare-safe)	All
4	Code by Zapier	Qualification logic + scoring	All
5	Paths by Zapier	Routes to 4 branches	All
6	Microsoft Outlook	DQ email — invalid website	DQ: invalid_website
7	(path end)		
8	Microsoft Outlook	DQ email — below threshold	DQ: below_threshold
9	(path end)		

Step	Type	Purpose	Runs For
10	Microsoft Outlook	DQ email — national chain	DQ: national_chain
11	(path end)		
13	Code by Zapier	Fetches website content + logo hints	Qualified only
14	Anthropic (Claude)	Extracts logo URL + business summary	Qualified only
15	Code by Zapier	Parses AI research output	Qualified only
16	Delay by Zapier	1-second buffer	Qualified only
17	Anthropic (Claude)	Generates 3 narrative blocks	Qualified only
18	Code by Zapier	Parses narratives, strips dashes	Qualified only
19	PDFMonkey	Generates 6-page PDF	Qualified only
20	Delay by Zapier	5-second PDF generation buffer	Qualified only
21	Microsoft Outlook	Sends email with PDF + Calendly	Qualified only

DQ Priority Order (Step 4)

`national_chain` → `invalid_website` (404 only) → `below_threshold`

Critical: Steps 6, 8, 10 use the step numbers for Zapier's path tracking; steps 7, 9, 11 are path terminators. Step 12 does not exist in this numbering. Steps 13–21 are inside the Qualified path.

3. Prerequisites & Accounts

Service	Purpose	Notes
Zapier	Automation platform	Paid plan required (Code by Zapier + Paths)
GoHighLevel (GHL)	Form + CRM	Form must fire a webhook on submission
Anthropic (Claude)	AI analysis + narrative	API key required; use claude-sonnet-4-20250514
PDFMonkey	PDF generation	API key + Template ID required
Microsoft Outlook	Email delivery	Connected via Zapier OAuth
CDN (Cloudinary, S3, etc.)	Logo hosting	3 logo files need public URLs (see §4)
Calendly	Booking link	URL: https://calendly.com/neil-foodserviceiq/15-minute-meeting-clone-1

4. Pre-Build: Assets & PDFMonkey Template

Do this **before** building the Zap. Zapier Steps 14 and 19 need the PDFMonkey Template ID.

4a. Prepare logo assets

Upload 3 files to your CDN and copy their public URLs:

Variable name used in SOP	File	Usage
FSIQ_LOGO_DARK_URL	FoodServiceIQ wordmark, dark/black, transparent background	Pages 2–6 header (white background)

Variable name used in SOP	File	Usage
FSIQ_LOGO_LIGHT_URL	FoodServiceIQ wordmark, white/light, transparent background	Page 1 cover (dark green background)
FSIQ_IQ_LOGO_URL	IQ-only icon/mark (not the full wordmark)	Cover fallback when no client logo

Alternative: Embed as base64 data URIs directly in the template HTML. The current template already has `FSIQ_LOGO_LIGHT_URL` and `FSIQ_IQ_LOGO_URL` as embedded base64. Only `FSIQ_LOGO_DARK_URL` (pages 2–6 header) requires a CDN URL or base64 replacement.

4b. Build the PDFMonkey template

1. Log into pdfmonkey.io
2. Templates → + New Template
3. Name: `FSIQ COST ANALYZER`
4. Engine: HTML/CSS
5. Paste **Sample Data JSON** (§22a) into the Sample Data pane
6. Paste **Full Template HTML** (§22b) into the HTML pane
7. Find/replace all 3 placeholder strings with actual URLs:
 - `FSIQ_LOGO_DARK_URL` → your CDN URL or base64 data URI
 - `FSIQ_LOGO_LIGHT_URL` → your CDN URL or base64 data URI
 - `FSIQ_IQ_LOGO_URL` → your CDN URL or base64 data URI
8. Click Save → confirm live preview renders 6 pages
9. Copy the **Template ID** from the URL bar — you'll need it in Step 19

5. GHL Form Fields

The GHL form must capture these fields and pass them via webhook. The **Field Name** is exactly what Zapier receives.

Field Name	Type	Required	Example Value
<code>full_name</code>	Text	Yes	Roberto Sanchez
<code>restaurant_name</code>	Text	Yes	Casa Roberto

Field Name	Type	Required	Example Value
email	Email	Yes	roberto@casaroberto.com
phone	Phone	No	512-555-0100
website	URL	Yes	https://casaroberto.com
annual_food_spended	Text/Dropdown	Yes	\$1M - \$3M
concept_type	Dropdown	Yes	Fast casual
locations	Dropdown	Yes	2 – 4 locations
distributor_type	Dropdown	Yes	National broadliners (Sysco, US Foods)
procurement_strategy	Dropdown	Yes	Market price, single distributor
top_skus	Text	Yes	Chicken, eggs, produce

Dropdown values must match exactly (case-sensitive) what the qualification logic and Claude prompts expect. Accepted values:

- **concept_type:** Quick service / Fast casual / Casual dining / Family dining / Full-service independent / Fine dining
- **locations:** Single location / 2 – 4 locations / 5+ locations
- **distributor_type:** National broadliners (Sysco, US Foods) / Regional distributor / Local/specialty only / Combination
- **procurement_strategy:** Market price, single distributor / Market price, multiple distributors / GPO or Group Purchasing Organization / Negotiated cost-plus agreement

6. Build Order

Build in this exact sequence to avoid mapping errors:

1. PDFMonkey template (§4b) → get Template ID
 2. Zap: Steps 1–5 (trigger + qualification)
 3. Zap: DQ path emails (Steps 6, 8, 10)
 4. Zap: Qualified path Steps 13–18 (website crawl → AI → narrative → parser)
 5. Zap: Step 19 (PDFMonkey) — needs parser outputs from Step 18
 6. Zap: Steps 20–21 (delay + email) — needs PDFMonkey download_url
 7. QA both paths end-to-end (§23)
-

7. Step 1 — GHL Catch Hook (Trigger)

Action App: Webhooks by Zapier

Action Event: Catch Hook

Setup:

1. Add the trigger, choose "Webhooks by Zapier" → "Catch Hook"
2. Copy the webhook URL Zapier generates
3. In GHL: Workflow → Add action → "Send Webhook" → POST → paste Zapier URL
4. Configure GHL to send all form fields as JSON body
5. Run a test form submission to confirm all fields appear in Zapier's output

Expected output: All form fields are available as `1. Full Name`, `1. Restaurant Name`, etc.

8. Step 2 — Website Code (Code by Zapier)

Purpose: Extracts and normalizes the website URL from the form submission so it's usable in Step 3.

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
<code>website</code>	<code>{{Step 1 → website}}</code>

JavaScript Code:

```
// Step 2: Website Code — normalize website URL from form submission

const raw = (inputData.website || "").trim();

let websiteUrl = raw;

// Add https:// if missing

if (websiteUrl && !websiteUrl.startsWith("http://") && !websiteUrl.startsWith("https://")) {

    websiteUrl = "https://" + websiteUrl;

}

// Remove trailing slash for consistency

websiteUrl = websiteUrl.replace(/\/$/, "");

output = [{ websiteUrl }];
```

Expected output: `websiteUrl` — the normalized URL (e.g. <https://spiritscenla.com>)

9. Step 3 — Website Check (Code by Zapier)

Purpose: Fetches the operator's website to (a) get an HTTP status for qualification and (b) extract logo hints for the AI pipeline. Uses a browser User-Agent to get past Cloudflare. Never errors — always returns, regardless of what the server does.

Why Code by Zapier instead of Webhooks? Zapier's Webhooks step doesn't have "Continue on Error" and can't handle browser UA headers properly. Cloudflare-protected sites (most restaurants) block Zapier's default UA. This Code step catches all errors internally.

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
websiteUrl	{{Step 2 → websiteUrl}}

JavaScript Code:

```
// Step 3: Website Check v2.0

// Fetches URL with browser UA, extracts logo hints from raw HTML BEFORE stripping,
// strips HTML to clean text. Always returns — never throws.

const url = inputData.websiteUrl || "";

let websiteStatus = 0;

let websiteText = "";

let websiteLogoHints = "";

let fetchSuccess = false;

if (!url) {

  output = [{ websiteStatus, websiteText, websiteLogoHints, fetchSuccess }];

  return;

}

try {

  const response = await fetch(url, {

    method: "GET",

    headers: {

      "User-Agent":

        "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like
        Gecko) Chrome/120.0.0.0 Safari/537.36",
```

```

    Accept: "text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8",

    "Accept-Language": "en-US,en;q=0.5",

    Connection: "keep-alive",

    "Upgrade-Insecure-Requests": "1",

  },

  redirect: "follow",

  signal: AbortSignal.timeout(10000),

});

websiteStatus = response.status;

const rawHtml = await response.text();

// — Extract logo hints from raw HTML BEFORE stripping —

const logoSources = [];

// 1. og:image (highest priority — usually the best brand image)

const ogMatch = rawHtml.match(

  /<meta[^\>]+property=[""]og:image[""](?:[^\>]+content=[""](?:[^\>]+)?)[""]/i

) || rawHtml.match(

  /<meta[^\>]+content=[""](?:[^\>]+)[""](?:[^\>]+property=[""]og:image[""])/i

);

if (ogMatch && ogMatch[1]) logoSources.push("og-image:" + ogMatch[1]);

// 2. twitter:image

const twMatch = rawHtml.match(

```

```

    /<meta[^>]+name=["']twitter:image["'][^>]+content=["']([^\"]+)[\']/i

) || rawHtml.match(

    /<meta[^>]+content=["']([^\"]+)[\'][^>]+name=["']twitter:image["']/i

);

if (twMatch && twMatch[1]) logoSources.push("twitter-image:" + twMatch[1]);

// 3. Schema.org logo

const schemaMatch =
rawHtml.match(/"logo"\s*:\s*\{\s*"@type"\s*:\s*"ImageObject"\s*,\s*"url"\s*:\s*"([^\"]+)"\s*\}/i) ||

    rawHtml.match(/"logo"\s*:\s*"([^\"]+)"\s*\}/i);

if (schemaMatch && schemaMatch[1]) logoSources.push("schema-org-logo:" +
schemaMatch[1]);

// 4. Header/nav <img> with "logo" in src, class, id, or alt

const headerLogoMatch = rawHtml.match(

/<header[^>]*>[\s\S]{0,2000}<img[^>]+(?:src|class|id|alt)=[\']([^\"]*)logo[^\']*["'][^>]*src=[\']([^\"]+)[\']/
i

) || rawHtml.match(

/<(?:header|nav)[^>]*>[\s\S]{0,2000}<img[^>]+src=[\']([^\"]*)logo[^\']*["']/i

);

if (headerLogoMatch && headerLogoMatch[1]) logoSources.push("header-logo-img:" +
headerLogoMatch[1]);

// 5. apple-touch-icon (low priority — usually a decent brand mark)

const appleMatch = rawHtml.match(

/<link[^>]+rel=["']apple-touch-icon["'][^>]+href=["']([^\"]+)[\']/i

```

```

) || rawHtml.match(

  /<link[^>]+href=[""]([^\"]+)"[""][^>]+rel=[""]apple-touch-icon[""]/i

);

if (appleMatch && appleMatch[1]) logoSources.push("apple-touch-icon:" + appleMatch[1]);

websiteLogoHints = logoSources.join(" | ");

// — Strip HTML to clean text —

let text = rawHtml

  .replace(/<script[\s\S]*?<\script>/gi, " ")

  .replace(/<style[\s\S]*?<\style>/gi, " ")

  .replace(/<!--[\s\S]*?-->/g, " ")

  .replace(/<[^>]+>/g, " ")

  .replace(/&nbsp;/gi, " ")

  .replace(/&amp;/gi, "&")

  .replace(/&lt;/gi, "<")

  .replace(/&gt;/gi, ">")

  .replace(/&quot;/gi, "\"")

  .replace(/&#39;/gi, "'")

  .replace(/\\s{2,}/g, " ")

  .trim();

websiteText = text.substring(0, 4000);

fetchSuccess = websiteStatus >= 200 && websiteStatus < 400;

} catch (err) {

```

```
websiteStatus = 0;

fetchSuccess = false;

}

output = [{ websiteStatus, websiteText, websiteLogoHints, fetchSuccess }];
```

Expected output:

Field	Description
<code>websiteStatus</code>	HTTP status code (200, 403, 404, 503, 0 = error/timeout)
<code>websiteText</code>	Stripped plain text (up to 4,000 chars)
<code>websiteLogoHints</code>	Pipe-separated logo source hints (e.g. <code>og-image:https://...</code>)
<code>fetchSuccess</code>	<code>true</code> if 2xx/3xx response

10. Step 4 — Qualification Logic (Code by Zapier)

Purpose: Full qualification and scoring engine. Determines whether the lead qualifies, assigns a DQ reason if not, calculates the percentage estimate, dollar figures, 5-year projections, case study assignment, and all display fields for the PDF.

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
<code>fullName</code>	<code>{{Step 1 → full_name}}</code>
<code>restaurantName</code>	<code>{{Step 1 → restaurant_name}}</code>
<code>email</code>	<code>{{Step 1 → email}}</code>

Key	Value
phone	{{Step 1 → phone}}
website	{{Step 1 → website}}
annualSpendText	{{Step 1 → annual_food_spend}}
conceptType	{{Step 1 → concept_type}}
locations	{{Step 1 → locations}}
distributorType	{{Step 1 → distributor_type}}
procurementStrategy	{{Step 1 → procurement_strategy}}
topSkus	{{Step 1 → top_skus}}
websiteStatus	{{Step 3 → websiteStatus}}

JavaScript Code:

```
// Step 4: FSIQ Food Cost Analyzer — Qualification Logic v3.3

// DQ priority: national_chain → invalid_website (404 only) → below_threshold

// Only HTTP 404 counts as invalid website. 403/503/0/timeout = real site, bot-blocked = VALID.

// ===== HELPERS =====

function titleCaseName(s) {

  if (!s) return "";

  return s.toLowerCase().split(/(\s+|-)/).map(part => {

    if (/^\s+$/.test(part) || part === "-") return part;

    if (part.includes("")) {

      return part.split("").map(seg =>

        seg.length > 0 ? seg.charAt(0).toUpperCase() + seg.slice(1) : seg

      );

    }

    return part;

  });

}
```

```

    ).join("");
}

if (part.length > 2 && (part.startsWith("mc") || part.startsWith("mac"))) {

    const prefixLen = part.startsWith("mac") ? 3 : 2;

    const prefix = part.slice(0, prefixLen);

    const rest = part.slice(prefixLen);

    return prefix.charAt(0).toUpperCase() + prefix.slice(1) +

        (rest.length > 0 ? rest.charAt(0).toUpperCase() + rest.slice(1) : "");

}

return part.charAt(0).toUpperCase() + part.slice(1);

}).join("");
}

function fmtDollar(n) {

    if (!n && n !== 0) return "";

    return "$" + Math.round(n).toLocaleString("en-US");

}

function fmtPct(n) {

    return (Math.round(n * 10) / 10).toFixed(1) + "%";

}

// ===== READ INPUTS =====

const fullNameRaw    = (inputData.fullName    || "").trim();

const restaurantNameRaw = (inputData.restaurantName || "").trim();

```

```

const fullName      = titleCaseName(fullNameRaw);

const restaurantName = titleCaseName(restaurantNameRaw);

const distributorTypeRaw = (inputData.distributorType || "").trim();

const procurementRaw    = (inputData.procurementStrategy || "").trim();

const conceptTypeRaw    = (inputData.conceptType || "").trim();

const topSkusRaw        = (inputData.topSkus || "").trim();

const annualSpendText   = (inputData.annualSpendText || "").trim();

const locationsRaw      = (inputData.locations || "").trim();

const email             = (inputData.email || "").trim();

const phone             = (inputData.phone || "").trim();

const websiteUrl        = (inputData.website || "").trim();

// websiteStatus: 0 = error/timeout, 404 = not found, 403/503 = Cloudflare-blocked (real site)

const websiteStatus = parseInt(inputData.websiteStatus || "0", 10);

// ===== NATIONAL CHAINS =====

const NATIONAL_CHAINS = [

  // QSR

  "mcdonalds","mcdonald's","burger king","wendys","wendy's","taco bell","kfc",

  "kentucky fried chicken","subway","chick-fil-a","chick fil a","chipotle",

  "dominos","domino's","pizza hut","papa johns","papa john's","little caesars",

  "dunkin","dunkin donuts","dunkin","starbucks","sonic drive-in","sonic",

  "jack in the box","carls jr","carl's jr","hardees","hardee's","whataburger",

```


"five guys", "in-n-out", "in n out", "shake shack", "popeyes", "arbys", "arby's",
"dairy queen", "long john silvers", "long john silver's", "jersey mikes",
"jersey mike's", "jimmy johns", "jimmy john's", "firehouse subs", "quiznos",
"auntie annes", "auntie anne's", "cinnabon", "tim hortons", "panera", "panera bread",
"qdoba", "moes southwest grill", "moe's southwest grill", "sweetgreen", "cava",
"noodles and company", "noodles & company", "wingstop", "raising canes",
"raising cane's", "el pollo loco", "checkers", "rallys", "rally's", "krystal",
"white castle", "tropical smoothie cafe", "smashburger", "freddys",
"freddy's frozen custard", "culvers", "culver's", "del taco", "baja fresh",
"boston market", "papa murphys", "papa murphy's", "round table pizza",
"marcos pizza", "marco's pizza", "blaze pizza", "mod pizza", "pieology",
"mountain mikes pizza", "mountain mike's pizza",

// Casual / Family

"applebees", "applebee's", "chilis", "chili's", "tgi fridays", "tgi friday's",
"outback steakhouse", "outback", "olive garden", "red lobster",
"longhorn steakhouse", "longhorn", "texas roadhouse", "logans roadhouse",
"logan's roadhouse", "buffalo wild wings", "ihop", "dennys", "denny's",
"cracker barrel", "bob evans", "the cheesecake factory", "cheesecake factory",
"p.f. changs", "pf changs", "p.f. chang's", "carrabbas", "carrabba's",
"bonefish grill", "bjs restaurant", "bj's restaurant", "bj's brewhouse",
"red robin", "ruby tuesday", "cheddars", "cheddar's scratch kitchen", "perkins",
"mimis cafe", "mimi's cafe", "village inn", "shoneys", "shoney's", "first watch",

```

"snooze","another broken egg","yard house","lazy dog","millers ale house",
"miller's ale house","twin peaks","hooters","fogo de chao","ruths chris",
"ruth's chris","mortons","fleming's","capital grille","the capital grille",

// Coffee / Bakery

"peets coffee","peet's coffee","the coffee bean","caribou coffee",
"einstein bagels","einstein bros bagels","krispy kreme","mrs fields",
"mrs. fields","baskin robbins","baskin-robbins","cold stone creamery",
"cold stone","ben & jerrys","ben and jerry's","haagen dazs","häagen-dazs",
"menchies","menchie's"

];

function normalizeForChainMatch(name) {

  return name.toLowerCase()

    .replace(/[^a-z0-9\s'&-]/g, "")

    .replace(/\s+/g, " ")

    .trim();

}

const normalizedRestaurantName = normalizeForChainMatch(restaurantNameRaw);

const isNationalChain = NATIONAL_CHAINS.some(chain => {

  return normalizedRestaurantName === chain ||

    normalizedRestaurantName.startsWith(chain + " ") ||

    normalizedRestaurantName.endsWith(" " + chain);

```

```

});

// ===== SPEND PARSER =====

function parseSpend(text) {

    if (!text) return { value: null, fallback: false };

    let s = String(text).toLowerCase().trim();

    s = s.replace(/\[$,\u00a3\u20ac]/g, "").replace(/\bUSD\b/gi, "").replace(/usd/gi, "").trim();

    const rangeRegex = /(.(+?)\s*(?:-|to|and|through|\u2013)\s*(.+))/;

    if (rangeRegex.test(s) && !s.match(/^[d.]+$/)) {

        const parts = s.match(rangeRegex);

        if (parts && parts[1] && parts[2]) {

            const v1 = parseSingleValue(parts[1].trim());

            const v2 = parseSingleValue(parts[2].trim());

            if (v1 && v2) return { value: (v1 + v2) / 2, fallback: false };

        }

    }

    const val = parseSingleValue(s);

    if (val !== null) return { value: val, fallback: false };

    return { value: 2000000, fallback: true };

}

function parseSingleValue(s) {

    s = String(s).toLowerCase().trim();

    const wordValues = {

```

```

    "half": 0.5, "a": 1, "an": 1,

    "one": 1, "two": 2, "three": 3, "four": 4, "five": 5,

    "six": 6, "seven": 7, "eight": 8, "nine": 9, "ten": 10

};

let multiplier = 1;

if (s.match(/\b(million|millon|milion|mlion|mm|m)\b/i)) {

    multiplier = 1000000;

    s = s.replace(/\b(million|millon|milion|mlion|mm|m)\b/gi, "").trim();

} else if (s.match(/\b(thousand|thosand|k)\b/i)) {

    multiplier = 1000;

    s = s.replace(/\b(thousand|thosand|k)\b/gi, "").trim();

} else if (s.match(/\b(billion|b)\b/i)) {

    multiplier = 1000000000;

    s = s.replace(/\b(billion|b)\b/gi, "").trim();

}

const numMatch = s.match(/[d.]+/);

let num = null;

if (numMatch) {

    num = parseFloat(numMatch[0]);

} else {

    for (const word in wordValues) {

```

```

        if (s.includes(word)) { num = wordValues[word]; break; }

    }

}

if (num === null || isNaN(num)) return null;

if (multiplier === 1) {

    if (num >= 1 && num <= 99)        multiplier = 1000000;

    else if (num >= 100 && num <= 9999) multiplier = 1000;

}

return num * multiplier;

}

const spendResult = parseSpend(annualSpendText);

const annualSpend = spendResult.value;

const parseFallback = spendResult.fallback;

// ===== QUALIFICATION =====

let qualified      = true;

let dqReason       = null;

let implausiblyHigh = false;

if (isNationalChain) {

    qualified = false;

    dqReason = "national_chain";

} else if (websiteStatus === 404) {

    // Only hard 404 = invalid website. 403, 503, 0, timeout = real site (bot-blocked) = VALID.

```

```

qualified = false;

dqReason = "invalid_website";

} else if (annualSpend === null || annualSpend < 50000) {

qualified = false;

dqReason = "below_minimum";

} else if (annualSpend < 500000) {

qualified = false;

dqReason = "below_threshold";

} else if (annualSpend >= 100000000) {

implausiblyHigh = true;

}

// ===== SPEND BUCKET =====

let spendBucket, bucketMidpoint, basePct;

if (annualSpend >= 500000 && annualSpend < 800000) { spendBucket =
"$500K\u2013$800K"; bucketMidpoint = 650000; basePct = 5.00; }

else if (annualSpend >= 800000 && annualSpend < 1000000) { spendBucket =
"$800K\u2013$1M"; bucketMidpoint = 900000; basePct = 5.25; }

else if (annualSpend >= 1000000 && annualSpend < 3000000) { spendBucket =
"$1M\u2013$3M"; bucketMidpoint = 2000000; basePct = 5.50; }

else if (annualSpend >= 3000000 && annualSpend < 7000000) { spendBucket =
"$3M\u2013$7M"; bucketMidpoint = 5000000; basePct = 5.75; }

else if (annualSpend >= 7000000) { spendBucket = "$7M+";
bucketMidpoint = 8500000; basePct = 6.00; }

```

```

else                                { spendBucket = "DQ";          bucketMidpoint = 0;
basePct = 0;  }

// ===== MODIFIERS =====

let distributorMod = 0;

if    (distributorTypeRaw.includes("National broadliners")) distributorMod = 0.70;

else if (distributorTypeRaw.includes("Combination"))      distributorMod = 0.35;

else if (distributorTypeRaw.includes("Regional"))         distributorMod = 0.35;

let procurementMod = 0;

if    (procurementRaw.includes("market price") && procurementRaw.includes("single"))
procurementMod = 0.70;

else if (procurementRaw.includes("market price") && procurementRaw.includes("multiple"))
procurementMod = 0.35;

else if (procurementRaw.includes("GPO") || procurementRaw.includes("Group Purchasing"))
procurementMod = 0.20;

const proteinKeywords =
["chicken","beef","pork","fish","seafood","brisket","ribs","steak","lamb","salmon","shrimp","turkey",
,"bacon","sausage"];

const commodityKeywords =
["oil","dairy","eggs","cheese","milk","butter","produce","lettuce","tomato","onion","flour","sugar","p
otato","fries"];

const skusLower = topSkusRaw.toLowerCase();

const hasProtein = proteinKeywords.some(k => skusLower.includes(k));

const hasCommodity = commodityKeywords.some(k => skusLower.includes(k));

let skuMod = 0;

if    (hasProtein && hasCommodity) skuMod = 0.30;

else if (hasProtein || hasCommodity) skuMod = 0.15;

```

```

let locationsMod = 0;

if (locationsRaw.includes("5+")) locationsMod = 0.30;

else if (locationsRaw.includes("2") || locationsRaw.includes("4")) locationsMod = 0.15;

// ===== FINAL PERCENTAGE =====

const rawTotal = basePct + distributorMod + procurementMod + skuMod + locationsMod;

const finalPct = Math.max(5.0, Math.min(8.0, rawTotal));

const dollarEstimate = qualified ? Math.round(finalPct / 100 * bucketMidpoint) : 0;

// ===== 5-YEAR PROJECTIONS =====

const INFLATION = 0.039;

const year1 = dollarEstimate;

const year2 = Math.round(year1 + year1 * (1 + INFLATION));

const year3 = Math.round(year2 + year1 * Math.pow(1 + INFLATION, 2));

const year4 = Math.round(year3 + year1 * Math.pow(1 + INFLATION, 3));

const year5 = Math.round(year4 + year1 * Math.pow(1 + INFLATION, 4));

const yearMax = year5 || 1;

const year1HeightPct = Math.max(8, Math.round((year1 / yearMax) * 100));

const year2HeightPct = Math.max(8, Math.round((year2 / yearMax) * 100));

const year3HeightPct = Math.max(8, Math.round((year3 / yearMax) * 100));

const year4HeightPct = Math.max(8, Math.round((year4 / yearMax) * 100));

const year5HeightPct = 100;

// ===== BENCHMARKS =====

```



```

const benchmarks = {

  "Quick service":      "20%\u201325%",
  "Fast casual":        "25%\u201330%",
  "Casual dining":      "28%\u201332%",
  "Family dining":      "28%\u201332%",
  "Full-service independent": "28%\u201335%",
  "Fine dining":        "30%\u201335%"

};

const conceptBenchmark = benchmarks[conceptTypeRaw] || "28%\u201332%";

// ===== CASE STUDY =====

function selectCaseStudy(bucket, locations) {

  const single = !locations.includes("2") && !locations.includes("5");

  const small  = locations.includes("2") || locations.includes("4");

  const multi  = locations.includes("5");

  if (bucket === "$500K\u2013$800K" || bucket === "$800K\u2013$1M") {

    return single ? "Black's BBQ" : "MaryAnn's Diner";

  }

  if (bucket === "$1M\u2013$3M") {

    return single ? "Spirits" : "MaryAnn's Diner";

  }

  if (bucket === "$3M\u2013$7M" || bucket === "$7M+") {

    if (single) return "The Oasis";
  }
}

```

```
    if (small) return "Dish Society";

    if (multi) return "Thunderdome";

}

return "Black's BBQ";

}

const caseStudy = qualified ? selectCaseStudy(spendBucket, locationsRaw) : "";

// ===== OUTPUT =====

output = {

    // Qualification

    qualified,

    dqReason,

    parseFallback,

    implausiblyHigh,

    isNationalChain,

    websiteStatus,

    // Form passthrough (title-cased)

    fullName,

    restaurantName,

    distributorTypeRaw,

    procurementStrategyRaw: procurementRaw,

    conceptTypeRaw,
```

```
topSkusRaw,

locationsRaw,

email,

phone,

websiteUrl,

// Calculated

spendBucket,

annualSpend,

annualSpendDisplay:   qualified ? fmtDollar(annualSpend) : "",

bucketMidpoint,

finalPct,

finalPctDisplay:      fmtPct(finalPct),

dollarEstimate,

dollarEstimateDisplay: fmtDollar(dollarEstimate),

conceptBenchmark,

caseStudy,

// SKU flags for Claude prompts

hasProtein,

hasCommodity,

// 5-year projections

year1Display:  fmtDollar(year1),

year2Display:  fmtDollar(year2),
```

```

year3Display: fmtDollar(year3),

year4Display: fmtDollar(year4),

year5Display: fmtDollar(year5),

year1HeightPct,

year2HeightPct,

year3HeightPct,

year4HeightPct,

year5HeightPct

};

```

11. Step 5 — Paths (Split into 4 Branches)

Action App: Paths by Zapier

Add 4 paths. The conditions reference Step 4 outputs.

Path	Condition
Qualified (\$500k+)	Step 4 → qualified (Text) Exactly matches true
Unqualified — Invalid Website	Step 4 → qualified (Text) Exactly matches false AND Step 4 → dqReason (Text) Exactly matches invalid_website
Unqualified — Below Threshold	Step 4 → qualified (Text) Exactly matches false AND Step 4 → dqReason (Text) Does not exactly match invalid_website AND Step 4 → dqReason (Text) Does not exactly match national_chain

Path	Condition
Unqualified — National Chain	Step 4 → qualified (Text) Exactly matches false AND Step 4 → dqReason (Text) Exactly matches national_chain

Do NOT use the old `websiteInvalid` field — it no longer exists. All path conditions use `qualified` + `dqReason` only.

12. Steps 6, 8, 10 — DQ Emails (3 Variants)

Each DQ path ends with a Microsoft Outlook "Send Email" step. Three separate steps, one per path.

Step 6 — Invalid Website DQ Email

Path: Unqualified — Invalid Website

Subject: Quick check on your FoodServiceIQ submission

To: {{Step 4 → email}}

Body (HTML):

```
<!DOCTYPE html>
```

```
<html>
```

```
<head><meta charset="UTF-8"></head>
```

```
<body style="font-family: Aptos, Arial, sans-serif; font-size: 11pt; line-height: 1.6; color: #000000; max-width: 600px;">
```

```
<p>Hi {{Step 4 → fullName}},</p>
```

```
<p>Thanks for using <a href="https://www.foodserviceiq.com/" style="color: #52C275; font-weight: bold; text-decoration: none;">FoodServiceIQ</a>'s Food Cost Analyzer. We received your submission for <strong>{{Step 4 → restaurantName}}</strong>, but we weren't able to reach the website you entered.</p>
```

```
<p>Our analysis pulls business context from your website to make the report more accurate, so we'd love to give it another shot. Could you double-check the URL and resubmit at <a href="https://www.foodserviceiq.com/" style="color: #52C275;">foodserviceiq.com</a>?</p>
```

<p>If you'd rather just talk it through, you can also book a quick call directly:</p>

<p style="margin: 20px 0;">

Book a 15-Minute Call

</p>

<p>Thanks,

The FoodServiceIQ Team</p>

</body>

</html>

Step 8 — Below Threshold DQ Email

Path: Unqualified — Below Threshold

Subject: Thanks for using FoodServiceIQ's Food Cost Analyzer

To: {{Step 4 → email}}

Body (HTML):

<!DOCTYPE html>

<html>

<head><meta charset="UTF-8"></head>

<body style="font-family: Aptos, Arial, sans-serif; font-size: 11pt; line-height: 1.6; color: #000000; max-width: 600px;">

<p>Hi {{Step 4 → fullName}},</p>

<p>Thanks for using FoodServiceIQ's Food Cost Analyzer and sharing a bit about {{Step 4 → restaurantName}}.</p>

<p>Based on what you shared, your operation may not yet be a fit for our cost reduction program. It's purpose-built for restaurants spending \$500K or more annually on food, where the savings recoverable through our model are large enough to justify the engagement on both sides.</p>

<p>That said, we'd love to stay in touch:</p>

<ul style="margin-left: 20px;">

If your operation grows into that range, we'd be glad to run a full analysis at that point.

In the meantime, our free playbook covers procurement strategies that work at any scale: foodserviceiq.com

<p>Wishing you continued success,

The FoodServiceIQ Team</p>

</body>

</html>

Step 10 — National Chain DQ Email

Path: Unqualified — National Chain

Subject: About your FoodServiceIQ submission

To: {{Step 4 → email}}

Body (HTML):

<!DOCTYPE html>

<html>

<head><meta charset="UTF-8"></head>

```
<body style="font-family: Aptos, Arial, sans-serif; font-size: 11pt; line-height: 1.6; color: #000000; max-width: 600px;">
```

```
<p>Hi {{Step 4 → fullName}},</p>
```

```
<p>Thanks for trying <a href="https://www.foodserviceiq.com/" style="color: #52C275; font-weight: bold; text-decoration: none;">FoodServiceIQ</a>'s Food Cost Analyzer.</p>
```

```
<p>Our program is built specifically for <strong>independent and multi-unit independent restaurant groups</strong>. The pricing structures and procurement strategies we negotiate are designed to give independents access to the same kind of leverage national chains already operate under, so we don't typically work with national chains directly.</p>
```

```
<p>If you operate an independent concept under a different brand and would like to explore an analysis for that operation, we'd love to hear from you at <a href="mailto:hello@foodserviceiq.com" style="color: #52C275;">hello@foodserviceiq.com</a>.</p>
```

```
<p>Best,<br>
```

```
The FoodServiceIQ Team</p>
```

```
</body>
```

```
</html>
```

13. Step 13 — Website Info Crawl (Code by Zapier)

Purpose: Full website fetch for the qualified path. Extracts logo hints from raw HTML BEFORE stripping (this is the critical fix — without it Claude can't find logo URLs). Returns clean text and logo hints for the AI pipeline.

Why a second fetch? Step 3 runs early (before qualification) and its result may be cached or incomplete. Step 13 ensures the qualified path always gets a fresh, complete fetch optimized for logo extraction and AI analysis.

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
websiteUrl	{{Step 4 → websiteUrl}}

JavaScript Code:

```
// Step 13: Website Info Crawl

// Full fetch with logo hint extraction BEFORE HTML stripping.

// Always returns — never throws.

const url = inputData.websiteUrl || "";

let websiteText = "";

let websiteLogoHints = "";

let fetchStatus = 0;

if (!url) {

  output = [{ websiteText, websiteLogoHints, fetchStatus }];

  return;

}

try {

  const response = await fetch(url, {

    method: "GET",

    headers: {

      "User-Agent":

        "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like

        Gecko) Chrome/120.0.0.0 Safari/537.36",

      Accept: "text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8",
```

```

    "Accept-Language": "en-US,en;q=0.5",

    Connection: "keep-alive",

  },

  redirect: "follow",

  signal: AbortSignal.timeout(12000),

});

fetchStatus = response.status;

const rawHtml = await response.text();

// — EXTRACT LOGO HINTS FROM RAW HTML BEFORE ANY STRIPPING —

const logoSources = [];

// 1. og:image — highest priority

const ogMatch = rawHtml.match(

  /<meta[^>]+property=[""]og:image[""](?:[^"]+)"[""]/i

) || rawHtml.match(

  /<meta[^>]+content=[""](?:[^"]+)"(?:[^>]+property=[""]og:image[""])/i

);

if (ogMatch && ogMatch[1]) logoSources.push("og-image:" + ogMatch[1]);

// 2. twitter:image

const twMatch = rawHtml.match(

  /<meta[^>]+name=[""]twitter:image[""](?:[^"]+)"(?:[^>]+content=[""](?:[^"]+)"[""])/i

) || rawHtml.match(

```

```

    /<meta[^>]+content=["'](?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)+name=["']twitter:image["']/i

);

if (twMatch && twMatch[1]) logoSources.push("twitter-image:" + twMatch[1]);

// 3. Schema.org logo

const schemaMatch = rawHtml.match(

    /"logo"\s*:\s*\{\s*"@type"\s*:\s*"ImageObject"\s*,\s*"url"\s*:\s*"([^\s"]+)"\s*\}/i

) || rawHtml.match(/"logo"\s*:\s*"([^\s"]+)"\s*"/i);

if (schemaMatch && schemaMatch[1]) logoSources.push("schema-org-logo:" +
schemaMatch[1]);

// 4. Header/nav img with "logo" in src, class, id, or alt

const headerLogoMatch = rawHtml.match(

    /<(?:header|nav)[^>]*>[\s\S]{0,2000}<img[^>]+src=["'](?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)*logo(?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)*\s*>/i

) || rawHtml.match(

    /<(?:header|nav)[^>]*>[\s\S]{0,2000}<img[^>]+(?:\s+(?:class|id|alt)=["'](?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)*logo(?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)*\s*>)/i

);

if (headerLogoMatch && headerLogoMatch[1]) logoSources.push("header-logo-img:" +
headerLogoMatch[1]);

// 5. apple-touch-icon — low priority

const appleMatch = rawHtml.match(

    /<link[^>]+rel=["']apple-touch-icon["'](?:>)+href=["'](?:[^\s"]+|"[^"]*"|'[']*')["']/i

) || rawHtml.match(

    /<link[^>]+href=["'](?:[^\s"]+|"[^"]*"|'[']*')["'](?:>)+rel=["']apple-touch-icon["']/i

);

```

```
if (appleMatch && appleMatch[1]) logoSources.push("apple-touch-icon:" + appleMatch[1]);

websiteLogoHints = logoSources.join(" | ");

// — STRIP HTML TO CLEAN TEXT —

let text = rawHtml

    .replace(/<script[\s\S]*?<\script>/gi, " ")

    .replace(/<style[\s\S]*?<\style>/gi, " ")

    .replace(/<!--[\s\S]*?-->/g, " ")

    .replace(/<[^\>]+\>/g, " ")

    .replace(/&nbsp;/gi, " ")

    .replace(/&amp;/gi, "&")

    .replace(/&lt;/gi, "<")

    .replace(/&gt;/gi, ">")

    .replace(/&quot;/gi, "\"")

    .replace(/&#39;/gi, "'")

    .replace(/\\s{2,}/g, " ")

    .trim();

websiteText = text.substring(0, 5000);

} catch (err) {

    fetchStatus = 0;

}

output = [{ websiteText, websiteLogoHints, fetchStatus }];
```

Expected output: `websiteText`, `websiteLogoHints`, `fetchStatus`

14. Step 14 — AI Researcher (Anthropic)

Purpose: Extracts the restaurant's logo URL (using the logo hints from Step 13 verbatim — never fabricates) and generates a business summary for the PDF.

Action App: Anthropic (Claude)

Action Event: Send Message

Model: `claude-sonnet-4-20250514`

Max Tokens: 1000

System Prompt:

You are a research assistant for FoodServiceIQ. Your job is to extract structured data about an independent restaurant from its website content.

Return a valid JSON object — no preamble, no markdown fences, nothing before or after the JSON.

LOGO EXTRACTION RULES — follow precisely:

- You will receive logo hints in `websiteLogoHints` as a pipe-separated list like:

`og-image:https://... | twitter-image:https://... | schema-org-logo:https://... |
header-logo-img:https://... | apple-touch-icon:https://...`

- Pick the BEST logo URL from the hints using this priority order:

1. `og-image` (preferred — usually best quality brand image)
2. `schema-org-logo`
3. `header-logo-img`
4. `twitter-image`
5. `apple-touch-icon`

- Use the URL VERBATIM from the hints — do not modify, shorten, or construct any URL

- NEVER fabricate or guess a logo URL
- If no hints are provided or all are clearly invalid, set logo_url to null

BUSINESS SUMMARY RULES:

- Write 1–2 sentences describing the restaurant concept, location, and what makes it distinctive
- Write from what the website says, not general assumptions
- If website content is insufficient, write a brief summary from the restaurant name + concept type only
- No em-dashes or en-dashes

OUTPUT FORMAT — return exactly this JSON structure:

```
{  
  
  "logo_url": "https://..." or null,  
  
  "business_summary": "One or two sentence description.",  
  
  "concept_signals": "Any notable menu focus, style, or positioning signals (1 sentence or null)",  
  
  "scrape_status": "ok" or "limited" or "failed"  
  
}
```

User Message (paste this and replace `[map: ...]` with the Zapier variable picker):

Analyze this restaurant and extract the data.

RESTAURANT NAME: [map: Step 4 → restaurantName]

CONCEPT TYPE: [map: Step 4 → conceptTypeRaw]

WEBSITE URL: [map: Step 4 → websiteUrl]

LOGO HINTS (use these VERBATIM — do not fabricate):

[map: Step 13 → websiteLogoHints]

WEBSITE TEXT (stripped HTML):

[map: Step 13 → websiteText]

Expected output: JSON with `logo_url`, `business_summary`, `concept_signals`, `scrape_status`

15. Step 15 — Research Analysis (Code by Zapier)

Purpose: Parses Claude's JSON response from Step 14 into flat fields. Validates the logo URL (must be a real URL — starts with `http`, no spaces, longer than 15 chars, not a placeholder).

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
<code>claudeResponse</code>	<code>{{Step 14 → Response Content → 1 → Response Content Text}}</code>

Watch out: Map the OUTPUT of Step 14 (the response), not the input. The variable picker nests deep: Response → Response Content → 1 → Response Content Text.

JavaScript Code:

```
// Step 15: Research Analysis Parser
```

```
// Parses Claude's website analysis JSON, validates logo URL.
```

```
const raw = inputData.claudeResponse || "";
```

```
let cleaned = raw.trim();
```

```
cleaned = cleaned.replace(/^```json\s*/i, "");
```

```
cleaned = cleaned.replace(/^```\s*/i, "");
```

```
cleaned = cleaned.replace(/s*```$/i, "");

cleaned = cleaned.trim();

let parsed = {

  logo_url: null,

  business_summary: null,

  concept_signals: null,

  scrape_status: "error"

};

let parseOk = false;

let parseError = null;

try {

  parsed = JSON.parse(cleaned);

  parseOk = true;

} catch (e) {

  parseError = e.message;

}

// Validate logo URL

// Must: start with http, be longer than 15 chars, have no spaces,

// not be a placeholder or example URL.

// Does NOT require a file extension (handles modern CDN URLs).

function isValidLogoUrl(url) {

  if (!url || typeof url !== "string") return false;
```



```

const u = url.trim();

if (!u.startsWith("http")) return false;

if (u.length <= 15) return false;

if (u.includes(" ")) return false;

const lower = u.toLowerCase();

if (lower.includes("example.com")) return false;

if (lower.includes("placeholder")) return false;

if (lower.includes("yourlogo")) return false;

if (lower.includes("logo.png") && u.length < 25) return false; // too generic

return true;

}

const rawLogoUrl = parsed.logo_url || null;

const logoUrl = isValidLogoUrl(rawLogoUrl) ? rawLogoUrl.trim() : null;

const hasLogo = logoUrl !== null;

const businessSummary = (typeof parsed.business_summary === "string" &&
parsed.business_summary.trim().length > 10)

? parsed.business_summary.trim() : null;

const menuSignals = (typeof parsed.concept_signals === "string" &&
parsed.concept_signals.trim().length > 5)

? parsed.concept_signals.trim() : null;

const scrapeStatus = parsed.scrape_status || "unknown";

output = {

```

```
parseOk,  
  
parseError,  
  
logoUrl:    logoUrl  || "",  
  
hasLogo,  
  
businessSummary: businessSummary || "",  
  
menuSignals:  menuSignals || "",  
  
scrapeStatus,  
  
rawLogoUrl:   rawLogoUrl || ""  
  
};
```

Expected output: `logoUrl`, `hasLogo`, `businessSummary`, `menuSignals`, `scrapeStatus`

16. Step 16 — Prompt Delay

Action App: Delay by Zapier

Action Event: Delay For

Delay: 1 second

This prevents Claude API rate limit issues when two Anthropic steps run back-to-back.

17. Step 17 — AI Narrative Builder (Anthropic)

Purpose: Generates 3 personalized narrative blocks (50–80 words each) for Pages 3 of the PDF. Bans em-dashes and en-dashes entirely.

Action App: Anthropic (Claude)

Action Event: Send Message

Model: `claude-sonnet-4-20250514`

Max Tokens: 1000

System Prompt:

You are a senior procurement analyst at FoodServiceIQ writing personalized narrative for an independent restaurant operator's free Food Cost Analysis report.

Your job is to generate three short narrative paragraphs (50-80 words each) explaining where this operator's overpayment is likely coming from. The paragraphs will appear in a PDF report under the heading "The structural drivers behind the overpayment."

CRITICAL FRAMING RULES — conservative-estimator-with-upside:

- Use "likely," "typically," "based on your profile" — never definitive claims about this specific operator's invoices, contracts, or rebates
- Never quote a specific dollar figure or percentage — those numbers are merged into the PDF separately
- Always end each block pointing implicitly toward what a full analysis would reveal
- Position our calculator as a baseline; real outcomes typically land higher once invoices and agreements are reviewed

PUNCTUATION RULES — strict:

- NEVER use em-dashes (—) anywhere in the output
- NEVER use en-dashes (–) anywhere in the output, including inside ranges
- Use commas, periods, semicolons, or parentheses instead
- If you would naturally write "X — Y", rewrite as "X, Y" or "X. Y" or "X (Y)"
- Hyphens in compound words ("multi-unit", "cost-plus") are fine

TONE:

- Direct and confident, not salesy
- Industry-fluent — these are restaurant operators, not consumers
- Avoid hype words: "massive," "huge," "incredible"

- Read like an experienced procurement executive talking to a peer

STRUCTURE — generate exactly these three blocks:

1. narrative_distributor — explains the operator's distributor structure and why it creates pricing exposure. Reference their distributor type (broadliners, regional, local, combo) and what that typically means for an independent at their scale.
2. narrative_procurement — explains the operator's procurement strategy and what leverage gap it creates. Reference whether they're on market price, in a GPO, or have a single-distributor agreement.
3. narrative_sku — explains why their SKU mix is high-leverage. Reference their stated top SKUs by category (proteins, commodities) and what that typically means for recoverable margin.

Each block must:

- Be 50-80 words
- Use the operator's actual restaurant name at least once
- Reference the website context naturally where relevant (concept type, multi-location footprint, menu focus) — NEVER mention "the website" explicitly
- Be self-contained and readable on its own
- Contain no em-dashes or en-dashes

If website context fields are null or scrape failed, write the narrative blocks using only operator-provided form data.

OUTPUT FORMAT:

Return ONLY a valid JSON object — no preamble, no markdown fences, no commentary before or after.

```
{  
  
  "narrative_distributor": "...",  
  
  "narrative_procurement": "...",
```

```
"narrative_sku": "..."  
}
```

User Message (paste this and replace `[map: ...]` with the Zapier variable picker):

Generate the three narrative blocks for this operator.

OPERATOR PROFILE (from form):

- Restaurant name: [map: Step 4 → restaurantName]
- Concept type: [map: Step 4 → conceptTypeRaw]
- Annual food spend bucket: [map: Step 4 → spendBucket]
- Number of locations: [map: Step 4 → locationsRaw]
- Top SKUs stated: [map: Step 4 → topSkusRaw]
- Distributor type: [map: Step 4 → distributorTypeRaw]
- Procurement strategy: [map: Step 4 → procurementStrategyRaw]

PROFILE FLAGS (from rules engine):

- Has protein in SKUs: [map: Step 4 → hasProtein]
- Has commodity in SKUs: [map: Step 4 → hasCommodity]

WEBSITE CONTEXT (use only if scrape succeeded — do not mention "the website"):

- Scrape status: [map: Step 15 → scrapeStatus]
- Business summary: [map: Step 15 → businessSummary]
- Menu/concept signals: [map: Step 15 → menuSignals]

Expected output: JSON with `narrative_distributor`, `narrative_procurement`, `narrative_sku`

18. Step 18 — PDF Code Prep (Code by Zapier)

Purpose: Parses Claude's narrative JSON, strips any em/en-dashes that slipped past the prompt (safety net), and outputs clean fields for PDFMonkey.

Action App: Code by Zapier

Action Event: Run JavaScript

Input Data:

Key	Value
claudeResponse	{{Step 17 → Response Content → 1 → Response Content Text}}

Map the OUTPUT of Step 17, not the input. Same nesting issue as Step 15.

JavaScript Code:

```
// Step 18: PDF Code Prep (Narrative Parser) v1.1
```

```
// Parses Claude's narrative JSON and strips em/en-dashes as safety net.
```

```
const raw = inputData.claudeResponse || "";
```

```
let cleaned = raw.trim();
```

```
cleaned = cleaned.replace(/^```json\s*/i, "");
```

```
cleaned = cleaned.replace(/^```\s*/i, "");
```

```
cleaned = cleaned.replace(/\s*```$/i, "");
```

```
cleaned = cleaned.trim();
```

```
let parsed = {
```

```
  narrative_distributor: null,
```

```
  narrative_procurement: null,
```

```

    narrative_sku: null

};

let parseOk = false;

let parseError = null;

try {

    parsed = JSON.parse(cleaned);

    parseOk = true;

} catch (e) {

    parseError = e.message;

}

// Safety net: strip em-dashes and en-dashes that slipped past the Claude prompt

function stripDashes(s) {

    if (typeof s !== "string") return s;

    return s

        .replace(/\s*\u2014\s*/g, ", ") // em-dash → ", "

        .replace(/\s*\u2013\s*/g, ", ") // en-dash → ", "

        .replace(/,\s*,/g, ",") // collapse double commas

        .replace(/,\s*\./g, ".") // ", ." → "."

        .replace(/\s+/g, " ") // collapse spaces

        .trim();

}

const narrativeDistributor =

```

```
(typeof parsed.narrative_distributor === "string" &&
  parsed.narrative_distributor.trim().length > 20)
  ? stripDashes(parsed.narrative_distributor)
  : null;

const narrativeProcurement =

  (typeof parsed.narrative_procurement === "string" &&
    parsed.narrative_procurement.trim().length > 20)
    ? stripDashes(parsed.narrative_procurement)
    : null;

const narrativeSku =

  (typeof parsed.narrative_sku === "string" &&
    parsed.narrative_sku.trim().length > 20)
    ? stripDashes(parsed.narrative_sku)
    : null;

const allNarrativesPresent =

  narrativeDistributor && narrativeProcurement && narrativeSku;

output = {

  parseOk,

  parseError,

  allNarrativesPresent,

  narrativeDistributor: narrativeDistributor || "",
```



```
narrativeProcurement: narrativeProcurement || "",  
  
narrativeSku:      narrativeSku || ""  
  
};
```

Expected output: `narrativeDistributor, narrativeProcurement, narrativeSku, allNarrativesPresent`

19. Step 19 — PDFMonkey: Generate Document

Action App: PDFMonkey

Action Event: Generate Document

Template ID: *(paste the ID you copied in §4b)*

Payload — 24 variables. Map each key to the source shown:

Payload Key	Source Step	Source Field
<code>restaurantName</code>	Step 4	restaurantName
<code>fullName</code>	Step 4	fullName
<code>conceptTypeRaw</code>	Step 4	conceptTypeRaw
<code>locationsRaw</code>	Step 4	locationsRaw
<code>spendBucket</code>	Step 4	spendBucket
<code>annualSpendDisplay</code>	Step 4	annualSpendDisplay
<code>finalPctDisplay</code>	Step 4	finalPctDisplay
<code>dollarEstimateDisplay</code>	Step 4	dollarEstimateDisplay
<code>conceptBenchmark</code>	Step 4	conceptBenchmark
<code>caseStudy</code>	Step 4	caseStudy
<code>year1Display</code>	Step 4	year1Display
<code>year2Display</code>	Step 4	year2Display

Payload Key	Source Step	Source Field
year3Display	Step 4	year3Display
year4Display	Step 4	year4Display
year5Display	Step 4	year5Display
year1HeightPct	Step 4	year1HeightPct
year2HeightPct	Step 4	year2HeightPct
year3HeightPct	Step 4	year3HeightPct
year4HeightPct	Step 4	year4HeightPct
year5HeightPct	Step 4	year5HeightPct
logoUrl	Step 15	logoUrl
hasLogo	Step 15	hasLogo
businessSummary	Step 15	businessSummary
narrativeDistributor	Step 18	narrativeDistributor
narrativeProcurement	Step 18	narrativeProcurement
narrativeSku	Step 18	narrativeSku

Expected output: `download_url` — the URL of the generated PDF

20. Step 20 — Delay

Action App: Delay by Zapier

Action Event: Delay For

Delay: 5 seconds

Gives PDFMonkey time to finish rendering before Outlook tries to attach the link.

21. Step 21 — Qualified Email (Microsoft Outlook)

Subject: Your FoodServiceIQ Food Cost Analysis is ready

To: {{Step 4 → email}}

Body (HTML):

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
</head>
```

```
<body style="font-family: Aptos, Arial, sans-serif; font-size: 11pt; line-height: 1.6; color: #000000; max-width: 600px;">
```

```
<p>Hi {{Step 4 → fullName}},</p>
```

```
<p>Thanks for using <a href="https://www.foodserviceiq.com/" style="color: #52C275; font-weight: bold; text-decoration: none;">FoodServiceIQ</a>'s Food Cost Analyzer. Your personalized analysis for <strong>{{Step 4 → restaurantName}}</strong> is ready.</p>
```

```
<p style="margin-top: 25px; margin-bottom: 15px;">
```

```
<a href="{{Step 19 → download_url}}" style="display: inline-block; background-color: #143225; color: #ffffff; padding: 14px 28px; text-decoration: none; font-weight: bold; font-size: 12pt; border-radius: 4px;">
```

View Your Food Cost Analysis

```
</a>
```

```
</p>
```

```
<p style="margin-top: 5px; margin-bottom: 25px;">
```

```
<a href="https://calendly.com/neil-foodserviceiq/15-minute-meeting-clone-1" style="display: inline-block; background-color: #52C275; color: #143225; padding: 14px 28px; text-decoration: none; font-weight: bold; font-size: 12pt; border-radius: 4px;">
```

Book Your Free Analysis Call

</p>

<p>Once you've reviewed the report, the 30-minute analysis call is where we cross-reference your actual invoices and agreements against the same pricing structures used by national chains. No commitment, no upfront cost.</p>

<p>Looking forward,

The FoodServiceIQ Team</p>

</body>

</html>

22. PDFMonkey Template HTML

22a. Sample Data JSON

Paste into the **Sample Data** pane in PDFMonkey before pasting the HTML.

```
{  
  
  "restaurantName": "Casa Roberto",  
  
  "fullName": "Roberto Sanchez",  
  
  "conceptTypeRaw": "Fast casual",  
  
  "spendBucket": "$1M\u2013$3M",  
  
  "locationsRaw": "2 \u2013 4 locations",  
  
  "annualSpendDisplay": "$2,000,000",  
  
  "finalPctDisplay": "7.4%",
```

"dollarEstimateDisplay": "\$147,000",

"year1Display": "\$147,000",

"year2Display": "\$299,733",

"year3Display": "\$458,423",

"year4Display": "\$623,301",

"year5Display": "\$794,610",

"year1HeightPct": 19,

"year2HeightPct": 38,

"year3HeightPct": 58,

"year4HeightPct": 78,

"year5HeightPct": 100,

"conceptBenchmark": "25%\u201330%",

"caseStudy": "MaryAnn's Diner",

"logoUrl":
"https://dish society.com/wp-content/uploads/2023/11/Screen-Shot-2023-11-16-at-1.39.22-PM.png",

"hasLogo": true,

"businessSummary": "Casa Roberto is a Texas-based fast casual concept originating in Austin, known for its rotating seasonal menu and scratch kitchen approach.",

"narrativeDistributor": "Casa Roberto's spend profile places it in the tier where national broadliners apply standard street pricing rather than negotiated contract rates. At this scale, independents rarely receive the same pricing architecture as regional chains, even when volume is meaningful. A line-by-line invoice review typically surfaces the gap between what's being paid and what's achievable at equivalent volume.",

"narrativeProcurement": "Purchasing primarily through a single distributor at market price is the most common procurement structure among independent operators at Casa Roberto's stage. Without a GPO affiliation, a multi-distributor bid, or a negotiated cost-plus agreement, there is no competitive pressure on standard pricing.",

"narrativeSku": "Chicken, eggs, and produce represent some of the most volatile and highest-margin-recovery SKUs in foodservice procurement. For a concept like Casa Roberto's, these items likely account for a disproportionate share of total food spend, making them the first categories a full analysis would target."

}

22b. Full Template HTML

Before pasting: Replace the 3 placeholder strings with your actual logo URLs (or base64 data URIs):

- **FSIQ_LOGO_DARK_URL** — dark/black wordmark logo for pages 2–6 headers (white background)
- **FSIQ_LOGO_LIGHT_URL** — white/light wordmark logo for page 1 cover (dark background)
- **FSIQ_IQ_LOGO_URL** — IQ icon mark used as fallback when no client logo is found

Paste the HTML below into the **HTML pane** in PDFMonkey:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800&display=swap" rel="stylesheet">
```

```
<style>
```

```
@page { size: letter; margin: 0; }
```

```
* { margin: 0; padding: 0; box-sizing: border-box; }
```

```
body {  
  
    font-family: 'Inter', 'Helvetica Neue', Arial, sans-serif;  
  
    color: #143225;  
  
    line-height: 1.5;  
  
    font-size: 11pt;  
  
}  
  
.page {  
  
    width: 8.5in; height: 11in;  
  
    page-break-after: always;  
  
    padding: 1.1in 0.75in 0.95in 0.75in;  
  
    position: relative;  
  
    background: #ffffff;  
  
}  
  
.page:last-child { page-break-after: auto; }  
  
/* CONTENT AREA — strict bounds so nothing reaches the footer */  
  
.page-content {  
  
    max-height: 8.95in;  
  
    overflow: hidden;  
  
}  
  
/* HEADER + FOOTER */  
  
.page-header {  
  
    position: absolute;
```

```
top: 0.4in; left: 0.75in; right: 0.75in;

display: flex; justify-content: space-between; align-items: center;

padding-bottom: 0.15in;

border-bottom: 1px solid #e2e8f0;

font-size: 8pt; color: #64748b;

text-transform: uppercase; letter-spacing: 0.05em;

background: #ffffff;

z-index: 10;

}
```

```
.page-header .left { display: flex; align-items: center; gap: 0.12in; }
```

```
.page-header .left img { height: 0.22in; width: auto; }
```

```
.page-header .left .client { font-weight: 600; color: #143225; }
```

```
.page-header .right { font-weight: 500; }
```

```
.page-footer {
```

```
position: absolute;
```

```
bottom: 0.4in; left: 0.75in; right: 0.75in;
```

```
display: flex; justify-content: space-between;
```

```
font-size: 8pt; color: #94a3b8;
```

```
border-top: 1px solid #e2e8f0;
```

```
padding-top: 0.1in;
```

```
text-transform: uppercase; letter-spacing: 0.05em;
```



```

background: #ffffff;

z-index: 10;

}

/* COVER */

.cover {

background: linear-gradient(135deg, #0e2418 0%, #143225 50%, #1a4632 100%);

color: #ffffff;

display: flex; flex-direction: column; justify-content: space-between;

padding: 1in 0.75in;

}

.cover-top { display: flex; justify-content: space-between; align-items: center; }

.cover-logos { display: flex; align-items: center; gap: 0.4in; }

.cover-operator-logo {

width: 1in; height: 1in;

background: #ffffff; border-radius: 8px;

display: flex; align-items: center; justify-content: center;

overflow: hidden;

}

.cover-operator-logo img { max-width: 80%; max-height: 80%; object-fit: contain; }

.fsiq-cover-logo img { height: 0.55in; width: auto; }

.cover-middle { margin-top: 1.5in; }

.cover-eyebrow {

```

```
font-size: 10pt; color: #52C275;

text-transform: uppercase; letter-spacing: 0.2em; font-weight: 600;

margin-bottom: 0.3in;

}

.cover-title {

font-size: 38pt; line-height: 1.1; font-weight: 800;

letter-spacing: -0.02em; margin-bottom: 0.25in;

}

.cover-subtitle {

font-size: 14pt; color: rgba(255,255,255,0.85);

font-weight: 400; line-height: 1.4; max-width: 5.5in;

}

.cover-bottom {

display: flex; justify-content: space-between; align-items: flex-end;

border-top: 1px solid rgba(255,255,255,0.2);

padding-top: 0.3in;

font-size: 9pt; color: rgba(255,255,255,0.85);

gap: 0.3in;

}

.cover-bottom > div { flex: 1; }

.cover-bottom .label {
```

```
font-size: 8pt; color: rgba(255,255,255,0.6);

text-transform: uppercase; letter-spacing: 0.15em;

margin-bottom: 0.05in;

}

.cover-bottom .value { font-size: 11pt; color: #ffffff; font-weight: 500; }

/* SECTIONS */

.section-eyebrow {

font-size: 9pt; color: #52C275;

text-transform: uppercase; letter-spacing: 0.15em; font-weight: 700;

margin-bottom: 0.15in;

}

.section-title {

font-size: 24pt; line-height: 1.15; font-weight: 800;

color: #143225; letter-spacing: -0.015em; margin-bottom: 0.25in;

}

/* HEADLINE STAT */

.headline-stat {

background: #f8fafc; border-left: 4px solid #52C275;

padding: 0.25in 0.35in; margin: 0.2in 0; border-radius: 0 6px 6px 0;

}

.headline-stat .stat-label {

font-size: 9pt; color: #64748b;
```

```
text-transform: uppercase; letter-spacing: 0.1em; margin-bottom: 0.08in;
}

.headline-stat .stat-value {

font-size: 32pt; font-weight: 800; color: #143225;

line-height: 1; letter-spacing: -0.02em;

}

.headline-stat .stat-supporting { font-size: 11pt; color: #475569; margin-top: 0.08in; }

.stat-grid { display: flex; gap: 0.2in; margin: 0.2in 0; }

.stat-card {

flex: 1; background: #f8fafc; border: 1px solid #e2e8f0;

border-radius: 6px; padding: 0.2in;

}

.stat-card .label {

font-size: 8pt; color: #64748b;

text-transform: uppercase; letter-spacing: 0.08em; margin-bottom: 0.06in;

}

.stat-card .value {

font-size: 14pt; font-weight: 700; color: #143225; line-height: 1.1;

}

.framing-copy {

background: #f0fdf4; border: 1px solid #bbf7d0; border-radius: 6px;
```

```
padding: 0.2in; margin-top: 0.2in;

font-size: 9.5pt; line-height: 1.55; color: #143225;

}

/* PROJECTION BAR CHART */

.projection-wrap { margin-top: 0.25in; }

.projection-title {

font-size: 10pt; font-weight: 700; color: #143225;

margin-bottom: 0.12in;

text-transform: uppercase; letter-spacing: 0.05em;

}

.projection-bars {

display: flex; gap: 0.12in;

align-items: flex-end;

height: 1.9in;

padding: 0.1in;

border: 1px solid #e2e8f0; border-radius: 6px;

background: #fafafa;

}

.bar {

flex: 1;

display: flex; flex-direction: column; align-items: center;

height: 100%; justify-content: flex-end;
```

```
}
```

```
.bar-fill {
```

```
width: 100%;
```

```
background: linear-gradient(180deg, #52C275 0%, #143225 100%);
```

```
border-radius: 4px 4px 0 0;
```

```
color: #ffffff; font-weight: 700; font-size: 9pt;
```

```
display: flex; align-items: flex-start; justify-content: center;
```

```
padding-top: 0.06in;
```

```
min-height: 0.35in;
```

```
}
```

```
.bar-label {
```

```
margin-top: 0.06in;
```

```
font-size: 8.5pt; color: #475569; font-weight: 600;
```

```
}
```

```
.projection-note {
```

```
margin-top: 0.12in;
```

```
font-size: 8.5pt; color: #64748b; font-style: italic;
```

```
}
```

```
/* NARRATIVE BLOCKS */
```

```
.narrative-block {
```

```
margin-bottom: 0.2in;
```

```
padding: 0.2in;

background: #f8fafc; border-radius: 6px;

border-left: 3px solid #52C275;
}

.narrative-block-label {

font-size: 9pt; color: #52C275;

text-transform: uppercase; letter-spacing: 0.15em; font-weight: 700;

margin-bottom: 0.06in;
}

.narrative-block-heading {

font-size: 12pt; font-weight: 700; color: #143225;

margin-bottom: 0.08in;
}

.narrative-block-body { font-size: 10pt; line-height: 1.55; color: #334155; }

/* PAGE 4 — QUADRANTS */

.uncover-grid {

display: grid; grid-template-columns: 1fr 1fr;

gap: 0.2in; margin-top: 0.25in;
}

.uncover-card {

background: #f8fafc; border: 1px solid #e2e8f0;

border-radius: 8px; padding: 0.22in;
```

```
}
```

```
.uncover-card .icon-wrap {
```

```
width: 0.42in; height: 0.42in;
```

```
background: #143225; border-radius: 8px;
```

```
display: flex; align-items: center; justify-content: center;
```

```
margin-bottom: 0.12in;
```

```
}
```

```
.uncover-card .icon-wrap svg { width: 0.26in; height: 0.26in; }
```

```
.uncover-card .heading {
```

```
font-size: 11.5pt; font-weight: 700; color: #143225;
```

```
margin-bottom: 0.06in;
```

```
}
```

```
.uncover-card .body {
```

```
font-size: 9.5pt; line-height: 1.5; color: #475569;
```

```
}
```

```
.uncover-cta {
```

```
margin-top: 0.25in; padding: 0.22in;
```

```
background: linear-gradient(135deg, #143225 0%, #1a4632 100%);
```

```
color: #ffffff; border-radius: 6px; text-align: center;
```

```
}
```

```
.uncover-cta .cta-text { font-size: 10.5pt; line-height: 1.5; margin-bottom: 0.12in; }
```



```
.uncover-cta a, .uncover-cta a:link, .uncover-cta a:visited {  
  
    display: inline-block;  
  
    background: #52C275; color: #143225 !important;  
  
    font-weight: 800; padding: 0.13in 0.3in;  
  
    border-radius: 4px;  
  
    text-transform: uppercase; letter-spacing: 0.05em; font-size: 10pt;  
  
    text-decoration: none;  
  
}  
  
/* PAGE 5 — CASE STUDY */  
  
.case-hero {  
  
    background: #143225; color: #ffffff;  
  
    padding: 0.3in; border-radius: 6px; margin-top: 0.25in;  
  
}  
  
.case-result-row { display: flex; gap: 0.3in; margin-bottom: 0.2in; }  
  
.case-result { flex: 1; }  
  
.case-result .label {  
  
    font-size: 9pt; color: rgba(255,255,255,0.7);  
  
    text-transform: uppercase; letter-spacing: 0.1em; margin-bottom: 0.05in;  
  
}  
  
.case-result .value {  
  
    font-size: 20pt; font-weight: 800; color: #52C275; line-height: 1;  
  
}
```

```
.case-quote {  
  
    font-size: 11pt; font-style: italic; line-height: 1.5;  
  
    color: rgba(255,255,255,0.95);  
  
    margin-bottom: 0.12in;  
  
    padding-left: 0.2in; border-left: 3px solid #52C275;  
  
}  
  
.case-attribution {  
  
    font-size: 9pt; color: rgba(255,255,255,0.75); padding-left: 0.2in;  
  
}  
  
.case-attribution strong { color: #52C275; }  
  
.case-context {  
  
    margin-top: 0.2in;  
  
    font-size: 10pt; line-height: 1.55; color: #334155;  
  
}  
  
.case-sections {  
  
    margin-top: 0.18in;  
  
    display: grid; grid-template-columns: 1fr 1fr 1fr;  
  
    gap: 0.15in;  
  
}  
  
.case-section {  
  
    background: #f8fafc; border-radius: 6px;
```

```
padding: 0.18in;

border-top: 3px solid #52C275;
}

.case-section .heading {

font-size: 9pt; font-weight: 700; color: #143225;

text-transform: uppercase; letter-spacing: 0.08em;

margin-bottom: 0.08in;
}

.case-section ul { list-style: none; padding: 0; margin: 0; }

.case-section li {

font-size: 9pt; color: #475569;

padding: 0.05in 0 0.05in 0.22in;

position: relative; line-height: 1.45;
}

.case-section li:before {

content: "";

position: absolute;

left: 0; top: 0.11in;

width: 0.13in; height: 0.07in;

border-left: 2px solid #8df0ab;

border-bottom: 2px solid #8df0ab;

transform: rotate(-45deg);
```

```
}
```

```
/* PAGE 6 — FINAL CTA + DISCLAIMER */
```

```
.final-cta-wrap { text-align: center; margin-top: 0.5in; }
```

```
.final-cta-eyebrow {
```

```
font-size: 10pt; color: #52C275;
```

```
text-transform: uppercase; letter-spacing: 0.2em; font-weight: 700;
```

```
margin-bottom: 0.15in;
```

```
}
```

```
.final-cta-title {
```

```
font-size: 28pt; font-weight: 800; color: #143225;
```

```
line-height: 1.15; letter-spacing: -0.02em;
```

```
margin-bottom: 0.25in;
```

```
max-width: 6in; margin-left: auto; margin-right: auto;
```

```
}
```

```
.final-cta-body {
```

```
font-size: 11.5pt; line-height: 1.55; color: #475569;
```

```
max-width: 5in; margin: 0 auto 0.3in auto;
```

```
}
```

```
.final-cta-wrap a, .final-cta-wrap a:link, .final-cta-wrap a:visited {
```

```
display: inline-block;
```

```
background: #143225; color: #ffffff !important;
```

```
padding: 0.18in 0.45in; border-radius: 6px;

font-size: 13pt; font-weight: 700;

text-transform: uppercase; letter-spacing: 0.05em;

text-decoration: none;

}

.final-cta-wrap a .accent { color: #52C275; }

.what-to-expect {

margin-top: 0.35in;

background: #f8fafc; border-radius: 6px;

padding: 0.25in; text-align: left;

}

.what-to-expect h4 {

font-size: 10pt;

text-transform: uppercase; letter-spacing: 0.1em;

color: #143225; margin-bottom: 0.12in;

}

.what-to-expect ul { list-style: none; padding: 0; }

.what-to-expect li {

font-size: 9.5pt; color: #475569;

padding: 0.04in 0 0.04in 0.22in;

position: relative; line-height: 1.5;

}
```

```
.what-to-expect li:before {  
  
    content: "";  
  
    position: absolute; left: 0; top: 0.11in;  
  
    width: 0.13in; height: 0.07in;  
  
    border-left: 2px solid #8df0ab;  
  
    border-bottom: 2px solid #8df0ab;  
  
    transform: rotate(-45deg);  
  
}  
  
.disclaimer {  
  
    margin-top: 0.3in;  
  
    padding-top: 0.15in;  
  
    border-top: 1px solid #e2e8f0;  
  
    font-size: 7pt; line-height: 1.5; color: #94a3b8;  
  
    text-align: left;  
  
    max-width: 6.5in;  
  
    margin-left: auto; margin-right: auto;  
  
}  
  
</style>  
  
</head>  
  
<body>  
  
<!-- PAGE 1 — COVER -->
```

```
<div class="page cover">

  <div class="cover-top">

    <div class="cover-logos">

      <div class="cover-operator-logo">

        {% if hasLogo %}

          

          

        {% else %}

          

        {% endif %}

      </div>

      <div class="fsiq-cover-logo">

        

      </div>

    </div>

  </div>

</div>

<div class="cover-middle">

  <div class="cover-eyebrow">Confidential Food Cost Analysis</div>

  <div class="cover-title">{{ restaurantName }}'s Recoverable Margin, At a Glance.</div>

  <div class="cover-subtitle">A profile-based estimate of where your operation is likely
  overpaying, and what a complete analysis would uncover.</div>
```

</div>

<div class="cover-bottom">

<div>

<div class="label">Prepared For</div>

<div class="value">{{ fullName }}</div>

</div>

<div>

<div class="label">Concept</div>

<div class="value">{{ conceptTypeRaw }}</div>

</div>

<div>

<div class="label">Footprint</div>

<div class="value">{{ locationsRaw }}</div>

</div>

<div>

<div class="label">Annual Food Spend</div>

<div class="value">{{ annualSpendDisplay }}</div>

</div>

</div>

</div>

<!-- PAGE 2 — HEADLINE FINDING -->

<div class="page">


```
<div class="page-header">
```

```
<div class="left">
```

```

```

```
<span class="client">{{ restaurantName }}</span>
```

```
</div>
```

```
<div class="right">Headline Finding</div>
```

```
</div>
```

```
<div class="page-content">
```

```
<div class="section-eyebrow">The Estimate</div>
```

```
<div class="section-title">{{ restaurantName }} is likely overpaying at least <span style="color: #52C275;">{{ finalPctDisplay }}</span> on annual food costs.</div>
```

```
<div class="headline-stat">
```

```
<div class="stat-label">Estimated Annual Recoverable Margin (Baseline)</div>
```

```
<div class="stat-value">{{ dollarEstimateDisplay }}</div>
```

```
<div class="stat-supporting">A conservative starting point built from your operator profile.</div>
```

```
</div>
```

```
<div class="stat-grid">
```

```
<div class="stat-card"><div class="label">Spend Tier</div><div class="value">{{ spendBucket }}</div></div>
```

```
<div class="stat-card"><div class="label">Industry Benchmark</div><div class="value">{{ conceptBenchmark }}</div></div>
```

```
<div class="stat-card"><div class="label">Concept</div><div class="value">{{ conceptTypeRaw }}</div></div>
```

</div>

<div class="framing-copy">

This figure is built from operator profile data only. Restaurants with similar characteristics typically recover more than this baseline once we audit invoices, agreements, and pricing structures directly. Your full analysis call covers exactly that.

</div>

<div class="projection-wrap">

<div class="projection-title">Five-Year Cumulative Recoverable Margin
(USDA-Aligned)</div>

<div class="projection-bars">

<div class="bar"><div class="bar-fill" style="height: {{ year1HeightPct }}%;">{{ year1Display }}</div><div class="bar-label">Year 1</div></div>

<div class="bar"><div class="bar-fill" style="height: {{ year2HeightPct }}%;">{{ year2Display }}</div><div class="bar-label">Year 2</div></div>

<div class="bar"><div class="bar-fill" style="height: {{ year3HeightPct }}%;">{{ year3Display }}</div><div class="bar-label">Year 3</div></div>

<div class="bar"><div class="bar-fill" style="height: {{ year4HeightPct }}%;">{{ year4Display }}</div><div class="bar-label">Year 4</div></div>

<div class="bar"><div class="bar-fill" style="height: {{ year5HeightPct }}%;">{{ year5Display }}</div><div class="bar-label">Year 5</div></div>

</div>

<div class="projection-note">Cumulative figures assume a flat baseline gap and apply USDA-projected food-away-from-home inflation of 3.9% annually.</div>

</div>

</div>

<div class="page-footer">

<div>FoodServiceIQ — CONFIDENTIAL</div>

<div>Page 2</div>

</div>

</div>

<!-- PAGE 3 — STRUCTURAL DRIVERS -->

<div class="page">

<div class="page-header">

<div class="left">

{{ restaurantName }}

</div>

<div class="right">The Structural Drivers</div>

</div>

<div class="page-content">

<div class="section-eyebrow">Diagnostic</div>

<div class="section-title">The structural drivers behind the overpayment.</div>

{% if businessSummary %}

<p style="font-size: 10pt; color: #64748b; margin-bottom: 0.2in; font-style: italic; line-height: 1.55;">

 {{ businessSummary }}

</p>

{% endif %}

<div class="narrative-block">

<div class="narrative-block-label">01 — Distributor Structure</div>

<div class="narrative-block-heading">Your distributor relationship sets your pricing floor.</div>

<div class="narrative-block-body">{{ narrativeDistributor }}</div>

</div>

<div class="narrative-block">

<div class="narrative-block-label">02 — Procurement Strategy</div>

<div class="narrative-block-heading">Leverage isn't automatic, it's structural.</div>

<div class="narrative-block-body">{{ narrativeProcurement }}</div>

</div>

<div class="narrative-block">

<div class="narrative-block-label">03 — SKU Mix</div>

<div class="narrative-block-heading">High-volume categories carry the largest variance.</div>

<div class="narrative-block-body">{{ narrativeSku }}</div>

</div>

</div>

<div class="page-footer">

<div>FoodServiceIQ — CONFIDENTIAL</div>

<div>Page 3</div>

</div>

</div>

<!-- PAGE 4 — FULL ANALYSIS -->

<div class="page">

<div class="page-header">

<div class="left">

{{ restaurantName }}

</div>

<div class="right">The Full Analysis</div>

</div>

<div class="page-content">

<div class="section-eyebrow">Beyond the Baseline</div>

<div class="section-title">What a complete analysis would uncover.</div>

<p style="font-size: 10.5pt; line-height: 1.6; color: #334155; margin-bottom: 0.2in;">

Your {{ finalPctDisplay }} estimate is built from five profile-level signals. The actual figure for {{ restaurantName }} is shaped by data we can't see from a form: SKU-level invoice pricing, contracted rates vs. invoiced rates, manufacturer rebate program eligibility, and the specific terms in your current distributor agreement.

</p>

<div class="uncover-grid">

<div class="uncover-card">

<div class="icon-wrap">

<svg viewBox="0 0 24 24" fill="none" stroke="#52C275" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M3 21V9l4 2V7l5 3V5l5 3V3l4

2v16"/><path d="M3 21h18"/><circle cx="7" cy="17" r="1" fill="#52C275"/><circle cx="12" cy="17" r="1" fill="#52C275"/><circle cx="17" cy="17" r="1" fill="#52C275"/></svg>

</div>

<div class="heading">Direct Manufacturer Programs</div>

<div class="body">Chain-level pricing on your existing SKUs through senior manufacturer relationships. Quantified during analysis.</div>

</div>

<div class="uncover-card">

<div class="icon-wrap">

<svg viewBox="0 0 24 24" fill="none" stroke="#52C275" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><path d="M14 2v6h6"/><path d="M9 13h6"/><path d="M9 17h4"/></svg>

</div>

<div class="heading">Distributor Agreement Upgrade</div>

<div class="body">Restructured terms that reflect your real volume and account profile, not the standard independent rate.</div>

</div>

<div class="uncover-card">

<div class="icon-wrap">

<svg viewBox="0 0 24 24" fill="none" stroke="#52C275" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><circle cx="11" cy="11" r="7"/><path d="m21 21-4.3-4.3"/><path d="M11 8v6"/><path d="M8 11h6"/></svg>

</div>

<div class="heading">Compliance & Audit Recovery</div>

<div class="body">Forensic invoice review surfacing billing errors, expired rebates, and contract non-compliance.</div>

</div>

<div class="uncover-card">

<div class="icon-wrap">

<svg viewBox="0 0 24 24" fill="none" stroke="#52C275" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M12 22s8-4 8-10V5l-8-3-8 3v7c0 6 8 10 8 10z"/><path d="m9 12 2 2 4-4"/></svg>

</div>

<div class="heading">Inflation Protection Terms</div>

<div class="body">Pricing-adjustment caps and audit rights typically reserved for national chain agreements.</div>

</div>

</div>

<div class="uncover-cta">

<div class="cta-text">The case study on the next page reflects what one operator in a similar position to yours actually recovered after a full analysis.</div>

Book Your Full Analysis Call

</div>

</div>

<div class="page-footer">

<div>FoodServiceIQ — CONFIDENTIAL</div>

<div>Page 4</div>

</div>

</div>

<!-- PAGE 5 — CASE STUDY -->

<div class="page">

<div class="page-header">

<div class="left">

{{ restaurantName }}

</div>

<div class="right">Featured Case Study</div>

</div>

<div class="page-content">

<div class="section-eyebrow">A Comparable Operator</div>

{% case caseStudy %}

{% when "Black's BBQ" %}

<div class="section-title">How Black's BBQ Reclaimed \$427K in Annual Food Costs.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Annual Savings</div><div class="value">\$427,000</div></div>

<div class="case-result"><div class="label">Cost Reduction</div><div class="value">7%</div></div>

<div class="case-result"><div class="label">Disruption</div><div class="value">Zero</div></div>

</div>

<div class="case-quote">"Your business has been a godsend for us and our family and the best decision I have ever made. We have always done well but your company has found a lot of passive profits for us."</div>

<div class="case-attribution">Kent Black, Third-Generation Pitmaster and Owner, Black's Barbeque</div>

</div>

<div class="case-context">Black's is one of Texas' oldest BBQ chains, with deep, long-term supplier relationships. A line-by-line forensic audit surfaced hidden markups, expired rebate programs, and contract non-compliance.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

Decades of supplier loyalty masked the structural pricing gap

Expired rebate programs had quietly reverted to standard pricing

No internal infrastructure for SKU-level invoice auditing

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Forensic line-by-line invoice audit across all categories

Direct manufacturer program access on high-volume SKUs

Contract compliance recovery on expired rebates

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

Existing vendor relationships preserved completely

Zero operational change for the kitchen or front of house

Recovery began within the first invoice cycle

</div>

</div>

{% when "Spirits" %}

<div class="section-title">How Spirits Saved 8.4% on Annual Food Costs.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Cost Reduction</div><div class="value">8.4%</div></div>

<div class="case-result"><div class="label">Disruption</div><div class="value">Zero</div></div>

<div class="case-result"><div class="label">Vendor Changes</div><div class="value">None</div></div>

</div>

<div class="case-quote">"We have a lot of calls with a lot of suppliers. I can say hands down that our interactions with you guys have been among the best."</div>

<div class="case-attribution">Lee Gwinn, Owner, Spirits Food and Friends</div>

</div>

<div class="case-context">Spirits is an iconic single-location restaurant in Alexandria, Louisiana, with high purchasing volume. Decades of supplier familiarity created reasonable confidence that pricing was already competitive, until a structured procurement audit found otherwise.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

High-volume single-location buying without chain-level pricing

Cost exposure across proteins, produce, packaging, and chemicals

Long supplier tenure had become a barrier to renegotiation

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Multi-category cost analysis across the full market basket

Negotiated chain-level terms with the existing distributor

Layered in direct manufacturer programs on key SKUs

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

No supplier changes, no operational risk

Negotiated savings stacked with manufacturer programs

Sustained savings tracked monthly against benchmarks

</div>

</div>

{% when "MaryAnn's Diner" %}

<div class="section-title">How MaryAnn's Diner Recovered \$270,000 in Annual Food Costs.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Annual Savings</div><div class="value">\$270,000</div></div>

<div class="case-result"><div class="label">Cost Reduction</div><div class="value">9%</div></div>

<div class="case-result"><div class="label">Locations</div><div class="value">5 units</div></div>

</div>

<div class="case-quote">"An extra \$22,000 a month, it changes everything. It creates breathing room. It means not walking into the restaurant every Friday wondering if we're going to make payroll."</div>

<div class="case-attribution">Bill Andreoli, Owner, MaryAnn's Diner and DREO</div>

</div>

<div class="case-context">MaryAnn's is a five-unit group with \$3M+ in annual food spend and 25+ years of operational experience. A multi-location purchasing audit revealed \$22,000+ per month in recoverable margin.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

25+ years of operational experience masked the pricing gap

Long-standing rebate program created confidence pricing was optimized

Five locations required a solution scalable without adding complexity

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Comprehensive multi-location purchasing audit across all 5 units

Secured chain-level pricing previously reserved for national accounts

Layered 100+ direct manufacturer deals on the market basket

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

Zero disruption to daily operations or supplier relationships

Menu and quality standards preserved completely

Implementation consistent across all 5 locations

</div>

</div>

{% when "The Oasis" %}

<div class="section-title">How The Oasis Saved 10% on Annual Food Spend at Massive Scale.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Annual Savings</div><div class="value">\$335,000+</div></div>

<div class="case-result"><div class="label">Cost Reduction</div><div class="value">10%</div></div>

<div class="case-result"><div class="label">Partnership</div><div class="value">6+ years</div></div>

</div>

<div class="case-quote">"FoodServiceIQ came into my life about six years ago, and it's made dealing with the big food service companies much easier, much more efficient, and saved us a lot of money on the bottom line."</div>

<div class="case-attribution">Beau Theriot, Owner, The Oasis on Lake Travis</div>

</div>

<div class="case-context">The Oasis is one of the largest single-location restaurants in the United States, serving 50,000 to 60,000 guests per month.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

Massive single-location volume without chain-level negotiating power

Scale created supplier complexity that required dedicated management

Cost pressures from continued growth in guest count

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Negotiated chain-tier pricing structures across all major categories

Ongoing audit and benchmarking as partnership extended

Quarterly reviews tied to commodity cycle and supplier performance

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

Long partnership horizon enabled compounding cost improvements

Savings reinvested into guest experience and operations

Continuous benchmarking kept pricing competitive year over year

</div>

</div>

{% when "Dish Society" %}

<div class="section-title">How Dish Society Saved \$413K Without Changing a Single Vendor.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Annual Savings</div><div class="value">\$413,000+</div></div>

<div class="case-result"><div class="label">Vendors Changed</div><div class="value">Zero</div></div>

<div class="case-result"><div class="label">SKUs Changed</div><div class="value">Zero</div></div>

</div>

<div class="case-quote">"FSIQ has been in our corner for over a decade. Their team found margin we didn't realize was there."</div>

<div class="case-attribution">Joe Lanni, Founder and CEO</div>

</div>

<div class="case-context">Dish Society is a fast-growing Houston-based restaurant group with strong margins. As volume scaled, procurement structure didn't keep pace.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

Rapid growth had outpaced procurement infrastructure

Procurement complexity expanded with every new location

No central system for invoice auditing across the group

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Restructured distributor terms to reflect actual group volume

Cross-location SKU rationalization and pricing standardization

Continuous compliance monitoring as the group expanded

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

Same vendors, same SKUs, same operations

Margin recovered immediately and compounded with growth

Procurement scaled in step with the business

</div>

</div>

{% when "Thunderdome" %}

<div class="section-title">How Thunderdome Scaled From 16 to 52 Locations With Aligned Procurement.</div>

<div class="case-hero">

<div class="case-result-row">

<div class="case-result"><div class="label">Recent Savings</div><div class="value">\$521,000+</div></div>

<div class="case-result"><div class="label">Locations</div><div class="value">16 to 52</div></div>

<div class="case-result"><div class="label">Partnership</div><div class="value">10+ years</div></div>

</div>

<div class="case-quote">"FSIQ has been in our corner for over a decade. Their team found margin we didn't realize was there and helped us scale with stronger contracts and smarter pricing."</div>

<div class="case-attribution">Joe Lanni, Owner, Thunderdome Restaurant Group</div>

</div>

<div class="case-context">Thunderdome is a multi-concept restaurant group that grew from 16 to 52 locations over a decade-long FSIQ partnership.</div>

<div class="case-sections">

<div class="case-section">

<div class="heading">Key Challenges</div>

Rapid multi-brand, multi-market growth across concepts

Procurement complexity that needed active management across the portfolio

Gap between combined volume and existing distributor terms widening

</div>

<div class="case-section">

<div class="heading">Our Approach</div>

Proprietary FSIQ RFP process using aggregated buying power

Direct manufacturer programs on high-impact SKUs across all concepts

Continuous re-optimization as portfolio expanded

</div>

<div class="case-section">

<div class="heading">Why It Worked</div>

Procurement strategy scaled in step with the business

Chain-level pricing on the entire portfolio

Zero operational disruption across concepts

</div>

</div>

{% else %}

<div class="section-title">A Comparable Operator's Recovery.</div>

<div class="case-context">Case study unavailable. Please contact us for relevant references.</div>

{% endcase %}

</div>

<div class="page-footer">

<div>FoodServiceIQ — CONFIDENTIAL</div>

<div>Page 5</div>

</div>

</div>

<!-- PAGE 6 — FINAL CTA + DISCLAIMER -->

<div class="page">

<div class="page-header">

<div class="left">

{{ restaurantName }}

</div>

<div class="right">Next Step</div>

</div>

<div class="page-content">

<div class="final-cta-wrap">

<div class="final-cta-eyebrow">Your Full Analysis</div>

<div class="final-cta-title">Let's see what {{ restaurantName }}'s real number looks like.</div>

<div class="final-cta-body">

The figures in this report are conservative, built from your profile alone. A full analysis cross-references your invoices, contracts, and SKU mix against the same pricing architecture used by national chains.

</div>

Book Your
Free Analysis Call

<div class="what-to-expect">

<h4>What to Expect on the 30-Minute Call</h4>

Walk through your actual SKU-level pricing, not just profile-level estimates

Identify your top three highest-leverage savings categories

Review your current distributor agreement against chain-level benchmarks

```
<li>No commitment, no upfront cost. We're paid only on verified savings delivered.</li>

</ul>

</div>

<div class="disclaimer">

    *Results reflect aggregated data from FoodServiceIQ LLC, its affiliates, and the leadership
    team's historical work with similar organizations. Actual results may vary. Figures and results
    presented reflect outcomes from FoodServiceIQ LLC ("FSIQ") and its affiliated entities. Some
    data may be aggregated, anonymized, or used for illustrative purposes. Savings and
    performance outcomes depend on numerous factors, including existing contracts, market
    conditions, supplier participation, and implementation efforts.

</div>

</div>

</div>

<div class="page-footer">

    <div>FoodServiceIQ &mdash; CONFIDENTIAL</div>

    <div>Page 6</div>

</div>

</div>

</body>

</html>
```

23. QA Checklist

Run this after every build or update. Do not skip.

Qualified Path Test

1. Submit the GHL form with your own email, a real restaurant website, and annual spend of \$1M - \$3M.
2. In Zapier History — confirm the run enters the **Qualified** path.
3. **Step 3:** `websiteStatus` is 200 or 403 (not 404). `websiteLogoHints` has at least one entry.
4. **Step 4:** `qualified = true`, `finalPct` in 5–8% range, `dollarEstimate` is sensible, `dqReason = null`.
5. **Step 13:** `websiteText` has content, `websiteLogoHints` populated.
6. **Step 15:** `parseOk = true`, `hasLogo = true` or `false` with sensible fallback, `businessSummary` populated.
7. **Step 18:** `allNarrativesPresent = true`, each narrative 50–80 words, no em-dashes or en-dashes.
8. **Step 19:** `download_url` populated, status = success.
9. Open `download_url` — visually QA all 6 pages:
 - **P1 Cover:** Client logo (or IQ fallback), FSIQ wordmark, 4 columns (Prepared For / Concept / Footprint / Annual Food Spend), restaurant name properly capitalized.
 - **P2:** Percentage shows 1 decimal (e.g. `7.4%`), bars visibly different heights with Year 5 tallest, en-dashes in spend tier (not hyphens), chart bars not all same height.
 - **P3:** "The structural drivers behind the overpayment" headline, 3 narrative blocks with real content, no em/en-dashes in prose.
 - **P4:** 4 quadrants with green SVG icons, "Book Your Full Analysis Call" button is clickable and routes to Calendly.
 - **P5:** Correct case study for the spend + locations combo, hero stats + quote + Key Challenges / Our Approach / Why It Worked.
 - **P6:** "Book Your Free Analysis Call" is clickable and routes to Calendly, disclaimer left-aligned, footer reads `FoodServiceIQ – CONFIDENTIAL`.
 - **All pages:** Inter font rendered (not Helvetica/system fallback), headers/footers not overlapping content.
10. Check inbox: email arrives with dark green PDF button + green Calendly button, both clickable.

Disqualified Path Tests (run all 3)

Test input	Expected DQ path	Expected email subject
Restaurant name: <code>McDonalds</code> , normal spend	<code>national_chain</code>	"About your FoodServiceIQ submission"

Test input	Expected DQ path	Expected email subject
Website: https://thisurldoesnotexist999abc.com , normal spend	invalid_website (404)	"Quick check on your FoodServiceIQ submission"
Annual spend: 200 (parses to \$200K, below threshold)	below_threshold	"Thanks for using FoodServiceIQ's Food Cost Analyzer"

For each: confirm no Claude steps fire, no PDFMonkey step fires, and the correct DQ email arrives.

Cloudflare Test (important)

Submit with <https://spiritscenla.com> as the website. This is a Cloudflare-protected site.

- **Step 3** should return `websiteStatus = 200` or `403` (NOT 0 or 404)
- **Step 4** should mark `qualified = true` (assuming spend > \$500K)
- Lead should proceed to the Qualified path

If this fails, the browser User-Agent headers in Step 3 may need updating.

Spend Parser Edge Cases

Input	Expected bucket
1	\$1M–\$3M (bare number = millions)
500	\$500K–\$800K (bare number = thousands)
500k	\$500K–\$800K
1-2M	\$1M–\$3M (range midpoint = \$1.5M)
one million	\$1M–\$3M
depends	\$1M–\$3M (fallback, <code>parseFallback = true</code>)
on mllion	\$1M–\$3M (typo tolerance)

24. Known Issues & Maintenance

Logo not appearing on cover

Cause: `hasLogo = true` but `logoUrl` is a broken URL.

Fix: The template includes an `onerror` handler that swaps in the IQ fallback logo. If you still see a broken image box, check that `FSIQ_IQ_LOGO_URL` in the template points to a valid image.

Root prevention: Step 15 validates logo URLs before passing them to PDFMonkey. Only URLs starting with `http`, longer than 15 chars, with no spaces, and not matching known placeholders will be marked `hasLogo = true`.

Cloudflare-protected sites returning 0 status

Cause: The website fetch timing out or the User-Agent still being flagged.

Fix in Step 3 and Step 13: Update the `User-Agent` string to a current Chrome version if needed. Status 0 is treated as "valid" in Step 4 (only 404 disqualifies), so this shouldn't cause false DQs.

Narratives contain em-dashes

Cause: Claude occasionally ignores punctuation rules.

Fix: Step 18's `stripDashes()` function catches and replaces them as a safety net. If em-dashes still appear in PDFs, verify that Step 18's `claudeResponse` input is mapping the correct field from Step 17.

PDFMonkey template not rendering

Common causes:

- `FSIQ_LOGO_DARK_URL`, `FSIQ_LOGO_LIGHT_URL`, or `FSIQ_IQ_LOGO_URL` placeholders still in the HTML
- Sample data JSON has mismatched variable names
- Template ID in Step 19 is wrong or the template was deleted

Updating the Calendly URL

Find and replace

<https://calendly.com/neil-foodserviceiq/15-minute-meeting-clone-1> in:

- Step 21 email HTML (qualified email) — 1 instance
- Step 6 email HTML (invalid website DQ) — 1 instance

- PDFMonkey template HTML — 2 instances (Page 4 and Page 6 CTAs)

Updating case study content

Case study text is hardcoded in the PDFMonkey template HTML (§22b). Edit the `{% when "... " %}` blocks directly in PDFMonkey.

Adding a new national chain

Add the lowercased, normalized chain name(s) to the `NATIONAL_CHAINS` array in Step 4's JavaScript code. Include common variations (with/without apostrophe, with/without "the", etc.).

Changing the \$500K qualification threshold

In Step 4, find `annualSpend < 500000` and update the value. Also update the copy in Step 8's DQ email.

End of FSIQ Food Cost Analyzer Build SOP v3.3