PRACTICAL – 2

Problem Definition: Develop static HTML5 skeletons for at least 10 StudentHub pages such as Home, About, Register, Login, Dashboard, Events, Profile, Contact, Admin, FAQ, and Feedback. Use semantic tags and accessibility-friendly structure

Code/Script/Task:

HTML(Index.html):

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>StudentHub</title>
<link rel="stylesheet" href="../css/style.css">
</head>
<body>

<header>
  <h1>StudentHub</h1>

  <nav>
  <a href="index.html">Home</a>
  <a href="about.html">About</a>
  <a href="register.html">Register</a>
  <a href="login.html">Login</a>
  <a href="dashboard.html">Dashboard</a>
  <a href="events.html">Events</a>
  <a href="profile.html">Profile</a>
  <a href="contact.html">Contact</a>
  <a href="admin.html">Admin</a>
  <a href="faq.html">FAQ</a>
  <a href="feedback.html">Feedback</a>
</nav>
</header>

<main>

<section>
<h2>Welcome</h2>
<p>Welcome to StudentHub. This website helps students manage their profiles, events and learning activities.</p> </section>
```

```
<section>
<h2>Features</h2>

<ul>
<li>Student Registration</li>
<li>Login System</li>
<li>Dashboard</li>
<li>Events</li>
<li>Profile</li>
</ul>

</section>

</main>

<footer>
<p>&copy; 2026 StudentHub</p>
</footer>

</body>
</html>
```

style.css:

```css
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
}

body{
    font-family:Arial, Helvetica, sans-serif;
    background:#f4f6f9;
    color:#333;
    line-height:1.6;
}

header{
    background:#77a3cc;
    color:white;
    text-align:center;
    padding:20px;
}

header h1{
    margin-bottom:15px;
}

nav{
    margin-top:15px;
}

nav a{
    text-decoration:none;
    color:white;
    padding:10px 18px;
    margin:5px;
    display:inline-block;
    border-radius:5px;
    transition:0.3s;
}

nav a:hover{
    background:white;
    color:#77a3cc;
}

main{
    width:90%;
    max-width:1000px;
    margin:30px auto;
}


section{
    background:white;
    margin-bottom:25px;
    padding:25px;
    border-radius:10px;
    box-shadow:0 4px 10px rgba(0,0,0,0.1);
}

section h2{
    color:#77a3cc;
    margin-bottom:15px;
}


section p{
    margin-bottom:10px;
}

ul{
    margin-left:20px;
}

li{
    margin:8px 0;
}
```

Output:

Home Page:



Question & Answer:

1. **Are semantic tags such as header, nav, main, section, article, aside, and footer used properly?**

Ans : Yes. Semantic tags such as “header” , “nav” , “main” , “section” , “article” etc. are used properly

2. **Are form labels, headings, image alt text, and navigation links accessible?**

Ans : Yes. Form fields use proper <label> elements, headings follow a logical structure, images include meaningful alt text, and navigation links are clear and keyboard accessible..

3. **Is the page structure consistent across all pages?**

Ans : Yes all the pages follow a consistent layout with the same header, navigation bar, main content area, and footer.

Conclusion / Learning Outcome:

This practical helped in understanding HTML5 semantic tags, CSS styling, and responsive layouts. It improved skills in creating forms, navigation, and multi-page websites. It also enhanced knowledge of accessibility and organizing web project files effectively.