

DISPLAYEDUX

Portfolio Website — Project Handoff v10

Danny Driscoll · March 2026

01. Session Focus

This session completed the Contact page build, wired Netlify form handling, connected the repo to GitHub, and initiated Netlify deployment. The build is failing with one TypeScript error that is the first priority next session.

02. Current Build State

Page / Item	Status	Notes
Homepage /	DONE	Complete. All sections, light/dark mode.
Work /work	DONE	Dark mode fix applied.
About /about	DONE	Bio, stats, skills, interests, photography.
Photography /photography	DONE	Empathique, Carl photo, grid, quote.
Contact /contact	DONE	Built this session. TeleSign wired. Netlify form wired.
Case study: Self-Service Portal	PARTIAL	Hero updated. Body sections present. Narrative not built.
Case study: Fraud Prevention	PARTIAL	Hero at 0% 60%. Body sections present.
Case study: Messaging API	PARTIAL	Image paths fixed. Body not built.
Case study: Universal College App	PARTIAL	Paths confirmed. Body not built.
Netlify deployment	BLOCKED	Failing: TypeScript error in lib/case-studies.ts. Fix below.

03. IMMEDIATE FIX — Start Next Session Here

The Netlify build is failing with this TypeScript error:

Type error: '@components/ui/BentoGrid' has no exported member named 'BentoStats'. Did you mean 'BentoStat'?

File: lib/case-studies.ts line 1

Fix: Change BentoStats to BentoStat (remove the S)

Command to run:

```
cd ~/Desktop/Claude/portfolio/claude-written/danny-portfolio
python3 -c "
path = 'lib/case-studies.ts'
```

```
with open(path, 'r') as f: c = f.read()
with open(path, 'w') as f: f.write(c.replace('BentoStats', 'BentoStat', 1))
"
```

Then: `git add lib/case-studies.ts` && `git commit -m 'Fix BentoStats type import'` && `git push origin design-v2`

Then: Go to Netlify and click Retry deploy.

04. Contact Page — What Was Built

Design

- Headline: 'Open to the right opportunity.' with 'right opportunity.' in brand blue
- Glassmorphism form card with backdrop-filter: blur(20px) matching philosophy section
- 6 floating bull's-eye SVGs span the full page behind the form
- Bull's-eyes blur as they pass behind the glass form card
- Dark mode: C1 treatment — inputs use `rgba(255,255,255,0.12)` fill, clearly visible
- Light mode: `rgba(255,255,255,0.72)` card with blue-tinted border and box-shadow
- Required field coral asterisks on First name, Last name, Email, Message
- Left column: availability badge (green dot), direct contact links, response time

Form Fields

- First name, Last name (required)
- Email, Company
- Mobile number — TeleSign PhoneID intelligence on blur (silent, informational only)
- Phone badge: green 0-399, amber 400-599, red 600-1000 — never blocks submit
- TeleSign attribution line always visible with link to [telesign.com](https://www.telesign.com)
- Role or context, Job description link (optional), Message (required)

Resumes CTA

- Nav Resume button routes to `/contact?resume=true`
- Page reads param on mount, scrolls to form, pulses resume flag blue for 2s

Netlify Form Wiring

- form has `data-netlify='true'` and `name='contact'`
 - Hidden input `name='form-name'` `value='contact'` inside form
 - Static hidden detection form above `<main>` with all field names
 - handleSubmit POSTs as `application/x-www-form-urlencoded` to `/`
 - Includes `phoneScore`, `phoneType`, `phoneCarrier` in submission for enriched dashboard data
 - Error state renders with direct email fallback if POST fails
-

05. TeleSign Integration

API route: `app/api/telesign/route.ts`

Method: GET to `https://rest-api.telesign.com/v1/phoneid/{phone}`

Auth: Basic auth — Customer ID and API Key from `.env.local`

Response: `score`, `recommendation`, `phone_type`, `carrier`

Behavior: Informational only. All scores can submit. No blocking.

Credentials location:

~/Desktop/Claude/portfolio/claude-written/danny-portfolio/.env.local

TELESIGN_CUSTOMER_ID and TELESIGN_API_KEY must also be set in Netlify environment variables (Site configuration > Environment variables). This was done this session.

06. Deployment State

Platform: Netlify — project visionary-swan-5893aa

Domain: displayedux.com (existing domain, will point to new build)

GitHub repo: <https://github.com/d2driscoA2/product-design-portfolio>

Active branch: design-v2

Build command: npm run build

Publish directory: .next

Plugin: @netlify/plugin-nextjs

Status: FAILING — TypeScript error in lib/case-studies.ts (fix in Section 03)

Env vars: TELESIGN_CUSTOMER_ID and TELESIGN_API_KEY set in Netlify dashboard

07. LinkedIn URL

Correct URL: <https://www.linkedin.com/in/dandriscoll/>

Updated in app/contact/page.tsx this session. Verify Footer.tsx also has the correct URL. Run:

```
grep -rn 'linkedin' --include='*.tsx' ~/Desktop/Claude/portfolio/claude-written/danny-portfolio/components/
```

08. Next Steps After Deployment

- Fix BentoStats TypeScript error and get clean Netlify build (Section 03)
 - Verify displayedux.com loads the new portfolio after deploy succeeds
 - Test contact form submission on live site — check Netlify Forms dashboard
 - Test TeleSign phone verification on live site with real number
 - Reduce chevron arrow size sitewide on all three-signal links
 - Verify eyebrow labels on homepage and work page have not reverted to blue
 - Hide or placeholder-state the four View case study links before sharing live URL
 - Build case study body sections — Self-Service Portal first (richest assets)
 - Add quantified outcome sub-copy beneath each card title on work grid
-

09. Critical Rules — Never Violate

Tailwind v4

- tailwind.config.ts is completely ignored. Never edit it.
- All tokens live in the @theme inline block at line 82 of app/globals.css

- Dark mode: [data-theme='dark'] attribute selectors only. Never Tailwind dark: utilities.

File Edit Rules

- Never use sed. Use Python string replacement only.
- Cat the file immediately before writing replacement strings.
- Every Python replacement must include a MISS branch.
- Always run `wc -l` and `head -5` after writing. Then screenshot before reporting.
- Read before writing. Both major session failures stemmed from writing without reading.

Server Rules

- Check server first with `curl -s -o /dev/null -w '%{http_code}' http://localhost:3000`
- Only give browser URLs after confirmed 200. Never paste URLs into Terminal.
- Danny runs the dev server. Claude never starts or stops it unless asked.

Command Labels

- CLAUDE CODE or TERMINAL goes as plain text on the line directly above the code block.
- Never inside the block.

Document Output Rule

- Every document must be presented as BOTH .docx AND .pdf every single time.

10. Critical File Locations

Project root: ~/Desktop/Claude/portfolio/claude-written/danny-portfolio

Global CSS: app/globals.css — single source of truth for all theme tokens

@theme inline block: Line 82 of globals.css

Nav: components/layout/Nav.tsx

Footer: components/layout/Footer.tsx

Contact page: app/contact/page.tsx

TeleSign API route: app/api/telesign/route.ts

Case studies data: lib/case-studies.ts

About page: app/about/page.tsx

Photography page: app/photography/page.tsx

Env vars: .env.local (never commit — covered by .env* in .gitignore)