

DISPLAYEDUX

Portfolio Website — Project Handoff v11

Danny Driscoll | March 2026

01. Session Focus

This session resolved all Netlify deployment blockers and got displayedux.com live. Work covered: TypeScript type errors in lib/case-studies.ts, Netlify plugin-nextjs v5 form detection migration, and contact form POST routing fix. Site is fully deployed. Forms are confirmed working.

02. Current Site Status

Page / Item	Status	Notes
displayedux.com	LIVE	Deployed. All 13 pages building and serving.
Homepage /	DONE	All sections. Light/dark mode confirmed.
Work /work	DONE	Dark mode fix applied. Cards rendering.
About /about	DONE	Bio, stats, skills, interests, photography.
Photography /photography	DONE	Empathique, Carl photo, grid, quote.
Contact /contact	DONE	TeleSign wired. Netlify forms working.
Case study: Self-Service Portal	PARTIAL	Hero complete. Body sections not built.
Case study: Fraud Prevention	PARTIAL	Hero at 0% 60%. Body not built.
Case study: Messaging API	PARTIAL	Image paths fixed. Body not built.
Case study: Universal College App	PARTIAL	Paths confirmed. Body not built.

03. Deployment — What Went Wrong and Why

The site took multiple deploy attempts to get live. Every error and fix is documented here to avoid repeating them.

Error 1: BentoStats import (first occurrence)

File: lib/case-studies.ts line 1

Error: Type error: '@/components/ui/BentoGrid' has no exported member named 'BentoStats'. Did you mean 'BentoStat'?

Cause: The import used BentoStats (plural S) but the exported interface is BentoStat (no S).

Fix: Python replace with no count limit to catch all occurrences.

Lesson: Always grep for all occurrences before running replace. Never use replace(..., 1) unless you are certain there is only one hit.

Error 2: BentoStats second occurrence — type mismatch

File: lib/case-studies.ts line 28

Error: Type error: Cannot find name 'BentoStats'. Did you mean 'BentoStat'?

Cause: The bento field was typed as BentoStat (singular) but the data was an array. Data objects also used stat: instead of value: (wrong field name). Extra fields (variant, accent, accentPosition) were not declared in the interface.

Three sub-fixes applied in one pass:

- Changed bento: BentoStat to bento: BentoStat[] in the CaseStudy interface
- Renamed all 24 stat: occurrences to value: across all four case studies
- Added variant?, accent?, accentPosition? as optional fields to BentoStat interface in BentoGrid.tsx

Lesson: When fixing a type, grep the entire data file for all field names used. Check the interface definition matches the data structure before deploying.

Error 3: isFeature property not in interface

File: lib/case-studies.ts line 208

Error: Type error: Object literal may only specify known properties, and 'isFeature' does not exist in type 'BentoStat'.

Fix: Added isFeature?: boolean to BentoStat interface in BentoGrid.tsx.

Lesson: Run a comprehensive grep for ALL non-standard property names in the data file before the first deploy. Do it once, add them all.

Error 4: Netlify plugin-nextjs v5 form detection

Error: Error: Failed assembling prerendered content for upload. @netlify/plugin-nextjs@5 requires migration steps to support Netlify Forms.

Cause: Plugin v5 changed form detection. It no longer scans Next.js pages for data-netlify attributes. It requires a static HTML file in public/ for detection at build time.

First attempt: Created public/netlify-forms.html — build passed but forms still did not register.

Root cause: The filename netlify-forms.html was served through the Next.js edge runtime, which intercepted the POST and returned 200 without Netlify's form processor ever seeing it.

Final fix: Renamed file to public/__forms.html (double underscore prefix). Updated POST target in handleSubmit from /netlify-forms.html to /__forms.html.

Why the double underscore matters: the __ prefix causes Netlify's CDN to handle the file directly, bypassing the Next.js edge runtime. This is the documented v5 migration path per opennext.js.org/netlify/forms.

Lesson: Always follow the official migration docs exactly. The filename is not arbitrary. POST must go to /__forms.html, not / and not any other path.

04. Netlify Forms — Current Setup

Detection file: public/___forms.html

POST target: /___forms.html (in handleSubmit in app/contact/page.tsx)

Form name: contact (must match in both the detection file and the POST body form-name field)

Fields registered: firstName, lastName, email, company, phone, role, jdLink, message, phoneScore, phoneType, phoneCarrier

Netlify dashboard: Netlify > Forms > contact

Forms are confirmed working. Test submission received in Netlify dashboard after fix.

TeleSign enrichment fields (phoneScore, phoneType, phoneCarrier) are included in every submission for enriched dashboard data. They are informational only and never block form submit.

05. BentoStat Type Reference

The BentoStat interface lives in components/ui/BentoGrid.tsx. Every field used in lib/case-studies.ts must be declared here as optional or required.

Current interface (as of this session)

```
export interface BentoStat {  
  value: string;           // required – use 'value', not 'stat'  
  label: string;           // required  
  sublabel?: string;       // optional  
  variant?: string;        // optional  
  accent?: string;         // optional  
  accentPosition?: string; // optional  
  isFeature?: boolean;     // optional  
}
```

The bento field in CaseStudy is BentoStat[] (array). Never type it as BentoStat (singular).

If you add any new property to a bento data object in case-studies.ts, add it to this interface first, before deploying.

06. Next Steps — Priority Order

Immediate (before sharing URL)

- Hide or remove the four View case study links on /work — pages are incomplete
- Verify eyebrow labels on homepage and work page have not reverted to blue
- Reduce chevron arrow size sitewide on three-signal links

Case Study Builds — Self-Service Portal First

- Full-width hero (already in place)
- Bento stats grid rendered from lib/case-studies.ts data
- Narrative sections with process images from public/images/1-self-service-customer-portal/
- Reflection section

- Next case study navigation
- Repeat for Fraud Prevention, Messaging API, Universal College App

Remaining Polish

- Add quantified outcome sub-copy beneath each card title on work grid
 - Test contact form on live site with real mobile number for TeleSign verification
 - Confirm LinkedIn URL in Footer.tsx matches /in/dandriscoll/
-

07. Critical Rules — Never Violate

Tailwind v4

- tailwind.config.ts is ignored. Never edit it.
- All tokens live in the @theme inline block in app/globals.css
- Dark mode: [data-theme='dark'] attribute selectors only. Never Tailwind dark: utilities.

File Edit Rules

- Never use sed. Use Python string replacement only.
- Cat the file immediately before writing replacement strings.
- Every Python replacement must include a MISS branch.
- Always run wc -l and head -5 after writing. Then screenshot before reporting.
- Read before writing.

Netlify Forms Rules

- Detection file must be public/___forms.html (double underscore, exactly this name).
- POST target must be /___forms.html.
- Never change POST target to / — edge runtime will intercept it.
- Any new form fields must be added to both the detection file and the JSX hidden detection form.

BentoStat Rules

- Use value: not stat: in data objects.
- bento field is BentoStat[] always.
- Add any new property to BentoStat interface in BentoGrid.tsx before deploying.

Command Labels

- CLAUDE CODE or TERMINAL goes as plain text on the line directly above the code block, never inside it.

Document Output Rule

- Every document must be presented as BOTH .docx AND .pdf every single time. No exceptions.
-

08. Critical File Locations

Item	Path
Project root	~/Desktop/Claude/portfolio/claude-written/danny-portfolio
Global CSS	app/globals.css – single source of truth for all theme tokens
Nav	components/layout/Nav.tsx
Footer	components/layout/Footer.tsx
Contact page	app/contact/page.tsx
TeleSign API route	app/api/telesign/route.ts
Case studies data	lib/case-studies.ts
BentoStat interface	components/ui/BentoGrid.tsx
Netlify forms file	public/__forms.html
About page	app/about/page.tsx
Photography page	app/photography/page.tsx
Env vars	.env.local (never commit)

DisplayedUX | Portfolio Project Handoff v11 | Danny Driscoll | d2drisco@icloud.com | March 2026