

🏠 SentryHive Security Report

ACME CORP

CONFIDENTIAL

Account: 123456789012

Scan date: 2026-06-30 12:00:00 UTC

SentryHive v0.1.0

Scope & methodology

ACCOUNT SCANNED	123456789012
AUTH IDENTITY	arn:aws:iam::123456789012:role/SentryHiveAudit
REGIONS	us-east-1, eu-central-1
SCAN DATE	2026-06-30 12:00:00 UTC
SENTRYHIVE VERSION	v0.1.0
SCANNERS & VERSIONS	prowler (Prowler 4.5.0) — ok cloudsplaining (cloudsplaining 0.7.0) — ok hardeneks (hardeneks 0.12.0) — ok
TOTAL FINDINGS	9

All scanning and report generation runs locally; no scan data leaves the operator's machine.

Contents

Executive summary 4

Compliance posture 5

IAM privilege-escalation highlights 5

EKS Hardening 5

All findings 7

2

CRITICAL

4

HIGH

1

MEDIUM

0

LOW

2

INFO

9

TOTAL

Compliance posture

FRAMEWORK	PASS	FAIL	% PASS
CIS	2	5	29%
PCI-DSS	1	2	33%
NIST 800-53	0	1	0%
SOC 2	1	1	50%

IAM privilege-escalation highlights

How an attacker could escalate or take over within this account.

SEVERITY	RESOURCE	FINDING
HIGH	DeployRole	Privilege escalation path: DeployRole Policy 'DeployRole' grants iam:CreatePolicyVersion, iam:PassRole.
HIGH	BackupRole	Resource exposure: BackupRole Policy 'BackupRole' grants s3:PutBucketPolicy on *.

EKS Hardening

In-cluster best-practice checks (hardeneks). Findings are grouped by cluster.

SEVERITY	CLUSTER / RESOURCE	REGION	FINDING
HIGH	prod-cluster/ kube-system	eu- central-1	Anonymous access bound to cluster role → Remove the ClusterRoleBinding granting access to system:anonymous.

Scanners

SCANNER	STATUS	FINDINGS	VERSION	NOTES
prowler	ok	6	Prowler 4.5.0	
cloudsplaining	ok	2	cloudsplaining 0.7.0	
hardeneks	ok	1	hardeneks 0.12.0	

Top 7 risks

#	SEVERITY	TOOL	RESOURCE	CHECK
1	CRITICAL	prowler	root	Root account has no MFA
2	CRITICAL	prowler	arn:aws:s3:::acme-prod-assets	S3 bucket allows public access
3	HIGH	cloudsplaining	DeployRole	Privilege escalation path: DeployRole
4	HIGH	cloudsplaining	BackupRole	Resource exposure: BackupRole
5	HIGH	hardeneks	prod-cluster/kube-system	Anonymous access bound to cluster role
6	HIGH	prowler	sg-0a1b2c3d	Security group exposes SSH to 0.0.0.0/0
7	MEDIUM	prowler	org-trail	CloudTrail log file validation disabled

All findings

SEVERITY	TOOL	SERVICE	RESOURCE	FINDING
CRITICAL	prowler	iam us-east-1	root	Root account has no MFA fail CIS:1.5 SOC2:CC6.1 The account root user does not have MFA enabled. → Enable a hardware or virtual MFA device on the root user. check: iam_root_mfa_enabled · source: prowler
CRITICAL	prowler	s3 us-east-1	arn:aws:s3:::acme-prod-assets	S3 bucket allows public access fail CIS:2.1.5 PCI-DSS:1.3.1 NIST:SC-7 Bucket 'acme-prod-assets' grants s3:GetObject to *. → Enable S3 Block Public Access at the account and bucket level. check: s3_bucket_public_access · source: prowler
HIGH	cloudsplaining	iam	DeployRole	Privilege escalation path: DeployRole fail CIS-1.16 IAM-least-privilege Policy 'DeployRole' grants iam:CreatePolicyVersion, iam:PassRole. → Apply least privilege; scope iam:PassRole with a condition. check: PrivilegeEscalation · source: cloudsplaining
HIGH	cloudsplaining	iam	BackupRole	Resource exposure: BackupRole fail IAM-least-privilege Policy 'BackupRole' grants s3:PutBucketPolicy on *. → Restrict permissions-management actions to specific resources.

SEVERITY	TOOL	SERVICE	RESOURCE	FINDING
				check: ResourceExposure · source: cloudsplaining
HIGH	hardeneks	eks eu-central-1	prod-cluster/ kube-system	Anonymous access bound to cluster role fail EKS-best-practices system:anonymous is bound via a ClusterRoleBinding. → Remove the ClusterRoleBinding granting access to system:anonymous. check: disable_anonymous_access_for_cluster_roles · source: hardeneks
HIGH	prowler	ec2 eu-central-1	sg-0a1b2c3d	Security group exposes SSH to 0.0.0.0/0 fail CIS:5.2 PCI-DSS:1.2.1 sg-0a1b2c3d allows inbound 22 from anywhere. → Restrict ingress to known CIDR ranges or use SSM Session Manager. check: ec2_sg_open_ssh · source: prowler
MEDIUM	prowler	cloudtrail us-east-1	org-trail	CloudTrail log file validation disabled fail CIS:3.2 Trail lacks log file integrity validation. → Enable log file validation on the trail. check: cloudtrail_log_validation · source: prowler
INFO	prowler	cloudtrail us-east-1	org-trail	CloudTrail enabled in all regions pass CIS:3.1 SOC2:CC7.2 Org multi-region trail present. check: cloudtrail_multi_region · source: prowler

SEVERITY	TOOL	SERVICE	RESOURCE	FINDING
INFO	prowler	rds eu- central-1	arn:aws:rds:eu-central-1:123456789012:db:prod-db	RDS instance is encrypted pass CIS:2.3.1 PCI-DSS:3.4 prod-db has storage encryption enabled. check: rds_encryption_enabled · source: prowler

Generated by [SentryHive](#) · no data leaves your machine