

PAEDS2YRS, Child (Ms)

Born 25-Nov-2017 (2y)

NHS No. 482 696 3319

Location , 255

Hospital number ptn0445789

| | | |
|------|--------------|----|
| 2020 | Month | 04 |
| | Day | 01 |
| | Hrs | 15 |
| | Mins | 37 |
| | Obs model | P |
| | Obs interval | 1h |

| |
|----|
| 04 |
| 06 |
| 20 |
| 17 |
| P |
| 1h |

| | | | | | |
|----|----|----|----|----|----|
| 05 | 05 | 05 | 05 | 05 | 05 |
| 04 | 04 | 05 | 05 | 05 | 05 |
| 14 | 15 | 10 | 10 | 10 | 10 |
| 56 | 5 | 43 | 44 | 44 | 45 |
| P | P | P | P | P | P |
| 1h | | 1h | | | |

| |
|----|
| 05 |
| 22 |
| 16 |
| 55 |
| P |
| 4h |

| | | |
|-----|--|--|
| 07 | | |
| 17 | | |
| 11 | | |
| 47 | | |
| P | | |
| 15m | | |

Obs Model
Paediatric 1-4

| | | |
|-----------------------|-----------|---|
| Blood pressure (mmHg) | 131 - 140 | |
| | 121 - 130 | |
| | 111 - 120 | |
| | 101 - 110 | |
| | 91 - 100 | |
| | 81 - 90 | ● |
| | 71 - 80 | ● |
| | 61 - 70 | |
| | 51 - 60 | ● |
| | 41 - 50 | ● |
| | 31 - 40 | |
| | 21 - 30 | |
| | 11 - 20 | |
| 0 - 10 | | |

| |
|---|
| |
| |
| |
| |
| |
| ● |
| ● |
| |
| ● |
| ● |
| |
| |
| |

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| |
|---|
| |
| |
| |
| |
| |
| ● |
| ● |
| |
| |
| |
| |
| |
| |
| |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|------|------------------|---|
| AVPU | Alert | |
| | Voice | |
| | Pain | |
| | Unresponsiveness | Y |
| | Is confused | |
| | Is sedated | |

| |
|---|
| |
| Y |
| |
| |
| Y |
| N |

| | | | | | |
|---|--|---|---|--|--|
| | | | Y | | |
| Y | | | | | |
| | | | | | |
| | | | | | |
| Y | | N | | | |
| N | | | | | |

| |
|---|
| Y |
| |
| |
| |
| N |
| |

| | | |
|---|--|--|
| | | |
| Y | | |
| | | |
| | | |
| Y | | |
| N | | |

| | | |
|-----------------------|---------|---|
| Oxygen saturation (%) | >=95 | ● |
| | 91 - 94 | |
| | <=90 | |

| |
|---|
| ● |
| |
| |

| | | | | | |
|---|---|--|--|--|--|
| ● | ● | | | | |
| | | | | | |
| | | | | | |

| |
|---|
| ● |
| |
| |

| | | |
|---|--|--|
| | | |
| ● | | |
| | | |

| | | |
|------------------|---------------------|---|
| Oxygen therapies | On oxygen | N |
| | On air | |
| | Oxygen therapy | |
| | Flow rate (ltr/min) | |
| | Concentration (%) | |

| |
|---|
| N |
| |
| |
| |
| |

| | | | | | |
|---|--|---|--|--|--|
| N | | N | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| |
|---|
| N |
| |
| |
| |
| |

| | | |
|---|--|--|
| N | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|----------------------|----------|---|
| Respiratory distress | None | Y |
| | Mild | |
| | Moderate | |
| | Severe | |
| | Stridor | |
| | Apnoea | |

| |
|---|
| Y |
| |
| |
| |
| |
| |

| | | | | | |
|---|--|---|--|--|--|
| Y | | | | | |
| | | Y | | | |
| | | | | | |
| | | | | | |
| | | Y | | | |
| | | Y | | | |

| |
|---|
| Y |
| |
| |
| |
| |
| |

| | | |
|---|--|--|
| | | |
| | | |
| Y | | |
| | | |
| Y | | |
| Y | | |

| | | |
|------|------------------|----|
| Pain | Pain scoring sys | CR |
| | Pain score | U |

| |
|----|
| FL |
| 0 |

| | | | | | |
|----|--|----|--|--|--|
| WB | | WB | | | |
| 0 | | 0 | | | |

| |
|-----|
| Std |
| 0 |

| |
|-----|
| Std |
| 1 |

| | | |
|---------------------------|--------------------|--|
| Nausea, vomiting & bowels | Nausea | |
| | Vomiting | |
| | Bowels | |
| | Bowels stool chart | |

| |
|--|
| |
| |
| |
| |

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| |
|--|
| |
| |
| |
| |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |

| | |
|--------------|--|
| Urine output | |
|--------------|--|

| |
|--|
| |
|--|

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

| |
|--|
| |
|--|

| | | |
|--|--|--|
| | | |
|--|--|--|

| | |
|---------|---|
| Concern | Y |
|---------|---|

| |
|--|
| |
|--|

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

| |
|---|
| N |
|---|

| | | |
|--|--|--|
| | | |
|--|--|--|

| | |
|-------------|--|
| Height (cm) | |
|-------------|--|

| |
|--|
| |
|--|

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

| |
|--|
| |
|--|

| | | |
|--|--|--|
| | | |
|--|--|--|

PAEDS2YRS, Child (Ms)

Born 25-Nov-2017 (2y)

NHS No. 482 696 3319

Location , 255

Hospital number ptn0445789

| | | |
|------|--------------|----|
| 2020 | Month | 04 |
| | Day | 01 |
| | Hrs | 15 |
| | Mins | 37 |
| | Obs model | P |
| | Obs interval | 1h |

| | |
|-------------|--|
| Weight (kg) | |
|-------------|--|

| | | |
|---------------------|----------------------|------|
| Observation summary | Heart rate (bpm) | 110 |
| | Resp. rate (RR/min) | 35 |
| | Temperature (°C) | 37.8 |
| | BP systolic (mmHg) | 85 |
| | BP diastolic (mmHg) | 45 |
| | AVPU | U |
| | SATS (%) | 98 |
| | O2 mask | |
| | O2 flow (ltr/min) | |
| | O2 conc (%) | |
| | Respiratory distress | N |
| Pain | U | |

| | | |
|-----------|----------------------|---|
| EWS score | Heart rate | 0 |
| | Respiratory rate | 0 |
| | AVPU | 1 |
| | Oxygen therapies | 0 |
| | Respiratory distress | 0 |
| | Stridor or Apnoea | |
| | Total EWS | 1 |

| | | |
|------------------|-----------------|------|
| Neuro limbs arms | Normal power | |
| | Mild weakness | |
| | Severe weakness | |
| | Spastic flexion | |
| | Extension | |
| | No response | LURU |

| | | |
|------------------|-----------------|------|
| Neuro limbs legs | Normal power | |
| | Mild weakness | |
| | Severe weakness | |
| | Spastic flexion | |
| | Extension | |
| | No response | LURU |

| | | |
|-------------|--------------|---|
| Neuro pupil | Size (L) | U |
| | Reaction (L) | U |
| | Size (R) | U |
| | Reaction (R) | U |

| | | |
|-----------|----------------------|---|
| Neuro GCS | Best eyes open | 1 |
| | Best verbal response | 1 |
| | Best motor response | 1 |
| | Total | 3 |

| |
|----|
| 04 |
| 06 |
| 20 |
| 17 |
| P |
| 1h |

| |
|-----|
| 120 |
| 45 |
| 37 |
| 95 |
| 45 |
| W/C |
| 98 |
| |
| |
| |
| N |
| 0 |

| |
|---|
| 0 |
| 1 |
| 1 |
| 0 |
| 0 |
| 0 |
| 0 |
| 2 |

| |
|------|
| |
| |
| |
| |
| |
| LURU |

| |
|------|
| |
| |
| |
| |
| |
| LURU |

| |
|---|
| U |
| U |
| U |
| U |

| |
|---|
| 1 |
| 1 |
| 1 |
| 3 |

| | | | | | |
|----|----|----|----|----|----|
| 05 | 05 | 05 | 05 | 05 | 05 |
| 04 | 04 | 05 | 05 | 05 | 05 |
| 14 | 15 | 10 | 10 | 10 | 10 |
| 56 | 5 | 43 | 44 | 44 | 45 |
| P | P | P | P | P | P |
| 1h | | 1h | | | |

| | | | | | |
|------|--|------|--|--|--|
| 120 | | 115 | | | |
| 45 | | 45 | | | |
| 37.8 | | 37.5 | | | |
| 75 | | 85 | | | |
| 45 | | 45 | | | |
| W/C | | A | | | |
| 98 | | 98 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| N | | 1+ | | | |
| 0 | | 0 | | | |

| | | | | | |
|---|--|---|--|--|--|
| 0 | | 0 | | | |
| 1 | | 1 | | | |
| 1 | | 0 | | | |
| 0 | | 0 | | | |
| 0 | | 0 | | | |
| | | 1 | | | |
| 2 | | 2 | | | |

| | | | | | |
|----|--|--|--|--|--|
| LR | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | |
|----|--|--|--|--|--|
| LR | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | |
|---|--|--|--|--|--|
| 1 | | | | | |
| + | | | | | |
| 1 | | | | | |
| + | | | | | |

| | | | | | |
|------|--|--|--|--|--|
| 1001 | | | | | |
| 1001 | | | | | |
| 1001 | | | | | |
| 3 | | | | | |

| |
|----|
| 05 |
| 22 |
| 16 |
| 55 |
| P |
| 4h |

| |
|----|
| 95 |
| 20 |
| 37 |
| 95 |
| 65 |
| A |
| 98 |
| |
| |
| |
| N |
| 0 |

| |
|---|
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |
| 0 |

| |
|--|
| |
| |
| |
| |
| |
| |

| |
|--|
| |
| |
| |
| |
| |
| |

| |
|--|
| |
| |
| |
| |

| |
|--|
| |
| |
| |
| |

| | | |
|-----|--|--|
| 07 | | |
| 17 | | |
| 11 | | |
| 47 | | |
| P | | |
| 15m | | |

| | | |
|-----|--|--|
| 85 | | |
| 45 | | |
| 39 | | |
| 85 | | |
| 45 | | |
| W/C | | |
| 90 | | |
| | | |
| | | |
| | | |
| 2+ | | |
| 1 | | |

| | | |
|---|--|--|
| 1 | | |
| 1 | | |
| 1 | | |
| 0 | | |
| 1 | | |
| 1 | | |
| 5 | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |

Obs Model
Paediatric 1-4

Best eye open
4 = Spontaneous
3 = To Sound
2 = To Pressure
1 = None
NT = Non Testable

Best verbal response
5 = Orientated
4 = Confused
3 = Words
2 = Sounds
1 = None
NT = Non Testable

Best motor response
6 = Obeys Commands
5 = Localising
4 = Normal flexion
3 = Abnormal flexion
2 = Extension
1 = None
NT = Non Testable

PAEDS2YRS, Child (Ms)

Born 25-Nov-2017 (2y)

NHS No. 482 696 3319

Location , 255

Hospital number ptn0445789

| 2020 | Month | 04 | 04 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 07 | | |
|-----------------------|---------------------------|----|----|----|-----|----|----|-----|----|-----|----|----|-----|--|
| | Day | 01 | | 04 | 04 | 05 | 05 | 05 | 05 | 05 | | | | |
| | Hrs | 15 | | 20 | 14 | 15 | 10 | 10 | 10 | 10 | | | | |
| | Mins | 37 | | 17 | 56 | 5 | 43 | 44 | 44 | 45 | | | | |
| | Obs model | P | | P | P | P | P | P | P | P | | | | |
| | Obs interval | 1h | | 1h | 1h | | 1h | | | | | 4h | 15m | |
| Diabetic monitoring | Blood glucose | | 15 | | 6 | | | 5 | | | | | | |
| | Glucose taken | | BM | | BM | | | AM | | | | | | |
| | Insulin | | | | 6 | | | 4 | | | | | | |
| | Blood ketones | | | | 0.5 | | | 1.2 | | | | | | |
| | Urine ketones | | | | 1+ | | | 2+ | | | | | | |
| | Hypoglycaemic episode | | | | Y | | | Y | | | | | | |
| Hypoglycaemic attacks | | | | 3 | | | 3 | | | | | | | |
| Glucose monitoring | 32.1 - 34 | | | | | | | | | | | | | |
| | 30.1 - 32 | | | | | | | | | | | | | |
| | 28.1 - 30 | | | | | | | | | | | | | |
| | 26.1 - 28 | | | | | | | | | | | | | |
| | 24.1 - 26 | | | | | | | | | | | | | |
| | 22.1 - 24 | | | | | | | | | | | | | |
| | 20.1 - 22 | | | | | | | | | | | | | |
| | 18.1 - 20 | | | | | | | | | | | | | |
| | 16.1 - 18 | | | | | | | | | | | | | |
| | 14.1 - 16 | | ● | | | | | | | | | | | |
| | 12.1 - 14 | | | | | | | | | | | | | |
| | 10.1 - 12 | | | | | | | | | | | | | |
| 8.1 - 10 | | | | | | | | | | | | | | |
| 6.1 - 8 | | | | | | | | | | | | | | |
| 4.1 - 6 | | | | | | | | | | | | | | |
| 2.1 - 4 | | | | | | | | | | | | | | |
| 0 - 2 | | | | | | | | | | | | | | |
| Peak flow rate | Pre-Nebuliser (l/min) | | | | 256 | | | | | 264 | | | | |
| | Post-Nebuliser (l/min) | | | | 359 | | | | | 357 | | | | |
| Oxygen extras | IPAP (cm H2O) | | | | | | | | | | | | | |
| | EPAP (cm H2O) | | | | | | | | | | | | | |
| | Humidified | | | | | | | | | | | | | |
| | CPAP (cm H2O) | | | | | | | | | | | | | |
| | PEEP (cm H2O) | | | | | | | | | | | | | |
| | PS (cm H2O) | | | | | | | | | | | | | |
| Epidural | Site free pain/redness ? | | | | N | | | | | | | | | |
| | Epidural rate (ml/h) | | | | 4 | | | | | | | | | |
| | Motor block level (L/R) | | | | 0/U | | | | | 1/2 | | | | |
| | Sensory block level (L/R) | | | | T6 | | | | | T8 | | | | |
| PCA | Good tries | | | | 2 | | | | | | | | | |
| | Total tries | | | | 2 | | | | | | | | | |
| | Left in syringe (ml) | | | | 4 | | | | | | | | | |

Obs Model

Paediatric 1-4

Glucose taken

BM = Before Meal
AM = After Meal
DK = Dont Know

Urine ketones

N = Negative (0)
T = Trace (0.5)
1+ = Small (1.5)
2+ = Moderate (4)
3+ = Moderate (8)
4+ = Large (16)

Motor block

3 = Unable to move legs or feet
2 = Unable to move knees, free movement of feet
1 = Just able to move knees, with free movement of feet
0 = Free movement of legs & feet
u = Unmeasurable

Sensory block

T4 = Nipple line
T6 = Xiphisternum
T8 = Midway between T6 and T10
T10 = Umbilicus
T12 = Pubic bone
N = No Block
U = Unmeasurable

PAEDS2YRS, Child (Ms)

Born 25-Nov-2017 (2y)

NHS No. 482 696 3319

Location , 255

Hospital number ptn0445789

| | | |
|------|--------------|----|
| 2020 | Month | 04 |
| | Day | 01 |
| | Hrs | 15 |
| | Mins | 37 |
| | Obs model | P |
| | Obs interval | 1h |

| |
|----|
| 04 |
| 06 |
| 20 |
| 17 |
| P |
| 1h |

| | | | | | |
|----|----|----|----|----|----|
| 05 | 05 | 05 | 05 | 05 | 05 |
| 04 | 04 | 05 | 05 | 05 | 05 |
| 14 | 15 | 10 | 10 | 10 | 10 |
| 56 | 5 | 43 | 44 | 44 | 45 |
| P | P | P | P | P | P |
| 1h | | 1h | | | |

| |
|----|
| 05 |
| 22 |
| 16 |
| 55 |
| P |
| 4h |

| | | |
|-----|--|--|
| 07 | | |
| 17 | | |
| 11 | | |
| 47 | | |
| P | | |
| 15m | | |

Obs Model
Paediatric 1-4

| | | |
|------------|-----|--|
| Urinalysis | LEU | |
| | NIT | |
| | URO | |
| | PRO | |
| | pH | |
| | BLD | |
| | SG | |
| | KET | |
| | BIL | |
| GLU | | |

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |

| | | | | | |
|--|-------|--|--|--|-------|
| | T | | | | T |
| | N | | | | + |
| | 33 | | | | 16 |
| | 2+ | | | | 3+ |
| | 7.5 | | | | 7.5 |
| | -H0 | | | | 2-H0 |
| | 1.015 | | | | 1.020 |
| | T | | | | N |
| | + | | | | 2+ |
| | T | | | | T |

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Urinalysis
H = Haemolysed

Sedation score
0 = Fully alert/wakes easily
1 = Occasionally drowsy
2 = Freq drowsy/ rousable
3 = Unrousable

| | |
|----------------|--|
| Sedation score | |
|----------------|--|

| |
|--|
| |
|--|

| | | | | | |
|---|--|--|--|--|---|
| 1 | | | | | 1 |
|---|--|--|--|--|---|

| |
|--|
| |
|--|

| | | |
|--|--|--|
| | | |
|--|--|--|