
## GRK R4



SIZE (Dia)	Head diameter (dk)	Head height (H)	Shank diameter (ds)	Minor diameter (d1)	Major diameter (d2)
#6	0.263	0.041	0.104	0.094	0.139
# 8	0.303	0.041	0.116	0.106	0.161
# 9	0.329	0.043	0.128	0.112	0.173
#10	0.368	0.047	0.142	0.124	0.193
#12	0.439	0.055	0.171	0.148	0.234

SIZE(Length)	Length (L)	Thread length (TL)
3/8"	0.393	
1/2"	0.472	FILL
5/8"	0.629	FULL
3/4"	0.787	
1"	1.00	0.708
1-1/4"	1.250	0.826
1-3/8"	1.417	0.944
1-1/2	1.575	1.000
1-3/4	1.771	1.220
2"	2.000	1.299
2-1/2"	2.500	1.575
2-3/4"	2.750	1.811
3-1/8"	3.150	2.087
3-1/2"	3.543	2.362
4"	3.937	2.992
4-3/4"	4.725	
5-5/8	5.512	
6-3/8"	6.300	
7-1/4"	7.087	3.000
8"	7.874	
10"	9.842	
12"	11.811	

Dimensions are in inches without any manufacturing tollerances! More technical info also avilable under ICC ESR # 3201

CEE thread starting on screws size #8 and min 2" long

#6 / #8 have a T-15 Star drive. #9 / #10 / #12 have a T-25 Star drive.

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
Illinois Tool Works Inc. ANY REPRODUCTION IN PART OR AS A WHOLF WITHOUT THE WRITTEN
PERMISSION OF Illinois Tool Works Inc.

NAME [		Headmark	tribution Record
S.Ruhmann MARC	DRAWN		٧
	CHECKED		
	ENG APPR.		
	MFG APPR.		
	Q.A.		

GRKFASTENERS COM ÜberGrade 955 National Parkway,Suite 95500 Schaumburg,IL 60173 USA

DWG. NO.	
Sales Support R4 Screw	