

Primary Features:

Dialogue System

Audio Playback System

Dialogue System

Functionality:

- While audio is playing:
 - Dialogue response options should spawn at random positions on the screen
 - These dialogue responses should have varying sizes and spawn windows based on public variables
- When audio is finished:
 - Within a certain timeframe, Players will be able to select a dialogue option
- If a player does not choose a dialogue option within the timeframe:
 - The answer will default to a timid response

Structure:

- Each audio event should feed the dialogue system a **list of responses**
 - Ideally, all audioSO and DialogueResponseSO will be properly linked to each other according to the tree (This might get messy - please let me know if you guys know a better system T-T {The dictionary system is probably better (one dictionary for all audioSO stored in the dialoguesystem script; use as a lookup table with responseSO key input)})

Variables:

- AudioSO **initialAudio** (The first audio that plays upon game start - should start the gameplay chain)
- Int **responseRound** (Keeps tracks of what current response round we are on)
- vector<AudioSo> **timidAnswers** (Timid audio answers to play if the player does not choose an input)

Enum responseType {Timid, Focused, Combative, Default}

Categorizes responses to assist dialogue trees

Audio SO

Contains audio input for mother's dialogue

- Float **clipLength**
- List <DialogueResponseSO> **responses**
- AudioInput **dialogueRecording**
- bool **NoResponse** (Some dialogues will immediately play another dialogue response - the responses will be handled by the next clip)
- AudioInput **nextDialogue** (optional variable for next audio clip)

Dialogue Response SO

Each audio clip should have a list of Dialogue Response SO with the following public variables:

- Int **Size** (size of font/button)

- float **timeThreshold** (time stamp that the response can spawn after - Keeps narrative continuity (default 0))
- AudioSO **nextDialogue** - Next audio that plays based on player input (Instead of storing the entire AudioSO it might be more optimal to keep lists of the response types in a dictionary within the dialogue system script and look them up depending on the Key)
Key = string [responsetype + responseRound — ex: Timid5)
Value = AudioSO
 - And alternatively the DialogueResponseSO can just store the Key
- responseType **rType** (Categorizes the response type)

How to Set up Audio

Press P to start the minigame

Audio Manager has first Audio Clip

Game Start

Starts on black

Door Opens sounds effect (Ringy door bell for like cafes) and footstep walkup (foley)

Fade in the mom sitting there

ENDINGS

Combative

- The mother leaves the restaurant.
- The player is left with intrusive thoughts exploding on their screen (Mimicking a panic attack)
- Cut to black

Timid

- The mother ends in a neutral position
- The food arrives, nothing is achieved.
- Fade Out of Black
- The child is beginning to be overwhelmed by intrusive self-detrimental thoughts.

Focused

- The mother reaches forward towards the daughter
- The mother and daughter reach a mutual understanding. The ending is open, not everything is figured out but there's a promise that they will continue talking and will think it through together. It should feel like a breath of fresh air.
- Fade to black, but happy, no thoughts

Loop back to Main Menu :)