Sistem Operasi

Nama : Nayunda Krisna

NPM : 4524210077

Contoh-Contoh Command di dalam Terminal beserta fungsinya :

1. ipconfig

    - Menampilkan informasi konfigurasi jaringan, seperti alamat IP, subnet mask, dan gateway default.



```
   Connection-specific DNS Suffix  . :
   IPv6 Address. . . . . . . . . . . : 2404:8000:1095:15a4:6467:fc03:6b84:6de6
   Temporary IPv6 Address. . . . . . : 2404:8000:1095:15a4:bcd0:e7ba:f5a0:e869
   Link-local IPv6 Address . . . . . : fe80::641e:60da:c9e3:ce6d%10
   IPv4 Address. . . . . . . . . . . : 192.168.18.21
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : fe80::1%10
                                       192.168.18.1

Wireless LAN adapter Local Area Connection* 1:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 2:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Wi-Fi:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Ethernet adapter Bluetooth Network Connection:

   Media State . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :
```

2. ping [alamat/IP]

    - Mengecek koneksi ke suatu alamat atau IP dengan mengirimkan paket data dan mengukur waktu respons.



```
C:\Users\Nayunda Krisna>ping google.com

Pinging google.com [2404:6800:4003:c00::64] with 32 bytes of data:
Reply from 2404:6800:4003:c00::64: time=21ms
Reply from 2404:6800:4003:c00::64: time=20ms
Reply from 2404:6800:4003:c00::64: time=20ms
Reply from 2404:6800:4003:c00::64: time=107ms

Ping statistics for 2404:6800:4003:c00::64:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 20ms, Maximum = 107ms, Average = 42ms
```

3. tracert [alamat/IP]

    - Menunjukkan jalur yang dilalui paket data hingga mencapai tujuan. Berguna untuk menganalisis jaringan.



```
C:\Users\Nayunda Krisna>tracert google.com

Tracing route to google.com [2404:6800:4003:c00::64]
over a maximum of 30 hops:

  1     2 ms     2 ms     2 ms  2404:8000:1:7494:fcbb:32e0:7e03:ecd8
  2     6 ms     5 ms     6 ms  2404:8000:1:1110::255
  3     8 ms     7 ms     7 ms  2404:8000:1:7451:99::153a
  4     *        *       10 ms  2404:8000:1745:1::50e
  5    20 ms    19 ms     *     2404:8000:1745:1::1022
  6    19 ms    19 ms    20 ms  2001:4860:1:1::e62
  7    18 ms    17 ms    18 ms  2404:6800:80e6::1
  8    23 ms    20 ms    19 ms  2001:4860:0:1::6962
  9    21 ms    21 ms    20 ms  2001:4860:0:1::8694
 10    22 ms    22 ms    22 ms  2001:4860::c:4003:1cb0
 11    19 ms    19 ms    20 ms  2001:4860::cc:4001:1da3
```

4. nslookup [domain]

- Mengecek informasi DNS dari suatu domain, termasuk alamat IP terkait.



```
C:\Users\Nayunda Krisna>nslookup google.com
Server:  UnKnown
Address:  fe80::1

Non-authoritative answer:
Name:    google.com
Addresses:  2404:6800:4003:c05::65
          2404:6800:4003:c05::66
          2404:6800:4003:c05::71
          2404:6800:4003:c05::64
          172.253.118.139
          172.253.118.138
          172.253.118.113
          172.253.118.100
          172.253.118.102
          172.253.118.101
```

5. netstat -an

- Menampilkan daftar semua koneksi jaringan aktif dan port yang sedang digunakan



```
C:\Users\Nayunda Krisna>netstat – at google.com

Displays protocol statistics and current TCP/IP network connections.

NETSTAT [-a] [-b] [-e] [-f] [-i] [-n] [-o] [-p proto] [-r] [-s] [-t] [-x] [-y] [interval]

  -a            Displays all connections and listening ports.
  -b            Displays the executable involved in creating each connection or
                listening port. In some cases well-known executables host
                multiple independent components, and in these cases the
                sequence of components involved in creating the connection
                or listening port is displayed. In this case the executable
                name is in [] at the bottom, on top is the component it called,
                and so forth until TCP/IP was reached. Note that this option
                can be time-consuming and will fail unless you have sufficient
                permissions.
  -c            Displays a list of processes sorted by the number of TCP or UDP
                ports currently consumed.
  -d            Displays DSCP value assocated with each connection.
  -e            Displays Ethernet statistics. This may be combined with the -s
                option.
  -f            Displays Fully Qualified Domain Names (FQDN) for foreign
                addresses.
  -i            Displays the time spent by a TCP connection in its current state.
  -n            Displays addresses and port numbers in numerical form.
  -o            Displays the owning process ID associated with each connection.
  -p proto      Shows connections for the protocol specified by proto; proto
                may be any of: TCP, UDP, TCPv6, or UDPv6.  If used with the -s
                option to display per-protocol statistics, proto may be any of:
                IP, IPv6, ICMP, ICMPv6, TCP, TCPv6, UDP, or UDPv6.
  -q            Displays all connections, listening ports, and bound
                nonlistening TCP ports. Bound nonlistening ports may or may not
                be associated with an active connection.
  -r            Displays the routing table.
  -s            Displays per-protocol statistics.  By default, statistics are
                shown for IP, IPv6, ICMP, ICMPv6, TCP, TCPv6, UDP, and UDPv6;
                the -p option may be used to specify a subset of the default.
  -t            Displays the current connection offload state.
  -x            Displays NetworkDirect connections, listeners, and shared
                endpoints.
  -y            Displays the TCP connection template for all connections.
                Cannot be combined with the other options.
  interval      Redisplays selected statistics, pausing interval seconds
                between each display.  Press CTRL+C to stop redisplaying
                statistics.  If omitted, netstat will print the current
                configuration information once.
```

6. tasklist

- Menampilkan daftar semua proses yang sedang berjalan di komputer.



```
C:\Users\Nayunda Krisna>tasklist

Image Name                     PID Session Name        Session#    Mem Usage
========================= ======== ================ =========== ============
System Idle Process              0 Services                   0          8 K
System                           4 Services                   0      1,864 K
Secure System                  236 Services                   0     59,028 K
Registry                       280 Services                   0     63,548 K
smss.exe                       828 Services                   0        232 K
csrss.exe                     1268 Services                   0      2,920 K
wininit.exe                   1356 Services                   0         84 K
csrss.exe                     1364 Console                    1      3,760 K
services.exe                  1436 Services                   0      7,352 K
LsaIso.exe                    1448 Services                   0        140 K
lsass.exe                     1464 Services                   0     14,792 K
winlogon.exe                  1536 Console                    1      3,124 K
svchost.exe                   1676 Services                   0     24,924 K
fontdrvhost.exe               1708 Console                    1      5,256 K
fontdrvhost.exe               1716 Services                   0        216 K
WUDFHost.exe                  1788 Services                   0        228 K
svchost.exe                   1836 Services                   0     14,096 K
svchost.exe                   1884 Services                   0      3,916 K
svchost.exe                   1988 Services                   0        936 K
svchost.exe                   2016 Services                   0      6,852 K
svchost.exe                   2024 Services                   0      1,936 K
svchost.exe                   2044 Services                   0     11,016 K
dwm.exe                       1432 Console                    1     83,360 K
WUDFHost.exe                  1852 Services                   0      5,440 K
svchost.exe                   2168 Services                   0      5,036 K
svchost.exe                   2176 Services                   0      1,880 K
svchost.exe                   2256 Services                   0      6,088 K
svchost.exe                   2324 Services                   0     10,332 K
svchost.exe                   2332 Services                   0      5,452 K
svchost.exe                   2420 Services                   0      1,864 K
svchost.exe                   2476 Services                   0      9,652 K
svchost.exe                   2548 Services                   0      1,292 K
svchost.exe                   2744 Services                   0      7,364 K
svchost.exe                   2908 Services                   0      2,316 K
WUDFHost.exe                  2928 Services                   0      4,068 K
```

7. taskkill /IM [nama_proses.exe] /F

- Mematikan proses yang berjalan berdasarkan nama file eksekusinya.

(Tidak ada capture karena sedang tidak ada yang ingin saya matikan.) 8.

chkdsk [drive:] /f

- Memeriksa dan memperbaiki error pada hard drive.

  (Tidak bisa capture karena tidak ada kerusakan pada hard drive saya)

9. sfc /scannow

- Memeriksa dan memperbaiki file sistem Windows yang rusak atau hilang.

  (Tidak bisa capture karena tidak ada file saya yang rusak/hilang)

10. diskpart

- Membuka tool untuk mengelola partisi dan disk di Windows.

  (Tidak bisa capture saya tidak ingin membuka Tools nya)

11. format [drive:]

- Memformat drive dengan sistem file yang baru.

  (Tidak bisa capture karena saya tidak ingin memformat nya)

12. shutdown /s /t 0

- Mematikan komputer secara langsung.

  (Tidak bisa capture saat Laptop mati / ter ShutDown)

13. shutdown /r /t 0

- Me-restart komputer secara langsung.

  (Tidak bisa capture saat Laptop mati / ter ShutDown)

14. mkdir [nama_folder]

- Membuat folder baru di lokasi yang sedang aktif di CMD.



```
PS C:\Users\Reno Budiman> mkdir contohsistemoperasi

    Directory: C:\Users\Reno Budiman

Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----         3/13/2025  12:44 PM                contohsistemoperasi

PS C:\Users\Reno Budiman> |
```

15. rmdir [nama_folder] /s /q

- Menghapus folder beserta isinya tanpa konfirmasi.



```
Microsoft Windows [Version 10.0.26100.3323]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Reno Budiman>rmdir contohsistemoperasi /s /q
```

16. del [nama_file]

- Menghapus file yang ditentukan.

  (Tidak bisa capture karena tidak ada yang ingin saya hapus)

17. cls

- Membersihkan layar CMD agar terlihat lebih rapi.



```
C:\Users\Nayunda Krisna>
```

18. echo [teks]

- Menampilkan teks yang ditentukan di layar CMD.



```
PS C:\Users\Reno Budiman> echo Halo Bu Dyah, semoga puasanya lancar ya bu!
Halo
Bu
Dyah
semoga
puasanya
lancar
ya
bu!
PS C:\Users\Reno Budiman> |
```

19. wmic bios get serialnumber

- Menampilkan nomor seri BIOS komputer.



```
C:\Users\Nayunda Krisna>wmic bios get serialnumber
SerialNumber
MP2HQSK1
```

20. systeminfo

- Menampilkan informasi lengkap tentang sistem, termasuk versi Windows, prosesor, dan memori.



```
C:\Users\Nayunda Krisna>systeminfo

Host Name:                     LAPTOP-HLD9ETME
OS Name:                       Microsoft Windows 11 Home Single Language
OS Version:                    10.0.26100 N/A Build 26100
OS Manufacturer:               Microsoft Corporation
OS Configuration:              Standalone Workstation
OS Build Type:                 Multiprocessor Free
Registered Owner:              Nayunda Krisna
Registered Organization:       N/A
Product ID:                    00342-42695-12365-AAOEM
Original Install Date:         12/5/2024, 10:33:00 AM
System Boot Time:              3/19/2025, 5:19:15 PM
System Manufacturer:           LENOVO
System Model:                  83DV
System Type:                   x64-based PC
Processor(s):                  1 Processor(s) Installed.
                               [01]: Intel64 Family 6 Model 183 Stepping 1 GenuineIntel ~2400 Mhz
BIOS Version:                  LENOVO NECN38WW, 7/19/2024
Windows Directory:             C:\WINDOWS
System Directory:              C:\WINDOWS\system32
Boot Device:                   \Device\HarddiskVolume1
System Locale:                 en-us;English (United States)
Input Locale:                  en-us;English (United States)
Time Zone:                     (UTC+07:00) Bangkok, Hanoi, Jakarta
Total Physical Memory:         12,064 MB
Available Physical Memory:     6,588 MB
Virtual Memory: Max Size:      24,864 MB
Virtual Memory: Available:     14,615 MB
Virtual Memory: In Use:        10,249 MB
Page File Location(s):         C:\pagefile.sys
Domain:                        WORKGROUP
Logon Server:                  \\LAPTOP-HLD9ETME
Hotfix(s):                     3 Hotfix(s) Installed.
                               [01]: KB5050577
                               [02]: KB5053598
                               [03]: KB5052915
Network Card(s):               3 NIC(s) Installed.
                               [01]: Realtek PCIe GbE Family Controller
                                     Connection Name: Ethernet
```