

AzGuard

Azure NSG Compliance Report

Scan Date: 2026-07-29 12:54:01

NSGs Scanned: 1


Security Rules: 4

Checks Performed: 19

CIS Microsoft Azure Foundations Benchmark v3.0.0

Executive Summary

Total Checks	19
Passed	3
Failed	8
Manual Check	8



Per-NSG Breakdown

Global / Manual Checks
Cross-NSG / Tenant-level checks (see table) — Pass: 0, Fail: 0, Manual: 8
violation-nsg
eastus — Pass: 3, Fail: 8, Manual: 0
NSG 'violation-nsg' has an inbound rule 'RDP' allowing Tcp traffic from the inte

Findings Detail

Control	Status	Severity	NSG	Rule	Evidence
7.1	FAIL	Critical	violation-nsg	RDP	NSG 'violation-nsg' has an inbound rule 'RDP' allowing Tcp traffic from the internet to ports 3389. RDP exposed to Internet
7.2	FAIL	Critical	violation-nsg	SSH	NSG 'violation-nsg' has an inbound rule 'SSH' allowing Tcp traffic from the internet to ports 22. SSH exposed to Internet
7.3	PASS	High	violation-nsg	—	NSG 'violation-nsg' has no inbound rules allowing Udp traffic from the internet to ports {161, 389, 53, 123, 1900}. Sensitive UDP ports exposed to Internet
7.4	FAIL	Medium	violation-nsg	HTTP	NSG 'violation-nsg' has an inbound rule 'HTTP' allowing Tcp traffic from the internet to ports 80. HTTP/S exposed to Internet
7.4	FAIL	Medium	violation-nsg	HTTPS	NSG 'violation-nsg' has an inbound rule 'HTTPS' allowing Tcp traffic from the internet to ports 443. HTTP/S exposed to Internet
7.11	FAIL	Medium	violation-nsg	—	NSG 'violation-nsg' is not associated with any subnets. This may indicate that the NSG is not being used.
2.1.2	MANUAL	Medium	Global / Manual Checks	—	No Databricks subnets found in any NSG. Manual verification of Databricks subnet NSG assignments is required.
6.1.1.5	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure NSG flow logs are captured and sent to Log Analytics.
6.1.1.6	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure VNet flow logs are captured and sent to Log Analytics.
6.1.2.3	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure Activity Log Alert exists for Create or Update Network Security Group.
6.1.2.4	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure Activity Log Alert exists for Delete Network Security Group.
7.6	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure Network Watcher is enabled for all Azure regions in use.
7.16	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure Network Security Perimeter is used to secure PaaS resources.
8.5	MANUAL	Medium	Global / Manual Checks	—	Cannot be automated from NSG data alone. Manual verification required: ensure DDoS Network Protection is enabled on virtual networks.

Additional Checks

Status	Severity	NSG	Rule	Evidence
PASS	Critical	violation-nsg	—	NSG 'violation-nsg' has no inbound rules allowing all traffic from the internet to all ports.
FAIL	High	violation-nsg	—	NSG 'violation-nsg' does not have a custom deny all inbound rule. This is a security risk.
FAIL	Critical	violation-nsg	RDP	NSG 'violation-nsg' has inbound rule 'RDP' exposing non-web ports 3389 to the internet.
FAIL	Critical	violation-nsg	SSH	NSG 'violation-nsg' has inbound rule 'SSH' exposing non-web ports 22 to the internet.

Status	Severity	NSG	Rule	Evidence
PASS	Low	violation-nsg	—	NSG 'violation-nsg' has no inbound rules allowing traffic from specific IP addresses. Consider using an Application Security Group (ASG) for better management.

Anomaly Detection

No anomalous rules detected.

AI-Generated Narrative

Executive Summary

Our security scan revealed 19 findings across various severity levels, with a majority being critical issues. The findings indicate that several Network Security Groups (NSGs) are not properly configured, exposing sensitive resources to the internet. Our review highlights three most critical issues: RDP and SSH exposure, lack of deny-all rules, and missing subnet associations for Databricks.

Detailed Findings

- Finding Name/ID: 7.1
 - Issue: NSG 'violation-nsg' has an inbound rule 'RDP' allowing Tcp traffic from the internet to ports 3389.
 - Risk: RDP exposed to Internet, making it vulnerable to remote attacks.
 - Fix Command:
````az network nsg rule create --name "Deny-RDP" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 3389  
````
- Finding Name/ID: 7.2
 - Issue: NSG 'violation-nsg' has an inbound rule 'SSH' allowing Tcp traffic from the internet to ports 22.
 - Risk: SSH exposed to Internet, making it vulnerable to brute-force attacks.
 - Fix Command:
````az network nsg rule create --name "Deny-SSH" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 22  
````
- Finding Name/ID: N/A (Critical)
 - Issue: NSG 'violation-nsg' has no inbound rules allowing all traffic from the internet to all ports.
 - Risk: Missing deny-all rule, potentially exposing resources to unauthorized access.
 - Fix Command:
````az network nsg rule create --name "Deny-All" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action reject --outbound-ports \*  
````
- Finding Name/ID: N/A (Critical)
 - Issue: NSG 'violation-nsg' has an inbound rule 'RDP' exposing non-web ports 3389 to the internet.
 - Risk: RDP exposed to Internet, making it vulnerable to remote attacks.
 - Fix Command:
````az network nsg rule create --name "Deny-RDP-NonWeb" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 3389  
````
- Finding Name/ID: N/A (Critical)
 - Issue: NSG 'violation-nsg' has an inbound rule 'SSH' exposing non-web ports 22 to the internet.
 - Risk: SSH exposed to Internet, making it vulnerable to brute-force attacks.
 - Fix Command:
````az network nsg rule create --name "Deny-SSH-NonWeb" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 22  
````

```

az network nsg rule create --name "Deny-SSH-NonWeb" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 22
```

6.
- Finding Name/ID: 7.3
- Issue: NSG 'violation-nsg' has no inbound rules allowing Udp traffic from the internet to ports {161, 389, 53, 123, 1900}.
- Risk: Sensitive UDP ports exposed to Internet.
- Fix Command:
  ```
  az network nsg rule create --name "Deny-Udp" --nsg-name "violation-nsg" --protocol udp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 161,389,53,123,1900
  ```

7.
- Finding Name/ID: N/A (Critical)
- Issue: NSG 'violation-nsg' does not have a custom deny all inbound rule.
- Risk: Missing deny-all rule, potentially exposing resources to unauthorized access.
- Fix Command:
  ```
  az network nsg rule create --name "Deny-All" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action reject --outbound-ports *
  ```

8.
- Finding Name/ID: 7.4
- Issue: NSG 'violation-nsg' has an inbound rule 'HTTP' allowing Tcp traffic from the internet to ports 80.
- Risk: HTTP exposed to Internet, making it vulnerable to malicious requests.
- Fix Command:
  ```
  az network nsg rule create --name "Deny-HTTP" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 80
  ```

9.
- Finding Name/ID: 7.4
- Issue: NSG 'violation-nsg' has an inbound rule 'HTTPS' allowing Tcp traffic from the internet to ports 443.
- Risk: HTTPS exposed to Internet, making it vulnerable to malicious requests.
- Fix Command:
  ```
  az network nsg rule create --name "Deny-HTTPS" --nsg-name "violation-nsg" --protocol tcp --direction inbound --priority 1000 --access deny --action reject --outbound-ports 443
  ```

10.
- Finding Name/ID: N/A (Critical)
- Issue: NSG 'violation-nsg' is not associated with any subnets.
- Risk: Missing subnet association, potentially exposing resources to unauthorized access.
- Fix Command:
  ```
  az network nsg create-association --name "Add-SNTPSubnet" --nsg-name "violation-nsg" --subnet-name "your_subnet_name"
  ```

11.
- Finding Name/ID: 2.1.2
- Issue: No Databricks subnets found in any NSG.
- Risk: Missing subnet association, potentially exposing resources to unauthorized access.
- Fix Command:
  ```
  az network nsg rule create --name "Add-DatabricksSubnet" --nsg-name "violation-nsg" --protocol any --direction outbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "your_databricks_subnet_name"
  ```

12.
- Finding Name/ID: 6.1.1.5
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for flow logs capture and sent to Log Analytics.
- Fix Command:
  ```
  ```

```

```
az network nsg rule create --name "Add-FlowLog" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "your_vnet_id"
```
```

13.

- Finding Name/ID: 6.1.1.6
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for VNet flow logs capture and sent to Log Analytics.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-VNetFlowLog" --nsg-name "violation-nsg" --protocol any --direction outbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "your_vnet_id"
```
```

14.

- Finding Name/ID: 6.1.2.3
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for Activity Log Alert for Create or Update Network Security Group.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-AuditAlert" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "your_vnet_id"
```
```

15.

- Finding Name/ID: 6.1.2.4
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for Activity Log Alert for Delete Network Security Group.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-AuditAlert" --nsg-name "violation-nsg" --protocol any --direction outbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "your_vnet_id"
```
```

16.

- Finding Name/ID: 7.6
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for Network Watcher in all Azure regions used.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-NetWatcher" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "*"
```
```

17.

- Finding Name/ID: 7.16
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for Network Security Perimeter to secure PaaS resources.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-NetPerimeter" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "*"
```
```

18.

- Finding Name/ID: 8.5
- Issue: Cannot be automated from NSG data alone.
- Risk: Manual verification required for DDoS Network Protection on virtual networks.
- Fix Command:

```
```azurecli
```

```
az network nsg rule create --name "Add-DDoSProtection" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --access allow --action allow --outbound-ports all --destination-address-prefix "*"
```
```

19.

- Finding Name/ID: N/A (Low)
- Issue: NSG 'violation-nsg' has no inbound rules allowing traffic from specific IP addresses.
- Risk: Missing IP address filtering, potentially exposing resources to unauthorized access.
- Fix Command:

```
```\nazurecli\naz network nsg rule create --name "Add-IPFilter" --nsg-name "violation-nsg" --protocol any --direction inbound --priority 1000 --\naccess deny --action allow --outbound-ports all --destination-address-prefix "your_ip_address"\n```\n
```

Note: The provided commands are examples and should be modified according to your specific requirements.