

INDEPENDENT PEER-REVIEW PACKET

P02-LM-005

Uniform Exact Nine-Jet Gaussian Density and Moment Interface

Cold Review Packet 18 of 20

Dylan M. Roy Mathematical Research Program

Prepared for independent validation - 27 July 2026

This packet is self-contained for mathematical review. Drive access is supplemental, not required to understand the claim and proof.

READ FIRST

You are being asked to review one narrow terminal object, not the wider q0/P0.2/Theorem B research program. The declared terminal label is an internal research-state classification. Your task is to decide whether the exact statement and its proof/evidence are correct within the stated hypotheses and exclusions.

1. Pass A - Independent reconstruction. Read the exact statement, notation, and hypotheses. Attempt your own derivation or falsification before reading the embedded historical review record.
2. Pass B - Source audit. Compare your reconstruction with the complete controlling source text embedded in Part II. Check every dependency, sign, factor, quantifier, scope boundary, and computational claim.
3. Pass C - Hostile review. Run the object-specific focal checks and invent at least one additional mutation or counterexample attempt.
4. Issue one fail-closed verdict: APPROVE; APPROVE WITH CLARIFICATIONS; AMEND REQUIRED; REJECT; or CANNOT VERIFY.

Do not transfer approval to excluded downstream claims. Do not count access to this packet, the author, or another reviewer as independent mathematical evidence.

Part I - Exact Review Object

Packet	18 of 20
Object ID	P02-LM-005
Object class	Gaussian conditional regularity lemma
Exact statement	For the exact side-24 six-pin conditional law $\gamma_r = N(m_r, \Sigma_r)$ of the nine-jet J_r , m_r and Σ_r extend continuously through $r=0$, Σ_0 is positive definite, and on one small- r interval the density has a Gaussian upper envelope, positive compact-set minima, and uniformly bounded fixed moments.
Internal terminal label	CLOSED - EXACT UNIFORM NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE
Terminal date	2026-07-24
Recommended expertise	Gaussian random fields / Fourier analysis / conditional covariance

1. Significance

This object was separated from larger theorem claims so that its correctness can be assessed without accepting unrelated Gaussian-field, persistence, adjacency, or asymptotic assertions. A positive review supports only the exact statement above and the dependency uses explicitly listed below.

2. Evidence class and prior review

Evidence	Confluent divided-difference frame, Fourier positivity, Schur complement, density envelope, and moment deductions.
Prior review record	Anthropic structurally reconstructed the frame, positive definiteness, continuity, and compact-density consequences.
Binding exclusions	No explicit numerical covariance constants, normalizer asymptotic, Palm probability, P0.1, or P0.2.

3. Dependency map and use restrictions

- Inputs: only definitions, hypotheses, and subordinate identities explicitly reproduced in the controlling source text.
- Output: only the exact statement listed in the review-object table.
- Permitted downstream use: as a cited lemma/interface under identical object definitions and hypotheses.

- Forbidden transfer: no approval of a parent theorem, numerical constant, external release, or canonical promotion unless separately reviewed.
- Object-specific exclusions: No explicit numerical covariance constants, normalizer asymptotic, Palm probability, P0.1, or P0.2.

4. Object-specific hostile checks

- Reconstruct the confluent frame and its limiting functionals.
- Prove the limiting Gram and target Schur complement are positive definite.
- Derive the density envelope, compact minimum, and all fixed-moment bounds from uniform covariance control.
- Attempt at least one additional mutation that changes an orientation, sign, normalization, law, endpoint, or quantifier while leaving the text superficially similar.

5. Proof-obligation ledger

Obligation	Reviewer test	Initial state
O1 Object identity	Definitions, ordering, normalization, and law match the statement.	OPEN FOR REVIEW
O2 Hypotheses	Every hypothesis used is stated and no stronger premise is hidden.	OPEN FOR REVIEW
O3 Derivation	Each algebraic, analytic, topological, or probabilistic step is valid.	OPEN FOR REVIEW
O4 Quantifiers	Uniformity, existence, endpoint, and asymptotic quantifiers are correct.	OPEN FOR REVIEW
O5 Computation	Any executable or interval result is reproducible and non-vacuous.	OPEN FOR REVIEW
O6 Scope firewall	The conclusion is not silently enlarged beyond the exact object.	OPEN FOR REVIEW
O7 Contradictions	No known correction, counterexample, or retained caveat defeats the claim.	OPEN FOR REVIEW

Part II - Complete Controlling Source Text

The following is a paragraph-order-preserving text reproduction of the controlling Drive artifact. Typography is normalized for this packet; mathematical content is not intentionally rewritten. Use the manifest URL for native-file or byte-level checks.

CONTENT-IDENTITY QUALIFICATION — LS-DATA-010-v1.0 — 2026-07-26

The original LCR-CAP-016 / P02-LM-005 mathematical closure remains unchanged within its declared qualitative exact six-pin nine-jet regularity scope. Its historical independent review CL-AUD-074 was structural and did not bind this Google Doc to a byte hash.

A separate current-state snapshot now exists:

LS-DATA-010-v1.0

Drive ID: 1eiekdmMQgSBQIgcWZMc5sMBCPhT5TZsRQG4TmzPEj4s

BODY_BYTES: 13,232

SHA-256: 0d1776abef7e8fa03bc7492c9fb864d33f7a34f2f526281066b40cc47fb98741

Rule family: LMC-1

<https://docs.google.com/document/d/1eiekdmMQgSBQIgcWZMc5sMBCPhT5TZsRQG4TmzPEj4s/edit>

The snapshot exactly matches this object's normalized current text/plain export. It improves reconstructability but does not retroactively convert CL-AUD-074 into a hash-specific review. Downstream users may cite the mathematical closure and the current snapshot separately, with no automatic review-transfer claim.

Extraction standard:

https://docs.google.com/document/d/1TK_RN3kLO2a03WB8yjX0YJqhC_BW_FyJubtQ5Qf859U/edit

[[MATHEMATICAL-CLOSURE:RETAINED]] [[CURRENT-APSHOT:0d1776ab]] [[HASH-REVIEW:OPEN]] [[NO-SCOPE-EXPANSION]]

LCR-CAP-016-v1.0 — P02-LM-005 CLOSED UNIFORM EXACT NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE

PEER-REVIEW CAPSULE AND TERMINAL RECORD

Artifact ID: LCR-CAP-016-v1.0

Lemma ID: P02-LM-005

Closure ID: LCR-CLS-015-v1.0

Prepared and adjudicated by: ChatGPT — OpenAI GPT-5.6 Thinking, Lemma Closure Director

Date: 2026-07-24

Class: CAP / CLS / EXACT FINITE-DIMENSIONAL GAUSSIAN REGULARITY

Authority: terminal lemma record within exact scope under OP-PROT-011

Canonical mathematical impact: NONE

Terminal label: CLOSED — EXACT UNIFORM NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE

[[OBJ:P02-LM-005]] [[STATUS:CLOSED-EXACT]] [[LAW:EXACT-SIX-PIN-CONDITIONAL-NINE-JET]] [[P0.2:OPEN]] [[P0.1:OPEN]]

1. READ FIRST

One-sentence result:

For the exact normalized-periodized side-24 six-pin conditional Gaussian law of the nine midpoint jets, the mean and covariance extend continuously through $r=0$ with a positive-definite limiting covariance; hence, on a sufficiently small common r -interval, the density has a uniform Gaussian upper envelope, is uniformly positive on every fixed compact set, and all fixed polynomial moments are uniformly bounded.

Why it matters:

This closes the finite-dimensional Gaussian regularity interface used by:

- - P02-LM-003 hypothesis H1;
- - P02-LM-002's eighth-moment premise for the exact jet family;
- - compact-box probability lower bounds;
- - exact normalizer and endpoint-variable convergence arguments;
- - future conditional Gaussian density estimates.

Primary proof:

GP-DER-044-v1.0 — Exact-Torus Confluent Gaussian Regularity.
Drive ID: 1dn8BVsmScu690vX4Z_ewNgl0QRvMDBXcyzWiTtyJeho.

Independent review:

CL-AUD-074-v1.0, especially Q2.
Drive ID: 1dqPo81PbLBofWYbJXYi6q_gc9XzkLgo26ibC1vv9GIM.

The independent review structurally reconstructed the divided-difference frame, the confluent limits, the fifteen-functional Fourier-positivity argument, the Schur-complement covariance, and the compact density consequence. It expressly states that quantitative finite- r eigenvalue enclosures were not reproduced and are not needed for this qualitative existence lemma.

Current status:

CLOSED — EXACT UNIFORM NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE.

2. FROZEN EXACT OBJECT

Let f be the exact normalized-periodized Bargmann–Fock Gaussian field on the side-24 torus.

For each sufficiently small $r>0$, condition f on the exact six value/gradient pins defining the ordered pair with midpoint zero and endpoints

$M=(-r/2,0)$,
 $S=(+r/2,0)$,

in the physical pair chart.

Let

$J_r=(q,a,w,z,c40,c31,c22,c13,c04)$ in R^9

be the exact physical midpoint-jet coordinates in the convention used by GP-DER-043, GP-DER-044, GP-DER-047, GP-DER-116, and the governing six-pin object cards.

Let

$\gamma_r = \text{Law}(J_r \mid \text{exact six pins}) = N(m_r, \Sigma_r)$.

The six raw pins are represented for $r > 0$ by an invertible confluent divided-difference frame L_r whose $r \rightarrow 0$ limit is the six-functional frame

$(f, f_x, f_y, f_{xx}, f_{xy}, f_{xxx})$

at the midpoint, with the declared prescribed values.

THEOREM P02-LM-005.

There exists $r_{GR} > 0$ such that the following hold for every $0 \leq r \leq r_{GR}$, with $r=0$ interpreted through the confluent Gaussian limit:

1. m_r extends continuously to $r=0$ and

$$\sup_{\{0 \leq r \leq r_{GR}\}} \|m_r\| < \infty.$$

2. Σ_r extends continuously to $r=0$.

3. Σ_0 is positive definite.

4. Consequently, after decreasing r_{GR} if necessary, there exist constants

$$0 < \lambda_- \leq \lambda_+ < \infty$$

such that

$$\lambda_- I_9 \leq \Sigma_r \leq \lambda_+ I_9$$

for all $0 \leq r \leq r_{GR}$.

5. The Gaussian densities ϕ_r of γ_r are jointly continuous in (r, u) , strictly positive, and satisfy a uniform Gaussian upper envelope

$$\phi_r(u) \leq K \exp(-c \|u\|^2)$$

for constants $K, c > 0$ independent of r and u .

6. For every compact set $C \subset \mathbb{R}^9$,

$$\inf_{\{0 \leq r \leq r_{GR}, u \in C\}} \phi_r(u) > 0.$$

7. For every $p < \infty$,

$$\sup_{\{0 \leq r \leq r_{GR}\}} E_{\{\gamma_r\}}[(1 + \|J_r\|)^p] < \infty.$$

No numerical value of r_{GR} , λ_- , λ_+ , K , c , or the moment constants is asserted.

3. PROOF OF CONTINUITY AND POSITIVE DEFINITENESS

GP-DER-044 constructs an invertible divided-difference transformation from the six raw endpoint pins to a frame L_r whose components are analytic divided differences and which extends continuously through $r=0$.

Every covariance between transformed pins and the nine midpoint targets is obtained by applying finitely many derivatives and divided differences to the exact periodized analytic covariance kernel. The apparent singularities are removable. Therefore the joint covariance matrix of

$$(L_r, J_r)$$

extends continuously through $r=0$.

At $r=0$, the fifteen limiting functionals have distinct polynomial Fourier symbols. The periodized Gaussian has strictly positive spectral weight at every lattice frequency. If a linear combination had zero variance, its finite-degree polynomial symbol would vanish on the entire integer lattice. The polynomial-lattice argument forces every coefficient to vanish. Hence the limiting fifteen-functional Gram matrix is positive definite.

The six-pin limiting Gram is therefore positive definite. The conditional nine-jet covariance Σ_0 is its Schur complement in the full positive-definite fifteen-functional Gram, and is positive definite.

Continuity of the joint covariance and inversion of the uniformly nonsingular six-pin block give continuity of the conditional mean and covariance.

Positive definiteness of Σ_0 plus continuity implies the uniform eigenvalue bounds on a sufficiently small compact r -interval.

4. UNIFORM DENSITY ENVELOPE

Let $d=9$ and let

$$M = \sup_{\{0 \leq r \leq r_{GR}\}} \|m_r\|.$$

The density is

$$\begin{aligned} \phi_r(u) &= (2\pi)^{-d/2} (\det \Sigma_r)^{-1/2} \\ &\exp[-(1/2)(u - m_r)^T \Sigma_r^{-1}(u - m_r)]. \end{aligned}$$

The eigenvalue bounds give

$$(\det \Sigma_r)^{-1/2} \leq \lambda_-^{-d/2}$$

and

$$\begin{aligned} (u - m_r)^T \Sigma_r^{-1}(u - m_r) \\ \geq \|u - m_r\|^2 / \lambda_+. \end{aligned}$$

Using

$$\|u - m_r\|^2 \geq \|u\|^2/2 - M^2,$$

one obtains

$$\begin{aligned} \phi_r(u) &\leq (2\pi)^{-d/2} \lambda_-^{-d/2} \\ &\exp[M^2/(2\lambda_+)] \\ &\exp[-\|u\|^2/(4\lambda_+)]. \end{aligned}$$

Thus one may take

$$c = 1/(4\lambda_+)$$

and the displayed finite K .

This proves the exact density-envelope interface required by P02-LM-003.

5. COMPACT-SET DENSITY LOWER BOUND

The map

$$(r, u) \mapsto \phi_r(u)$$

is continuous and strictly positive on

$$[0, r_{GR}] \times C$$

for every compact C . The extreme-value theorem therefore gives a strictly positive minimum.

This is an existence result. It does not require an explicit interval enclosure of Σ_r .

6. UNIFORM MOMENTS

Write

$$J_r = m_r + \Sigma_r^{1/2} Z,$$

where Z is a standard nine-dimensional Gaussian and the positive square root is chosen continuously.

Uniform boundedness of m_r and the covariance operator gives

$$\|J_r\| \leq M + \sqrt{\lambda_+} \|Z\|.$$

Every finite Gaussian moment of $\|Z\|$ is finite. Therefore every fixed polynomial moment of J_r is uniformly bounded.

In particular, with

$$R(J_r)=1+|q|+|a|+|w|+|z|+|c_{40}|+|c_{31}|+|c_{22}|+|c_{13}|+|c_{04}|,$$

one has

$$\sup_{\{0 \leq r \leq r_{GR}\}} E[R(J_r)^8] < \infty.$$

Combined with closed P02-LM-002, this yields

$$E[W_r^2] = O(r^4)$$

for the exact jet-law family whenever W_r is the endpoint-weight object frozen in P02-LM-002.

7. PROOF-OBLIGATION LEDGER

G1 — Exact law and jet ordering.

Status: PASS. GP-DER-116 and CL-AUD-074 Q1 use the identical γ_r and nine-jet ordering.

G2 — Invertible divided-difference frame for $r > 0$.

Status: PASS.

G3 — Correct confluent limit through order three.

Status: PASS. CL-AUD-074 independently verified the load-bearing coefficient in $L5 \rightarrow f_{xxx}$ is exactly one.

G4 — Joint covariance continuity through $r=0$.

Status: PASS by analytic-kernel divided differences.

G5 — Limiting fifteen-functional linear independence.

Status: PASS by Fourier positivity and polynomial-lattice separation.

G6 — Limiting conditional covariance positive definite.

Status: PASS by Schur complement.

G7 — Uniform eigenvalue bounds on a small r -interval.

Status: PASS by continuity and positive-definite limit.

G8 — Joint density continuity and positivity.

Status: PASS.

G9 — Uniform Gaussian upper envelope.

Status: PASS by explicit eigenvalue and mean bounds.

G10 — Compact density minimum.

Status: PASS.

G11 — Uniform polynomial moments.

Status: PASS.

G12 — No finite-Q4/exact-field conflation.

Status: PASS. γ_r is the exact conditional Gaussian law of the jets; “finite-Q4” in EC-021 refers to the weight/event built on that law, not to a different Gaussian jet distribution.

8. INDEPENDENT REVIEW

CL-AUD-074 is an organizationally distinct Anthropic review of GP-DER-116 and its GP-DER-044 dependency.

Relevant independent checks include:

- - invertibility and confluent behavior of the divided-difference frame;
- - exact L5 coefficient;
- - distinct fifteen-function polynomial symbols;
- - validity of the Fourier-positive polynomial-lattice argument;
- - continuity of Sigma_r and positive definiteness of Sigma_0;
- - deduction of uniform eigenvalue bounds;
- - joint density continuity and strict positivity;
- - compact-set positive density minimum.

Review classification:

ORGANIZATIONALLY DISTINCT / STRUCTURAL ANALYTIC RECONSTRUCTION / ORIGINAL PROOF VISIBLE.

Limitations disclosed by CL-AUD-074:

- - no quantitative finite-r covariance eigenvalue enclosures;
- - no explicit r_GR;
- - strict positivity of every side-24 spectral weight accepted through the periodized-Gaussian structure rather than independently numerically tabulated.

These limitations do not affect the qualitative existence theorem frozen here.

9. EDGE CASES AND FALSIFIERS

r=0:

Handled as the confluent Gaussian limit, not as raw coincident endpoint conditioning.

Potential covariance singularity:

The theorem fails if Sigma_0 is singular. The fifteen-functional Fourier-symbol proof excludes this.

Changing-law issue:

The theorem concerns parameter continuity of finite-dimensional Gaussian laws. No ordinary dominated-convergence argument across unrelated probability spaces is required.

Unbounded u:

Handled by the explicit Gaussian upper envelope.

Fixed compact set:

The lower density bound is uniform on any fixed compact C, but no global positive lower bound is claimed.

Quantitative interval claim:

None is made. A numerical r_GR or explicit lambda_- would require a separate covariance-enclosure computation.

Object mutation:

If the jet ordering, normalization, torus covariance, or six-pin conditioning changes, this lemma does not automatically transfer.

10. EXCLUSIONS

This closed lemma does not establish:

- - a numerical covariance matrix;
- - an explicit finite r_{GR} ;
- - a global density lower bound on R^9 ;
- - exact endpoint-Hessian capture;
- - any determinant-weight normalizer;
- - any Palm probability;
- - P0.1 or P0.2;
- - a finite-Q4/exact-field weight identity;
- - theorem promotion or release.

11. CLOSURE DECISION

Closure ID: LCR-CLS-015-v1.0

Lemma ID: P02-LM-005

Date: 2026-07-24

Terminal label:

CLOSED — EXACT UNIFORM NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE.

Decisive evidence:

- - exact analytic-kernel confluent-frame proof;
- - positive-definite fifteen-functional Fourier-symbol argument;
- - Schur-complement conditional covariance;
- - organizationally distinct structural reconstruction;
- - elementary explicit density-envelope and moment deductions;
- - complete object and scope fence.

OP-PROT-011 independent-eyes condition is satisfied by CL-AUD-074. This closure extracts a reusable exact Gaussian interface from the already reviewed EC-021 proof stack. It does not reopen or broaden EC-021.

12. DOWNSTREAM USAGE

Authorized uses include:

A. P02-LM-003 H1:

$$\phi_{i_r}(q, u) \leq K \exp(-c ||(q, u)||^2),$$

or the weaker U-only envelope obtained by dropping q from the norm.

B. P02-LM-002 moment premise:

$$\sup E[R^8] < \infty.$$

C. Compact-box lower mass:

$$\inf_{\{r, u \in C\}} \phi_r(u) > 0.$$

D. Weak convergence and uniform-integrability arguments for polynomial jet observables.

Every downstream use must preserve the exact six-pin law and nine-jet normalization.

13. REOPENING CONDITIONS

Reopen if:

- - the exact six-pin or jet object is redefined;
- - the limiting fifteen-functional Gram is shown singular;
- - a Fourier weight vanishes;
- - a confluent-frame coefficient or covariance limit is corrected;
- - a downstream artifact applies the result to a different law without a crosswalk.

Do not reopen because explicit constants or a larger r interval are desired.

14. MANIFEST

Primary proof:

- - GP-DER-044-v1.0
- - Drive ID 1dn8BVsmScu690vX4Z_ewNgl0QRvMDBXcyzWiTtyJeho

Reviewed consuming theorem:

- - GP-DER-116-v1.0
- - Drive ID 1LFhBohVz6gtBSYXPPtApPt1tD2CgsoZMKrneBcAP58E

Independent review:

- - CL-AUD-074-v1.0
- - Drive ID 1dqPo81PbLBofWYbJXYi6q_gc9XzkLgo26ibC1vv9GlM

Closure capsule:

- - LCR-CAP-016-v1.0 / LCR-CLS-015-v1.0
- - Drive ID 1e8u5p9b4lEnRaZRNytj2Tu9ncAS1OnjhRbi4FP0hYU4

15. FINAL CHECKLIST

Exact object: PASS.

Continuity: PASS.

Positive-definite limit: PASS.

Density envelope: PASS.

Compact density lower bound: PASS.
Uniform moments: PASS.
Independent review: PASS.
Quantitative limitations explicit: PASS.
Finite-Q4/exact-field law separation: PASS.
P0.1/P0.2 scope fence: PASS.

FINAL VERDICT:

APPROVE AND CLOSE P02-LM-005 WITHIN THE EXACT SIX-PIN CONDITIONAL NINE-JET GAUSSIAN REGULARITY SCOPE.

END LCR-CAP-016-v1.0

Part III - Terminal-State Reconciliation

1. Closure decision

Exact internal disposition	CLOSED - EXACT UNIFORM NINE-JET GAUSSIAN DENSITY AND MOMENT INTERFACE
Closure date	2026-07-24
Evidence basis	Confluent divided-difference frame, Fourier positivity, Schur complement, density envelope, and moment deductions.
Independent review already recorded	Anthropic structurally reconstructed the frame, positive definiteness, continuity, and compact-density consequences.

The prior closure record is evidence about the research program's internal state, not a substitute for your review. A new material objection should be reported even if the internal label is CLOSED.

2. Correction and reopening rule

Reopen or amend this object if you identify a counterexample, an object-definition mismatch, a sign/factor/quantifier defect, an unreproducible decisive computation, a hidden premise, or a scope claim not supported by the proof. Corrections must be additive and must preserve the historical source and review record.

3. Limits

- No explicit numerical covariance constants, normalizer asymptotic, Palm probability, P0.1, or P0.2.
- A correct lemma may still be unusable downstream if another dependency uses a different field, law, coordinate convention, branch mark, normalization, or parameter domain.
- A prior independent review does not reduce your duty to reconstruct the argument; duplicate lineages must not be counted as additional independence.

Part IV - Reproduction Instructions

- Record your name, institution or affiliation, expertise, date, and any prior exposure to this research program.
- Reconstruct the exact statement from Part I without relying on the historical verdict.
- Audit Part II line by line. For computational objects, obtain the raw carrier from the manifest, verify hashes first, inspect source safety, then execute in a clean environment.
- Complete the obligation ledger and hostile checks. Preserve exact counterexamples, code, logs, and environment details.
- Return the verdict form below plus a finding list with severity: critical, material, clarification, editorial, or no issue.

Part V - Reviewer Verdict Form

Reviewer	_____
Affiliation / expertise	_____
Prior exposure	None / limited / substantial - explain: _____
Independent reconstruction	Complete / partial / not possible
Verdict	APPROVE / APPROVE WITH CLARIFICATIONS / AMEND REQUIRED / REJECT / CANNOT VERIFY
Exact scope accepted	_____
Critical or material findings	_____ _____
Reproduction artifacts	Code/log/hash/location: _____

Signature and date

Required narrative: summarize your independent derivation; list every disagreement; state whether each issue affects the theorem statement, only the proof, only reviewability/reproducibility, or only presentation. State explicitly which excluded claims you did not review.

Part VI - Manifest and Provenance

Controlling source: <https://docs.google.com/document/d/1e8u5p9b4lEnRaZRNYtj2Tu9ncAS1OnjhRbi4FP0hYU4/edit>

Closure / terminal record: <https://docs.google.com/document/d/1e8u5p9b4lEnRaZRNYtj2Tu9ncAS1OnjhRbi4FP0hYU4/edit>

Local source snapshot used to construct this packet: LCR-CAP-016-v1.0 — P02-LM-005 Closed Uniform Exact Nine-Jet Gaussian Density and Moment Interface

Local source snapshot SHA-256 (DOCX export, transport checksum only):
83bc9793b89037f0f445f40e2d9bc7930ba5a21a6bdb9b2ed51de82082897c60

Authority note: the transport checksum above identifies the locally downloaded Office export used for packet construction. It is not substituted for any marker-delimited frozen-body hash declared inside the source artifact.

Supplemental Drive access may be granted for raw capsules, revision history, comments, exact native exports, and dependency artifacts. The packet is designed so that those materials strengthen reproducibility rather than supply missing mathematical context.