

INDEPENDENT PEER-REVIEW PACKET

P02-LM-007

Uniform Conditioned Fifth-Derivative Supremum Tail

Cold Review Packet 19 of 20

Dylan M. Roy Mathematical Research Program

Prepared for independent validation - 27 July 2026

This packet is self-contained for mathematical review. Drive access is supplemental, not required to understand the claim and proof.

READ FIRST

You are being asked to review one narrow terminal object, not the wider q0/P0.2/Theorem B research program. The declared terminal label is an internal research-state classification. Your task is to decide whether the exact statement and its proof/evidence are correct within the stated hypotheses and exclusions.

1. Pass A - Independent reconstruction. Read the exact statement, notation, and hypotheses. Attempt your own derivation or falsification before reading the embedded historical review record.
2. Pass B - Source audit. Compare your reconstruction with the complete controlling source text embedded in Part II. Check every dependency, sign, factor, quantifier, scope boundary, and computational claim.
3. Pass C - Hostile review. Run the object-specific focal checks and invent at least one additional mutation or counterexample attempt.
4. Issue one fail-closed verdict: APPROVE; APPROVE WITH CLARIFICATIONS; AMEND REQUIRED; REJECT; or CANNOT VERIFY.

Do not transfer approval to excluded downstream claims. Do not count access to this packet, the author, or another reviewer as independent mathematical evidence.

Part I - Exact Review Object

Packet	19 of 20
Object ID	P02-LM-007
Object class	Gaussian-process concentration lemma
Exact statement	Under the exact six endpoint value/gradient pins for the side-24 normalized-periodized Bargmann-Fock field, the fifth-derivative supremum $H_{\{5,r\}}(D+)$ has a uniform sub-Gaussian tail; in particular $Q_{\{6,r\}}(H5>r^{\wedge}1) \leq C \exp(-c r^{\wedge}2)=o(r^{\wedge}p)$ for every $p>0$.
Internal terminal label	CLOSED - EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL
Terminal date	2026-07-25
Recommended expertise	Gaussian processes / concentration inequalities / random fields

1. Significance

This object was separated from larger theorem claims so that its correctness can be assessed without accepting unrelated Gaussian-field, persistence, adjacency, or asymptotic assertions. A positive review supports only the exact statement above and the dependency uses explicitly listed below.

2. Evidence class and prior review

Evidence	Exact conditioning interface, signed-index Dudley entropy proof, Borell-TIS, source identity, and nine adversarial mutations.
Prior review record	Anthropic exact-hash review passed T1-T14 and all hostile mutations.
Binding exclusions	No Palm tail by itself; no lower-jet probability, normalizer, exact-field capture, P0.2, or numerical accessible-r threshold.

3. Dependency map and use restrictions

- Inputs: only definitions, hypotheses, and subordinate identities explicitly reproduced in the controlling source text.
- Output: only the exact statement listed in the review-object table.
- Permitted downstream use: as a cited lemma/interface under identical object definitions and hypotheses.
- Forbidden transfer: no approval of a parent theorem, numerical constant, external release, or canonical promotion unless separately reviewed.

- Object-specific exclusions: No Palm tail by itself; no lower-jet probability, normalizer, exact-field capture, P0.2, or numerical accessible-r threshold.

4. Object-specific hostile checks

- Verify conditional means and variances are uniformly bounded after pin coalescence.
- Check the signed-index construction for $\sup |Z|$ rather than the false two-suprema inequality.
- Reproduce the metric entropy bound, separability step, Borell-TIS application, and union over derivatives.
- Attempt at least one additional mutation that changes an orientation, sign, normalization, law, endpoint, or quantifier while leaving the text superficially similar.

5. Proof-obligation ledger

Obligation	Reviewer test	Initial state
O1 Object identity	Definitions, ordering, normalization, and law match the statement.	OPEN FOR REVIEW
O2 Hypotheses	Every hypothesis used is stated and no stronger premise is hidden.	OPEN FOR REVIEW
O3 Derivation	Each algebraic, analytic, topological, or probabilistic step is valid.	OPEN FOR REVIEW
O4 Quantifiers	Uniformity, existence, endpoint, and asymptotic quantifiers are correct.	OPEN FOR REVIEW
O5 Computation	Any executable or interval result is reproducible and non-vacuous.	OPEN FOR REVIEW
O6 Scope firewall	The conclusion is not silently enlarged beyond the exact object.	OPEN FOR REVIEW
O7 Contradictions	No known correction, counterexample, or retained caveat defeats the claim.	OPEN FOR REVIEW

Part II - Complete Controlling Source Text

The following is a paragraph-order-preserving text reproduction of the controlling Drive artifact. Typography is normalized for this packet; mathematical content is not intentionally rewritten. Use the manifest URL for native-file or byte-level checks.

TERMINAL CLOSURE — 2026-07-25

P02-LM-007 is CLOSED within the exact frozen scope.

Terminal label:

CLOSED — EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL

Closure record:

LCR-CLS-073-v1.0

<https://docs.google.com/document/d/1G6qQJ7y8YqX5NnJAE61LuO1XxkSOqLJN0NS2BIbuYmI/edit>

Authoritative frozen identity remains:

BODY_BYTES 8541

SHA-256 5267dc4be0fd7eb986d30eb4f5aa3a415a0ba250acdf5b31afc2f984bbe310c9

Independent exact-hash review:

CL-AUD-243-v1.0

https://docs.google.com/document/d/1_ObFRxEbqoHO-_pfW1bONWktid-07QofVbA2OeUMYLM/edit

This closure authorizes only the exact conditioned-law H5 tail and its stated small-r cutoff. P0.2 remains open and unpromoted.

[[STATUS:CLOSED-EXACT-SCOPE]] [[CLOSURE:LCR-CLS-073]] [[P0.2:OPEN]] [[NO-PROMOTION]]

ORGANIZATIONALLY DISTINCT EXACT-HASH APPROVAL — 2026-07-25

P02-LM-007 / this frozen LCR-DER-021-v1.0 body has been approved under the controlling LCR-REQ-023 packet.

Approved identity:

BODY_BYTES 8541

SHA-256 5267dc4be0fd7eb986d30eb4f5aa3a415a0ba250acdf5b31afc2f984bbe310c9

Review: CL-AUD-243-v1.0

https://docs.google.com/document/d/1_ObFRxEbqoHO-_pfW1bONWktid-07QofVbA2OeUMYLM/edit

Verdict: APPROVE P02-LM-007 FROZEN SHA256 5267dc4be0fd7eb986d30eb4f5aa3a415a0ba250acdf5b31afc2f984bbe310c9 EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL.

Credit firewall: CL-AUD-243 is the same Anthropic mathematical reconstruction as CL-AUD-234/237 and creates no additional organizational-independence credit. Scope is this exact object only. No P0.2 or theorem promotion follows.

[[EXTERNAL-EXACT-HASH:APPROVED]] [[INTERFACE:P02-LM-007]] [[SHARED-RECONSTRUCTION-CREDIT:ONE]] [[NO-PROMOTION]]

LCR-DER-021-v1.0 — P02-LM-007 EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL

Artifact ID: LCR-DER-021-v1.0

Lemma ID: P02-LM-007

Prepared by: ChatGPT — OpenAI GPT-5.6 Thinking, Lemma Closure and Peer-Review Readiness Director

Date: 2026-07-24

Class: DER / FROZEN EXACT GAUSSIAN-PROCESS LEMMA / COMPLETE PROOF CANDIDATE

Authority: research preparation only

Canonical mathematical impact: NONE

Independence credit: ZERO — same OpenAI organizational/model family

Primary sources: GP-DER-046-v1.0; LS-COR-001-v1.0; LCR-AUD-009-v1.0; exact six-pin confluent Gaussian interface

Status: OBJECT-FROZEN / COMPLETE SAME-LINE PROOF CANDIDATE / ORGANIZATIONALLY DISTINCT REVIEW
PENDING / P0.2 OPEN

Freeze policy: extract only the text after the LF ending BEGIN_FROZEN_LEMMA_BODY and before the first subsequent END_FROZEN_LEMMA_BODY line; normalize CRLF/CR to LF; remove trailing LF characters and append exactly one LF; encode as UTF-8 without BOM.

BODY_BYTES: 8541

BODY_SHA256: 5267dc4be0fd7eb986d30eb4f5aa3a415a0ba250acdf5b31afc2f984bbe310c9

```
[[TARGET:P02-LM-007]] [[BODY_BYTES:8541]]
[[BODY_SHA256:5267dc4be0fd7eb986d30eb4f5aa3a415a0ba250acdf5b31afc2f984bbe310c9]] [[STATUS:OBJECT-FROZEN]]
[[LAW:EXACT-SIDE24-SIX-PIN]] [[PROCESS:SIGNED-INDEX]] [[TAIL:CONDITIONED-LAW]] [[DM2:NOT-REQUIRED]]
[[STATUS:PROOF-CANDIDATE]] [[EXTERNAL-REVIEW:OPEN]] [[P0.2:OPEN]] [[NO-PROMOTION]]
```

BEGIN_FROZEN_LEMMA_BODY

P02-LM-007 — EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL

1. EXACT FIELD, PINS, AND CHART

Fix the normalized-periodized Bargmann–Fock Gaussian field on the side-24 flat torus and fix $b=6/5$. For every $r>0$ let

$$\begin{aligned} M &= (-r/2, 0), \\ S &= (+r/2, 0), \end{aligned}$$

and let $Q_{\{6,r\}}$ be the exact Gaussian field law conditioned on

$$(f, f_x, f_y)(M) = (b, 0, 0),$$

$$(f, f_x, f_y)(S) = (b - r^3/6, 0, 0).$$

Let D^+ be a fixed compact convex subset of $\mathbb{R}^2$ containing the complete scaled certificate chart. Choose $r_{\text{chart}}>0$ so that rD^+ lies in one fixed Euclidean lift of the torus whenever $0<r\leq r_{\text{chart}}$.

For a multi-index $\alpha=(\alpha_1, \alpha_2)$ with $|\alpha|=5$ define on the physical chart $K_r=rD^+$

$$x_{\{r, \alpha\}}(x) = \text{partial}^{\alpha} f(x)$$

under $Q_{\{6,r\}}$. Define

$$H_{\{5,r\}}(D^{+}) = \max_{\{|\alpha|=5\}} \sup_{\{x \in K_r\}} |X_{\{r,\alpha\}}(x)|.$$

There are exactly six multi-indices of total order five in two dimensions.

2. CONFLUENT CONDITIONING INPUT

Use the exact invertible six-pin confluent divided-difference frame L_r . Let G_r be its covariance matrix and y_r its prescribed value vector.

The exact six-pin Gaussian regularity interface supplies an $r_0 > 0$ such that for $0 \leq r \leq r_0$:

- - G_r extends continuously to $r=0$;
- - G_r is uniformly positive definite;
- - $\sup_r \|G_r^{-1}\| < \infty$;
- - y_r is uniformly bounded;
- - covariances between fixed derivative functionals and L_r are analytic divided differences with removable singularities at $r=0$.

All constants below refer to the exact side-24 law and are independent of r in a sufficiently small interval.

3. CONDITIONAL MEAN

For each $|\alpha|=5$ write

$$X_{\{r,\alpha\}}(x) = m_{\{r,\alpha\}}(x) + Z_{\{r,\alpha\}}(x),$$

where

$$m_{\{r,\alpha\}}(x) = E_{\{Q_{\{6,r\}}\}}[\partial^{\alpha} f(x)]$$

and $Z_{\{r,\alpha\}}$ is centered under $Q_{\{6,r\}}$.

The Gaussian conditioning formula gives

$$m_{\{r,\alpha\}}(x) = \text{Cov}(\partial^{\alpha} f(x), L_r) G_r^{-1} y_r.$$

For $x=rX$ with X in D^{+} , the cross-covariance vector is an analytic divided-difference function of (r,X) and extends continuously to the compact set $[0,r_0] \times D^{+}$. It is therefore uniformly bounded. Together with uniform bounds on G_r^{-1} and y_r , this gives a finite constant M_5 such that

$$\max_{\{|\alpha|=5\}} \sup_{\{0 < r \leq r_0\}} \sup_{\{x \in K_r\}} |m_{\{r,\alpha\}}(x)|$$

$$\leq M_5.$$

4. RESIDUAL VARIANCE

For every linear Gaussian functional A , conditioning on L_r subtracts a positive-semidefinite Schur term. Hence

$$\text{Var}(A \mid L_r = y_r) \leq \text{Var}(A).$$

By stationarity of the unconditioned field, define

$$\begin{aligned} \sigma_5^2 &= \max_{|\alpha|=5} \text{Var}(\partial^\alpha f(0)) \\ &< \infty. \end{aligned}$$

Then

$$\begin{aligned} &\sup_{0 < r \leq r_0} \\ &\sup_{|\alpha|=5} \\ &\sup_{x \in K_r} \\ &\text{Var}(Z_{r,\alpha}(x)) \\ &\leq \sigma_5^2. \end{aligned}$$

The constant σ_5^2 is strictly positive. No numerical value is required.

5. CANONICAL METRIC

Let

$$\begin{aligned} d_{r,\alpha}(x,y)^2 &= E_{Q_{6,r}}[(Z_{r,\alpha}(x) - Z_{r,\alpha}(y))^2]. \end{aligned}$$

Conditioning reduces the variance of the derivative difference, so

$$\begin{aligned} d_{r,\alpha}(x,y)^2 &\leq \text{Var}(\partial^\alpha f(x) - \partial^\alpha f(y)). \end{aligned}$$

Because D^+ is convex, the segment from x to y lies in K_r . By the fundamental theorem of calculus,

$$\begin{aligned} \partial^\alpha f(x) - \partial^\alpha f(y) &= \int_0^1 (x-y) \cdot \text{grad } \partial^\alpha f(y+t(x-y)) \, dt. \end{aligned}$$

Cauchy–Schwarz and stationarity give

$$\begin{aligned} \text{Var}(\partial^\alpha f(x) - \partial^\alpha f(y)) &\leq L_6^2 \|x-y\|_2^2, \end{aligned}$$

where

L_6^2

$$= \max_{\{\alpha: |\alpha| \leq 5\}} E[||\text{grad partial}^\alpha f(\theta)||_2^2] < \infty.$$

Thus

$$d_{\{r, \alpha\}}(x, y) \leq L_6 ||x - y||_2$$

uniformly in r and α .

6. SIGNED-INDEX PROCESS

The identity needed for the absolute supremum is

$$\begin{aligned} \sup_x |Z_{\{r, \alpha\}}(x)| \\ = \sup_{\{(s, x) \text{ in } \{-1, +1\} \times K_r\}} s Z_{\{r, \alpha\}}(x). \end{aligned}$$

Define the centered Gaussian process

$$Y_{\{r, \alpha\}}(s, x) = s Z_{\{r, \alpha\}}(x)$$

on

$$T_r = \{-1, +1\} \times K_r.$$

This signed-index construction is essential. The inequality

$$\sup |Z| \leq \sup Z + \sup(-Z)$$

is not valid in general and is not used.

For a fixed sign,

$$\begin{aligned} d_Y((s, x), (s, y)) \\ = d_{\{r, \alpha\}}(x, y) \\ \leq L_6 ||x - y||_2. \end{aligned}$$

Across signs,

$$\begin{aligned} d_Y((s, x), (-s, y))^2 \\ = E[(Z_{\{r, \alpha\}}(x) + Z_{\{r, \alpha\}}(y))^2] \\ \leq 4\sigma_5^2. \end{aligned}$$

Therefore the signed metric diameter is at most $2\sigma_5$.

7. UNIFORM ENTROPY AND EXPECTED SUPREMUM

Let A_D be the Euclidean diameter of D^+ . Since $K_r = rD^+$ and $r \leq r_0$, it lies in a fixed bounded planar set. Euclidean covering estimates and the metric domination in Section 5 give constants $C_D, A < \infty$, independent of r and α , such that

$$N(K_r, d_{\{r, \alpha\}}, \epsilon) \leq C_D (1 + A/\epsilon)^2$$

for every $\epsilon > 0$.

Cover the two sign copies separately. Then

$$N(T_r, d_Y, \epsilon) \leq 2C_D (1 + A/\epsilon)^2.$$

The entropy integral

$$\int_0^\infty \sqrt{\log[2C_D (1 + A/\epsilon)^2]} d\epsilon$$

is finite. Kernel analyticity supplies a continuous, hence separable, version of the process. Dudley's entropy bound therefore gives a finite constant B_5 , independent of r and α , satisfying

$$E_{\{Q_6, r\}} \left[\sup_{\{x \in K_r\}} |Z_{\{r, \alpha\}}(x)| \right]$$

$$\leq B_5.$$

8. BORELL–TIS

The signed process is centered and separable, its expected supremum is finite, and its pointwise variance is at most σ_5^2 . Borell–TIS gives, for every $u \geq 0$,

$$Q_{\{6, r\}} \left(\sup_{\{x \in K_r\}} |Z_{\{r, \alpha\}}(x)| > B_5 + u \right) \leq \exp[-u^2 / (2\sigma_5^2)].$$

Taking a union bound over the six order-five multi-indices,

$$Q_{\{6, r\}} \left(\max_{\{|\alpha|=5\}} \sup_{\{x \in K_r\}} |Z_{\{r, \alpha\}}(x)| > B_5 + u \right) \leq 6 \exp[-u^2 / (2\sigma_5^2)].$$

9. FIFTH-DERIVATIVE TAIL

By the mean bound,

$$H_{\{5, r\}}(D^+)$$

$$\leq M_{5+}$$

$$\max_{\{|\alpha|=5\}}$$

$$\sup_{\{x \text{ in } K_r\}} |Z_{\{r, \alpha\}}(x)|.$$

Set

$$t_0 = 2(M_5 + B_5).$$

If $t \geq t_0$, then

$$u = t - (M_5 + B_5) \geq t/2.$$

Therefore, for every $0 < r \leq \min(r_0, r_{\text{chart}})$ and every $t \geq t_0$,

$$Q_{\{6, r\}}(H_{\{5, r\}}(D^+) > t) \leq 6 \exp[-t^2 / (8\sigma_5^2)].$$

In particular there exist constants

$$C_5 = 6,$$

$$c_5 = 1 / (8\sigma_5^2) > 0, \\ r_5 = \min(r_0, r_{\text{chart}}) > 0$$

such that

$$Q_{\{6, r\}}(H_{\{5, r\}}(D^+) > t) \leq C_5 \exp(-c_5 t^2)$$

for every $0 < r \leq r_5$ and $t \geq t_0$.

10. SMALL- r CUTOFF COROLLARY

Define

$$G_r = \{H_{\{5, r\}}(D^+) \leq r^{-1}\}.$$

For sufficiently small r , $r^{-1} \geq t_0$. Consequently

$$Q_{\{6, r\}}(G_r^c) \leq 6 \exp[-c_5 r^{-2}].$$

The right-hand side is super-polynomially small: for every $p > 0$,

$$\exp(-c_5 r^{-2}) = o(r^p)$$

as $r \rightarrow 0$.

11. THEOREM

For the exact normalized-periodized side-24 field conditioned on the exact six value/gradient pins, the physical fifth derivatives on the shrinking chart rD^+ satisfy a uniform sub-Gaussian supremum tail:

$$Q_{\{6, r\}}(H_{\{5, r\}}(D^+) > t) \leq C_5 \exp(-c_5 t^2)$$

for all sufficiently small r and all sufficiently large t , with constants independent of r .

12. EDGE CASES AND SCOPE FIREWALLS

NONZERO CONDITIONAL MEAN.

The conditioned process is generally not centered. The deterministic mean is bounded separately before Borell–TIS is applied to the centered residual.

ABSOLUTE SUPREMUM.

The proof uses the signed-index process. It does not add two one-sided suprema.

IDENTICAL LAW.

Every probability is under the exact six-pin conditioned law $Q_{\{6, r\}}$. No finite- Q_4 law, unconditioned approximation, or Palm reweighting is used.

NO INDEPENDENCE.

No independence between lower jets and $H_{\{5, r\}}$ is claimed or required.

NO DM2 PREMISE.

The determinant second-moment interface P02-LM-002 is not required for this conditioned-law tail. It would be needed only for a separate determinant-weighted Palm-tail corollary using Cauchy–Schwarz.

CHART CONVEXITY.

Convexity is used only for the line-segment metric estimate. A nonconvex chart may be handled by a uniformly bounded path-length condition, but that variant is outside the frozen statement.

13. EXCLUSIONS

This lemma does not prove:

- - a determinant-weighted Palm tail;
- - the probability of a lower-jet event;
- - independence from lower jets;

- P02-LM-003;

- P02-LM-004;

- - a normalizer bound;
- - an exact bad-event inclusion;
- - P0.1 or P0.2;
- - a numerical accessible- r threshold;
- - theorem promotion or external release.

14. REOPENING CONDITIONS

Reopen or amend if:

- - the exact six-pin transformed Gram loses uniform invertibility;
- - the conditional fifth-derivative mean is not uniformly bounded;
- - the canonical metric lacks an r -uniform Euclidean Lipschitz bound;
- - the signed-index process is not separable;
- - the entropy integral diverges;
- - the maximal residual variance is not uniformly bounded;
- - an application uses a different chart without a valid metric covering argument;
- - the theorem is cited as a Palm-tail or independence result.

END_FROZEN_LEMMA_BODY

15. PROVENANCE AND REVIEW LINEAGE

This lemma extracts the exact conditioned-law GT5 statement from GP-DER-046-v1.0 and incorporates the signed-index repair of LS-COR-001-v1.0 and LCR-AUD-009-v1.0.

CL-AUD-047-v1.0 is preserved as historical organizationally distinct partial corroboration of the mean, variance, metric, Borell arithmetic, and explicit planar constants. It does not close this repaired lemma because it incorrectly described the invalid two-suprema inequality as valid and did not review this frozen hash.

Current status:

OBJECT-FROZEN AFTER HASH REPRODUCTION / COMPLETE SAME-LINE PROOF CANDIDATE / ORGANIZATIONALLY DISTINCT REVIEW PENDING / NONTERMINAL.

No P0.2 closure or promotion is claimed.

END LCR-DER-021-v1.0

Part III - Terminal-State Reconciliation

1. Closure decision

Exact internal disposition	CLOSED - EXACT UNIFORM CONDITIONED FIFTH-DERIVATIVE SUPREMUM TAIL
Closure date	2026-07-25
Evidence basis	Exact conditioning interface, signed-index Dudley entropy proof, Borell-TIS, source identity, and nine adversarial mutations.
Independent review already recorded	Anthropic exact-hash review passed T1-T14 and all hostile mutations.

The prior closure record is evidence about the research program's internal state, not a substitute for your review. A new material objection should be reported even if the internal label is CLOSED.

2. Correction and reopening rule

Reopen or amend this object if you identify a counterexample, an object-definition mismatch, a sign/factor/quantifier defect, an unreproducible decisive computation, a hidden premise, or a scope claim not supported by the proof. Corrections must be additive and must preserve the historical source and review record.

3. Limits

- No Palm tail by itself; no lower-jet probability, normalizer, exact-field capture, P0.2, or numerical accessible-r threshold.
- A correct lemma may still be unusable downstream if another dependency uses a different field, law, coordinate convention, branch mark, normalization, or parameter domain.
- A prior independent review does not reduce your duty to reconstruct the argument; duplicate lineages must not be counted as additional independence.

Part IV - Reproduction Instructions

- Record your name, institution or affiliation, expertise, date, and any prior exposure to this research program.
- Reconstruct the exact statement from Part I without relying on the historical verdict.
- Audit Part II line by line. For computational objects, obtain the raw carrier from the manifest, verify hashes first, inspect source safety, then execute in a clean environment.
- Complete the obligation ledger and hostile checks. Preserve exact counterexamples, code, logs, and environment details.
- Return the verdict form below plus a finding list with severity: critical, material, clarification, editorial, or no issue.

Part V - Reviewer Verdict Form

Reviewer	_____
Affiliation / expertise	_____
Prior exposure	None / limited / substantial - explain: _____
Independent reconstruction	Complete / partial / not possible
Verdict	APPROVE / APPROVE WITH CLARIFICATIONS / AMEND REQUIRED / REJECT / CANNOT VERIFY
Exact scope accepted	_____
Critical or material findings	_____ _____
Reproduction artifacts	Code/log/hash/location: _____

Signature and date

Required narrative: summarize your independent derivation; list every disagreement; state whether each issue affects the theorem statement, only the proof, only reviewability/reproducibility, or only presentation. State explicitly which excluded claims you did not review.

Part VI - Manifest and Provenance

Controlling source: <https://docs.google.com/document/d/1-MwBVOSTcDG9NBrUx6WrOI-DVbWomc60uJkc47vIU0/edit>

Closure / terminal record:

<https://docs.google.com/document/d/1G6qQJ7y8YqX5NnJAE61LuO1XxkSOqLJN0NS2BIbuYmI/edit>

Local source snapshot used to construct this packet: LCR-DER-021-v1.0 — P02-LM-007 Exact Uniform Conditioned Fifth-Derivative Supremum Tail

Local source snapshot SHA-256 (DOCX export, transport checksum only):
f0ec862791f5cf0a0f8b22c4dfbba808a619c618b1877871f1c91733c32a6a88

Authority note: the transport checksum above identifies the locally downloaded Office export used for packet construction. It is not substituted for any marker-delimited frozen-body hash declared inside the source artifact.

Supplemental Drive access may be granted for raw capsules, revision history, comments, exact native exports, and dependency artifacts. The packet is designed so that those materials strengthen reproducibility rather than supply missing mathematical context.