



InClass Assignment 4

Working with Collections (@for and @if)

Objective: Learn to use Angular's modern control flow blocks (@for and @if) to render arrays of data and handle conditional UI logic.

Part 1: Transforming Data into an Array

Open `src/app/product-list/product-list.ts`. Remove the single product properties and replace them with a robust mock array of product objects:

```
products = [  
  { id: 1, name: 'Wireless Mechanical Keyboard', price: 129.99, inStock: true  
},  
  { id: 2, name: 'Noise Cancelling Headphones', price: 199.99, inStock: false  
},  
  { id: 3, name: 'Ergonomic Wireless Mouse', price: 49.99, inStock: true }  
];
```

Part 2: Implementing Control Flow Blocks

Open `src/app/product-list/product-list.html`. Refactor the template to loop through the array. Use @if to gray out or disable items that are out of stock:

```
<div style="padding: 20px; border: 1px solid #ddd; margin-top: 15px;">  
  <h2>Available Items</h2>  
  <p>Items in Cart: <strong>{{ cartCount }}</strong></p>  
  
  <div style="display: flex; gap: 15px; flex-direction: column; margin-top: 15px;">
```

```

@for (product of products; track product.id) {
  <div style="border: 1px solid #eee; padding: 15px; border-radius: 5px;"
    [style.opacity]="product.inStock ? '1' : '0.5'">
    <h3>{{ product.name }}</h3>
    <p>Price: ${{ product.price }}</p>

    @if (product.inStock) {
      <button (click)="addToCart()" style="background: #007bff; color:
white; padding: 8px 12px; border: none; cursor: pointer;">
        Add to Cart
      </button>
    } @else {
      <span style="color: red; font-weight: bold;">Temporarily Out of
Stock</span>
    }
  </div>
}
</div>
</div>

```

Part 3: Submission

Submit the updated `product-list.ts` and `product-list.html`.

0 % 0 of 1 topics complete

In Class assignment 4

Assignment

