



InClass Assignment 7

Two-Way Data Binding & Form Engineering

Forms & User Input (FormsModule / Local Data Handling)

Objective: Master user state management and template-driven form tracking using `ngModel` to capture local user entry payloads.

Part 1: Import the Forms Module Dependency

Open `src/app/data-form/data-form.ts`. Import `FormsModule` from `@angular/forms` and declare it in the `imports` array. Then, establish a bound template object property to store user text data:

```
import { Component } from '@angular/core';
import { FormsModule } from '@angular/forms';

@Component({
  selector: 'app-data-form',
  standalone: true,
  imports: [FormsModule],
  templateUrl: './data-form.component.html',
  styleUrls: ['./data-form.component.css']
})
export class DataFormComponent {
  // Form model structure matching backend properties
  formData = {
    title: '',
    body: ''
  };
}
```

```

onSubmit() {
  console.log('Form State Captured:', this.formData);
  alert(`Success! Local data parsed:\nTitle: ${this.formData.title}`);
}
}

```

Part 2: Wire Two-Way Data Binding in HTML

Open `src/app/data-form/data-form.html`. Replace your placeholder text with a functional data form. Bind the inputs using `[(ngModel)]` and configure validation attributes:

```

<section style="border: 1px solid #ddd; padding: 20px; border-radius: 8px;
background: #fff; box-shadow: 0 2px 4px rgba(0,0,0,0.05);">

```

```

  <h2 style="margin-top: 0; font-size: 1.25rem; color: #007bff;">Create
New Entry</h2>

```

```

  <form #postForm="ngForm" (ngSubmit)="onSubmit()">
    <div style="margin-bottom: 15px;">
      <label style="display: block; font-weight: bold; margin-bottom:
5px;">Entry Title:</label>
      <input type="text" name="title" [(ngModel)]="formData.title" required
style="width: 100%; padding: 8px; border: 1px solid #ccc; border-radius:
4px; box-sizing: border-box;">
    </div>

```

```

    <div style="margin-bottom: 15px;">
      <label style="display: block; font-weight: bold; margin-bottom:
5px;">Description / Body:</label>
      <textarea name="body" [(ngModel)]="formData.body" required
rows="4" style="width: 100%; padding: 8px; border: 1px solid #ccc; border-
radius: 4px; box-sizing: border-box; resize: vertical;"></textarea>
    </div>

```

```

    <button type="submit" [disabled]="!postForm.valid" style="padding: 10px
15px; background-color: #007bff; color: white; border: none; border-radius:

```

```
4px; cursor: pointer; font-weight: bold; transition: background 0.2s;">
  {{ postForm.valid ? 'Submit Post' : 'Fill Out Form' }}
</button>
</form>
</section>
```

Part 3: Submission

Open your browser dev tools, fill out the form, click submit, and confirm that the captured object parameters log out to the console. Submit your updated data-form component files.

0 % 0 of 1 topics complete

In Class Assignment 7



Assignment