



InClass Assignment 1

Objective: Learn to set up an Angular environment, spin up the local development server, and build basic static components.

Part 1: Setup & Initialization

1. Open your terminal, navigate to your workspace directory, and create a brand new Angular application named product-hub:

```
ng new product-hub
```

2. Navigate into your new project directory:

```
cd product-hub
```

3. Boot up the local development server with the hot-reload flag enabled:

```
ng serve
```

Part 2: Building the Components

1. Open a secondary terminal tab and use the Angular CLI to generate a new standalone component called Header:

```
ng generate component header
```

2. Repeat the process to generate a second component called ProductList:

```
ng generate component product-list
```

Part 3: Component Wiring & Assembly

1. Open `src/app/header/header.html` and replace its contents with:

HTML

```
<header style="background: #333; color: #fff; padding: 15px; text-align: center;
  <h1>Store Inventory Dashboard</h1>
</header>
```

2. Open `src/app/product-list/product-list.html` and replace its contents with:

HTML

```
<div style="padding: 20px; border: 1px solid #ddd; margin-top: 15px;">
  <h2>Available Items</h2>
  <p>No products loaded yet.</p>
</div>
```

3. Open the primary root component file `src/app/app.ts`.

- Import both `HeaderComponent` and `ProductListComponent` at the top of the file.
- Add both components to the `imports: [...]` array block inside your `@Component` decorator.

4. Clear out all the default boilerplate inside `src/app/app.html` and render your custom components sequentially using their structural selectors:

HTML

```
<app-header></app-header> <main style="max-width: 800px; margin: 0 auto; padding: 20px;"> <app-product-list></app-product-list> </main>
```

Submit all files and folders excluding `package-lock.json` and `node_modules`

0 % 0 of 1 topics complete

