

1. Are the HTML tags and elements the same thing?

==> HTML tags and elements are two different things. HTML Elements are components that are used in HTML Page.

2. What are tags and attributes in HTML?

==> HTML attributes provide additional information about elements. The elements tell how to show in display, the attributes define how they will behave.

3. What are void elements in HTML?

==> Void elements are a self-closing tag

like: <hr>,
.

4. What are HTML Entities?

==> The HTML entities is piece of text that begins with an ampersand and ends with a semicolon. Entities are frequently used to display otherwise be interpreted as HTML code and invisible characters.

5. What are different types of lists in HTML? • What is the 'class' attribute in HTML?

==> There are 3 types of list in HTML.

- Order List
- Unorder List
- List Item
- Description List

==> Class attribute specifies one or more elements.

6. What is the difference between the 'id' attribute and the 'class' attribute of HTML elements?

==> The ID attribute must one time used in HTML elements within one page. The Class attribute used by multiple HTML elements.

7. What are the various formatting tags in HTML?

==> The formatting can be used to set the text style, like: **Bold text**, *<i>Italic text*, ~~Deleted text~~, **Emphasized text**, etc.

8. How is Cell Padding different from Cell Spacing?

==> Cell padding is the space between the cell edges and cell content while cellspacing is the space between each cells.

9. How can we club two or more rows or columns into a single row or column in an HTML table?

==> The 'colspan' and 'rowspan' attributes we club two or more rows or columns into a single row or column in an HTML table.

10. What is the difference between a block-level element and an inline element?

==> A block-level element always starts on a new line and takes up the full width, the inline-block does not add a line-break after the element.

11. How to create a Hyperlink in HTML?

==> Hyperlinks can be presented in different forms, like: image, icon, text, or any type of visible element that, when clicked, redirects you to a specified URL.

Ex. `Image`

12. What is the use of an iframe tag?

==> The iframe tag is used to embed another document within the current HTML document.

13. What is the use of a span tag? Explain with example?

==> The `` tag is much like `<div>` element, but `<div>` is a block-level element and `` is an inline element.

14. How to insert a picture into a background image of a web page?

==> The background image is using the background image attribute inside the `<body>` tag.

15. How are active links different from normal links?

==> A normal link is by default link is blue and visited link is purple, An active link is by default red and underline.

16. What are the different tags to separate sections of text?

==> There are a different types of tags such as `<hr>`, `
`, and `<p>` are used to separate section of text.

17. What is SVG?

==> SVG is Scalable Vector Graphics. SVG is used to define vector-based graphics for the Web. SVG defines the graphics in XML format.

18. What is difference between HTML and XHTML?

==> HTML is the standard markup language for creating web pages, while XHTML is a stricter and more standardized version of HTML.

19. What are logical and physical tags in HTML?

==> The Logical tags are used to the enclose text while physical tags are used to the browser how to display the text enclosed in the tag.