

Отчёт по лабораторной работе №4

Продвинутое использование git

Крючков Дмитрий Алексеевич

Содержание

1	Цель работы	5
2	Теоретические сведения	6
3	Выполнение лабораторной работы	8
3.1	Работа с тестовым репозиторием	8
3.2	Подготовка рабочего репозитория	19
4	Вывод	21

Список иллюстраций

3.1	Node.js	9
3.2	установка commitizen	10
3.3	установка standard-changelog	11
3.4	package.json	12
3.5	Отправка	13
3.6	Инициализация и загрузка изменений	14
3.7	Завершение релиза	15
3.8	Отправка	16
3.9	Объединение веток	17
3.10	Завершение релиза	18
3.11	package.json и коммит	19
3.12	Завершение релиза	20

Список таблиц

1 Цель работы

Получение навыков правильной работы с репозиториями git.

2 Теоретические сведения

- Gitflow Workflow опубликована и популяризована Винсентом Дриссенем.
- Gitflow Workflow предполагает выстраивание строгой модели ветвления с учётом выпуска проекта.
- Данная модель отлично подходит для организации рабочего процесса на основе релизов.
- Работа по модели Gitflow включает создание отдельной ветки для исправлений ошибок в рабочей среде.
- Последовательность действий при работе по модели Gitflow:
- Из ветки master создаётся ветка develop.
- Из ветки develop создаётся ветка release.
- Из ветки develop создаются ветки feature.
- Когда работа над веткой feature завершена, она сливается с веткой develop.
- Когда работа над веткой релиза release завершена, она сливается в ветки develop и master.
- Если в master обнаружена проблема, из master создаётся ветка hotfix.

- Когда работа над веткой исправления hotfix завершена, она сливается в ветки develop и master.

3 Выполнение лабораторной работы

3.1 Работа с тестовым репозиторием

Для работы с Node.js добавим каталог с исполняемыми файлами, устанавливаемыми yarn, в переменную PATH.


```
dakruchkov@dakruchkov:~$  
dakruchkov@dakruchkov:~$ pnpm setup  
Appended new lines to /home/dakruchkov/.bashrc  
  
Next configuration changes were made:  
export Pnpm_HOME="/home/dakruchkov/.local/share/pnpm"  
case "$PATH:" in  
  *:$Pnpm_HOME:*) ;;  
  *) export PATH="$Pnpm_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/dakruchkov/.bashrc  
dakruchkov@dakruchkov:~$ source ~/.bashrc  
dakruchkov@dakruchkov:~$
```

Рисунок 3.1: Node.js

Программа commitizen используется для помощи в форматировании коммитов. При этом устанавливается скрипт git-cz, который мы и будем использовать для коммитов.

```
dakruchkov@dakruchkov:~$ pnpm add -g commitizen

Update available! 10.27.0 → 11.25.0.
Changelog: https://pnpm.io/v/11.25.0
To update, run: pnpm self-update

WARN GET https://registry.npmjs.org/cli-cursor error (ECONNRESET). Will retry in 10 seconds. 2 retr
ies left.
WARN Request took 31614ms: https://registry.npmjs.org/cli-cursor
WARN GET https://registry.npmjs.org/wcwidth error (ECONNRESET). Will retry in 10 seconds. 2 retries
left.
WARN Request took 29389ms: https://registry.npmjs.org/wcwidth
Downloading @typescript/typescript-linux-x64@7.0.2: 9.67 MB/9.67 MB, done
WARN GET https://registry.npmjs.org/defaults/-/defaults-1.0.4.tgz error (ECONNRESET). Will retry in
10 seconds. 2 retries left.
WARN GET https://registry.npmjs.org/@typescript%2Ftypescript-linux-s390x error (ECONNRESET). Will r
etry in 10 seconds. 2 retries left.
WARN Request took 29121ms: https://registry.npmjs.org/@typescript%2Ftypescript-linux-s390x
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +148
+++++
Progress: resolved 167, reused 0, downloaded 148, added 148, done

/home/dakruchkov/.local/share/pnpm/global/5:
+ commitizen 4.3.2

Done in 1m 31.9s using pnpm v10.27.0
dakruchkov@dakruchkov:~$
```

Рисунок 3.2: установка commitizen

Программа standard-changelog используется для помощи в создании логов.

```
dakruchkov@dakruchkov:~$ pnpm add -g standard-changelog
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +14
+++++
Progress: resolved 181, reused 148, downloaded 14, added 14, done

/home/dakruchkov/.local/share/pnpm/global/5:
+ standard-changelog 8.1.0


Done in 1.8s using pnpm v10.27.0
dakruchkov@dakruchkov:~$
```

Рисунок 3.3: установка standard-changelog

Делаем первый коммит и выкладываем на github.

Необходимо заполнить несколько параметров пакета.

Таким образом, файл package.json приобретает вид:



The image shows a code editor window with a title bar that says "package.json" and the path "~ / git-extended". There are buttons for "Open", a dropdown arrow, a "+" icon, and a "Save" button. The editor displays the following JSON content:

```
1  
2   "name": "git-extended",  
3   "version": "1.0.0",  
4   "description": "Git repo for educational purposes",  
5   "main": "index.js",  
6   "repository": "git@github.com:da-kruchkov/git-extended.git",  
7   "author": "da-kruchkov",  
8   "license": "CC-BY-4.0",  
9   "config": {  
10     "commitizen": {  
11       "path": "cz-conventional-changelog"  
12     }  
13   }  
14
```

Рисунок 3.4: package.json

Добавим новые файлы.

Выполним коммит.

Отправим на github.

```

dakruchkov@dakruchkov:~/git-extended$ git add .
dakruchkov@dakruchkov:~/git-extended$ git cz
cz-cli@4.3.2, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 74c5f47] chore: test
1 file changed, 14 insertions(+)
create mode 100644 package.json
dakruchkov@dakruchkov:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 480 bytes | 480.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:da-kruchkov/git-extended.git
0ef79d1..74c5f47 master -> master
dakruchkov@dakruchkov:~/git-extended$

```

Рисунок 3.5: Отправка

Инициализируем git-flow

Проверьте, что Вы на ветке develop

Загрузите весь репозиторий в хранилище

```

dakruchkov@dakruchkov:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
  - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/dakruchkov/git-extended/.git/hooks]
dakruchkov@dakruchkov:~/git-extended$ git branch
* develop
  master
dakruchkov@dakruchkov:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/da-kruchkov/git-extended/pull/new/develop
remote:
To github.com:da-kruchkov/git-extended.git
 * [new branch]      develop -> develop
dakruchkov@dakruchkov:~/git-extended$

```

Рисунок 3.6: Инициализация и загрузка изменений

Установите внешнюю ветку как вышестоящую для этой ветки

Создадим релиз с версией 1.0.0

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

dakruchkov@dakruchkov:~/git-extended$ standard-changelog --first-release
dakruchkov@dakruchkov:~/git-extended$ git add CHANGELOG.md
dakruchkov@dakruchkov:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 ff6fd2f] chore(site): add changelog
1 file changed, 1 insertion(+)
create mode 100644 CHANGELOG.md
dakruchkov@dakruchkov:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
CHANGELOG.md | 1 +
1 file changed, 1 insertion(+)
create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Merge made by the 'ort' strategy.
CHANGELOG.md | 1 +
1 file changed, 1 insertion(+)
create mode 100644 CHANGELOG.md
Deleted branch release/1.0.0 (was ff6fd2f).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

dakruchkov@dakruchkov:~/git-extended$

```

Рисунок 3.7: Завершение релиза

Отправим данные на github

```
dakruchkov@dakruchkov:~/git-extended$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 551 bytes | 551.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To github.com:da-kruchkov/git-extended.git
  74c5f47..f0ba387 develop -> develop
  74c5f47..dd09654 master -> master
dakruchkov@dakruchkov:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:da-kruchkov/git-extended.git
 * [new tag]          1.0.0 -> 1.0.0
dakruchkov@dakruchkov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/da-kruchkov/git-extended/releases/tag/v1.0.0
dakruchkov@dakruchkov:~/git-extended$
```

Рисунок 3.8: Отправка

Создадим ветку для новой функциональности По окончании разработки новой функциональности следующим шагом следует объединить ветку `feature_branch` с `develop`:


```

dakruchkov@dakruchkov:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

dakruchkov@dakruchkov:~/git-extended$ touch test2
dakruchkov@dakruchkov:~/git-extended$ git flow feature finish feature_branch
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was f0ba387).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

dakruchkov@dakruchkov:~/git-extended$

```

Рисунок 3.9: Объединение веток

Создадим релиз с версией 1.2.3

Обновите номер версии в файле package.json. Установите её в 1.2.3

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```

Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

dakruchkov@dakruchkov:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 750 bytes | 750.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:da-kruchkov/git-extended.git
   f0ba387..4f619a4  develop -> develop
   dd09654..fd9ae60  master -> master
dakruchkov@dakruchkov:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 157 bytes | 157.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:da-kruchkov/git-extended.git
 * [new tag]          1.2.3 -> 1.2.3
dakruchkov@dakruchkov:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/da-kruchkov/git-extended/releases/tag/v1.2.3
dakruchkov@dakruchkov:~/git-extended$

```

Рисунок 3.10: Завершение релиза

3.2 Подготовка рабочего репозитория

```
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ gedit package.json
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git add .
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git cz
cz-cli@4.3.2, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 1c0e1d1] chore: test
1 file changed, 11 insertions(+), 11 deletions(-)
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 476 bytes | 476.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:da-kruchkov/2026-1--study--os-intro.git
a3c9cd8..1c0e1d1 master -> master
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 3.11: package.json и коммит

```

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push -
-all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 690 bytes | 690.00 KiB/s, done.
Total 5 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To github.com:da-kruchkov/2026-1--study--os-intro.git
    1c0e1d1..8e7ffef develop -> develop
    1c0e1d1..84cfe7 master -> master
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push -
-tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 155 bytes | 155.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:da-kruchkov/2026-1--study--os-intro.git
 * [new tag]      1.0.0 -> 1.0.0
dakruchkov@dakruchkov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$

```

Рисунок 3.12: Завершение релиза

4 Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.