**Pre-analysis plan**

**H1**

- Variables:
  - pid, syear: Use as they are.
  - kidsex01: Use to define whether has a child and construct a dummy variable *d_daughter* that takes the value 1 if that first child is a girl.
  - plj0625: Recode so higher means more gender equality
  - plh0301 and plj0625. Standardize and take mean (if both) available to combine into a measure of gender equality *gender_equality*.
- Inclusion/exclusion criteria:
  - Include only respondents with at least one child.
  - Include only respondents with valid replies on outcome variable.
- Exact analysis:
  - *reg gender_equality d_daughter i.syear, vce(cl pid)*
  - cluster standard errors on individual
- The value of the coefficient on the *d_daughter* provides the test of the hypothesis. If the coefficient is > 0, the result is in line with the hypothesis, otherwise it is not in line with the hypothesis.

**H2**

- Variables:
  - pid, syear: Use as they are.
  - kidsex01: Use to define whether has a child and construct a dummy variable *d_daughter* that takes the value 1 if that first child is a girl.
  - plh0004: Recode so higher means more left-leaning, construct outcome *left_leaning*.
- Inclusion/exclusion criteria:
  - Include only respondents with at least one child.
  - Include only respondents with valid replies on outcome variable.
- Exact analysis:
  - *reg left_leaning d_daughter i.syear, vce(cl pid)*
  - cluster standard errors on individual
- The value of the coefficient on the *d_daughter* provides the test of the hypothesis. If the coefficient is > 0, the result is in line with the hypothesis, otherwise it is not in line with the hypothesis.

**H3**

- Variables:
  - pid, syear, hid, sex: Use as they are.
  - kidsex01: Use to define whether has a child and construct a dummy variable *d_daughter* that takes the value 1 if that first child is a girl.
  - phl0174: Take absolute difference within households and recode so higher is more equal to create outcome *gender_eq_hh*.

- Inclusion/exclusion criteria:
    - Include only respondents with at least one child.
    - Include only respondents from two-person households (in the same survey) that consist of one man and one woman.
    - Include only respondents with valid replies on outcome variable.
- Exact analysis:
    - *reg gender_eq_hh d_daughter i.syear, vce(cl pid)*
    - cluster standard errors on individual
- The value of the coefficient on the *d_daughter* provides the test of the hypothesis. If the coefficient is > 0, the result is in line with the hypothesis, otherwise it is not in line with the hypothesis.

**H4**

- Variables:
    - pid, syear: Use as they are.
    - kidsex01: Use to define whether has a child and construct a dummy variable *d_daughter* that takes the value 1 if that first child is a girl.
    - sex: Use to define a dummy variable *d_daughter_men* taking the value 1 if the respondent both has a daughter as their first child and is a man.
    - plj0625: Recode so higher means more gender equality
    - plh0301 and plj0625. Standardize and take mean (if both) available to combine into a measure of gender equality *gender_equality*.
- Inclusion/exclusion criteria:
    - Include only respondents with at least one child.
    - Include only respondents with valid replies on outcome variable.
- Exact analysis:
    - *reg gender_equality d_daughter d_daughter_men sex i.syear, vce(cl pid)*
    - cluster standard errors on individual
- The value of the coefficient on the *d_daughter_men* provides the test of the hypothesis. If the coefficient is > 0, the result is in line with the hypothesis, otherwise it is not in line with the hypothesis.

**Instructions**

- Variables:
    - Which variables will you include?
    - How will these variables be coded— will you use them the way they are or recode them, and if so, how?
- Inclusion/exclusion criteria:
    - Are there any observations you will exclude? If yes, which?
    - Which years will you include/what period will you study?
- Exact analysis:
    - Please write down the exact specification of the regression model, including the names of the dependent and independent variables, and whether you use robust standard errors or something else.
- Interpretation of results: Please specify which statistic you will take into account for testing the hypothesis. How do you interpret whether your test result is in line with the hypothesis or not?