



Systems of Equations Stretch

For problems 1-3, solve each of the following systems of equations. Describe the method you used. What other methods could you have used to solve each system? Express each answer as an ordered pair. Express any non-integer value as a common fraction.

1. $2x + 3y = 11$
 $3x - y = 11$

2. $\frac{2}{x} + \frac{3}{y} = 11$
 $\frac{3}{x} - \frac{1}{y} = 11$

3. $2x^2 + 3y^2 = 11$
 $3x^2 - y^2 = 11$

In problems 4 and 5, for what value of k does the linear system have no solution? Express any non-integer value as a common fraction.

4. $kx + 3y = 11$
 $3x - y = 11$

5. $2x + ky = 11$
 $3x - y = 11$

6. Given that $2a + b = 19$, $2c + d = 37$ and $b + d = 24$, what is the value of $a + b + c + d$?

7. Given that $a + b = 29$ and $ab = 204$, what is the value of $a^2 + b^2$?

8. Solve each of the following linear systems. Express your answer as an ordered pair.

a. $5x + 6y = 7$
 $8x + 9y = 10$

b. $x + 2y = 3$
 $4x + 5y = 6$


Many problems can be solved using a linear system of equations. For problems 9 and 10, use linear systems of equations to help you solve.

9a. For each equation below (i, ii, iii and iv), does there exist a solution (x, y) with positive integers x and y ? In each case, either find all pairs of integers satisfying the equation or explain why none exist. Hint for the first equation: $x^2 - y^2 = (x + y)(x - y)$, so $x + y = 12$ and $x - y = 4$ is one case to check.

i. $x^2 - y^2 = 48$ ii. $x^2 - y^2 = 23$ iii. $x^2 - y^2 = 45$ iv. $x^2 - y^2 = 90$

b. In general, for what type of integers, n , does $x^2 - y^2 = n$ have at least one solution?


10. A shipping clerk wishes to determine the weights of each of five boxes. Each box weighs a different integer amount less than 100 kg. Unfortunately the only scales available measure weights in excess of 100 kg. The clerk therefore decides to weigh the boxes in pairs so that each box is weighed with every other box. The weights for the 10 pairs of boxes are (in kilograms) 110, 112, 113, 114, 115, 116, 117, 118, 120 and 121. From this information the clerk can determine the weight of each box. What are the weights of each of the five boxes?






Solids Stretch

If you revolve rectangle ABCD about side AB, you will generate a cylinder.
Line AB is the axis of revolution for this solid of revolution.




For questions 1 and 2, describe the solid of revolution generated by revolving the given figure 360° about segment AB.

1. _____



2. _____



For questions 3 and 4, what plane figure will generate the given solid when revolved 360° about an axis of revolution? Draw or describe the figure and indicate the axis of revolution.

3. _____




4. _____



5. If you revolve this rectangle about side AB or side BC, you form a cylinder.

a. Revolving around which of these two segments produces a cylinder with a larger volume? _____

b. Revolving around which of these two segments produces a cylinder with a larger total surface area? _____




6. _____ Consider this shaded rectangle with $b > a$. Let V_a denote the volume of the cylinder that is created when the shaded rectangle is revolved around side a , and let V_b denote the volume of the cylinder that is created when the shaded rectangle is revolved around side b . What is the value of the ratio $\frac{V_b}{V_a}$? Express your answer as a common fraction in terms of a and b .




7. _____ Let S_a denote the total surface area of the cylinder that is created when the shaded rectangle used in question 6 is revolved around side a , and let S_b denote the total surface area of the cylinder that is created when the shaded rectangle is revolved around side b . What is the value of the ratio $\frac{S_b}{S_a}$? Express your answer as a common fraction in terms of a and b .

8. _____ These cones can be formed by revolving a right triangle about its two legs. What is the ratio of the volume of cone A to the volume of cone B? Express your answer as a common fraction.




9. _____ The side lengths in the figure are given. What is the volume of the solid that results from revolving the triangle 360° around ...
a) side AC? Express your answer in terms of π . _____ units³
b) side BC? Express your answer in terms of π . _____ units³
c) side AB? Express your answer as a common fraction in terms of π . _____ units³



10. An ice cream cone is packed full of ice cream, and a hemisphere of ice cream is placed on top.

a. What plane figure will generate this solid when revolved 360° about an axis of revolution? Draw or describe the figure and indicate the axis of revolution. _____



b. If the volume of ice cream inside the cone is the same as the volume of ice cream outside the cone, how many centimeters is the height of the cone? _____ cm



Sum and Product SUPER Stretch

1. _____ What is the sum of the solutions of $6x^2 + 5x - 4 = 0$? Express your answer as a common fraction.

2. _____ A quadratic equation of the form $x^2 + kx + m = 0$ has solutions $x = 3 + 2\sqrt{2}$ and $x = 3 - 2\sqrt{2}$. What is the value of $k + m$?

3. _____ What is the sum of the reciprocals of the solutions of $4x^2 - 13x + 3 = 0$? Express your answer as a common fraction.

4. _____ If r and s are the solutions of $2x^2 + 9x + 3 = 0$, what is the value of $r^2 + s^2$? Express your answer as a common fraction.

5. _____ If r and s are the solutions of $x^2 + 6x - 2 = 0$, what is the value of $r^3 + s^3$?

6. _____ The solutions of $x^2 + bx + c = 0$ are each 5 more than the solutions of $x^2 + 7x + 3 = 0$. What are the values of b and c ? Express your answer as an ordered pair (b, c) .

7. _____ A cubic equation of the form $x^3 + bx^2 + cx + d = 0$ has solutions $x = 3$, $x = 4$ and $x = 5$. What are the values of b , c and d ? Express your answer as an ordered triple (b, c, d) .

8. _____ What is the sum of the reciprocals of the solutions of $x^3 - 3x^2 - 13x + 15 = 0$? Express your answer as a common fraction.

9. _____ What is the sum of the squares of the solutions of $x^3 - 15x^2 + 66x - 80 = 0$?

10. _____ The solutions of $x^3 - 63x^2 + cx - 1728 = 0$ form a geometric sequence. What is the value of c ?




Right Triangles Stretch

For problems 271-276, the Pythagorean Theorem or a knowledge of Pythagorean triples can be used to determine the value of x in each figure. For each figure, provide the exact value of x (as an integer or in simplest radical form). If x is not an integer value, also provide the value of x expressed as a decimal to the nearest tenth.


271. _____ units

271.




272. _____ units

272. rectangle



273. _____ units


273.



274. _____ units


274. isosceles triangle

275. _____ units




276. _____ units

275. right rectangular prism




276.



For problems 277-280, a knowledge of 30-60-90 or 45-45-90 triangles can be used to determine the value of x in each figure. For each figure, provide the exact value of x (as an integer or in simplest radical form). If x is not an integer value, also provide the value of x expressed as a decimal to the nearest tenth.


277. _____ units

277. square




278. _____ units

278. equilateral triangle




279. _____ units

279. regular hexagon inscribed in a circle



280. _____ units


280.



For problems 281-282, a knowledge of the properties of similar triangles and right triangles can be used to determine the value of x and y in each figure. If x and/or y is not an integer value, provide the value expressed as a decimal to the nearest tenth.

281. $x =$ _____ units

281.




$y =$ _____ units

282. $x =$ _____ units

$y =$ _____ units

282.





Sequences Stretch


283. _____ What is the 100th term of the arithmetic sequence 3, 11, 19, 27, ...?
284. _____ What is the sum of the first 100 terms of the arithmetic sequence 3, 11, 19, 27, ...?
285. _____ What is the 10th term of the geometric sequence 729, 243, 81, 27, ...? Express your answer as a common fraction.
286. _____ The 1st and 18th terms of an arithmetic sequence are 4 and 8.25, respectively. What is the 35th term of the sequence? Express your answer as a decimal to the nearest tenth.
287. _____ The first three terms of an arithmetic sequence are p , $2p + 6$ and $5p - 12$. What is the 4th term of this sequence?
288. _____ All terms in a geometric sequence are positive integers, and the first three terms are n , $n + 3$ and $2n + 6$. What is the 4th term of this sequence?
289. _____ The 3rd term of an arithmetic sequence is 17, and the 9th term is 83. What is the 1st term?
290. _____ The 2nd term of a geometric sequence is 24, and the 5th term is 81. What is the 1st term?
291. _____ The 6th term of an arithmetic sequence is 24. What is the sum of the 5th and 7th terms?
292. _____ cells The number of bacterial cells within a Petri dish doubles every hour. If there are 8 cells in the dish at the end of the 2nd hour, how many cells will be in the dish at the end of the 8th hour?



Similarity Stretch

Two geometric figures are similar if all of their corresponding angles are congruent and all of their corresponding sides are proportional. This means that the figures have the exact same shape but not necessarily the same size. For two triangles to be similar, it is sufficient to know that two pairs of corresponding angles are congruent.


293. _____ units



In $\triangle ABC$, \overline{DE} is parallel to \overline{BC} , $AD = 3$, $DE = 5$ and $BC = 20$. What is the length of BD ?


294. _____ units

The two pentagons shown here are similar, with the side of length 4 in the smaller pentagon corresponding to the side of length 8 in the larger pentagon, and with the indicated lengths given. What is the perimeter of the smaller pentagon?




295. _____ units

In the figure below, \overline{RS} , \overline{VW} and \overline{UT} are parallel. If $RS = 3$, $VW = 12$, $UT = 48$ and $XW = 10$, what is the length of YT ?




296. _____ units



Chords KN and NL of the circle shown intersect at point P . If $KN = 8$, $PM = 6$ and $LM = 10$, what is the length of PN ? Express your answer as a decimal to the nearest tenth.

297. _____

Given that \overline{UV} and \overline{XZ} are parallel and that $YV = 3$ and $YZ = 5$, what is the ratio of the area of $\triangle UYV$ to the area of trapezoid $UVZX$? Express your answer as a common fraction.




298. _____ units²


Trapezoid ABCD has right angles at A and D, and diagonals AC and BD intersect at point E. The area of $\triangle ABE$ is 25 units², and the area of $\triangle DEC$ is 49 units². If AD = 6, what is the area of trapezoid ABCD?

299. _____

In the figure shown, the largest cone has been divided into a smaller cone and two frustums by two planes that trisect the altitude of the original cone. What is the ratio of the volume of the smaller frustum to the volume of the larger frustum? Express your answer as a common fraction.


300. _____ cm²

The two toy houses shown here are similar. If the volume of the larger one is 1000 cm³ and the volume of the smaller one is 216 cm³, what is the surface area of the smaller house if the larger one has a surface area of 400 cm²?




301. _____ ft

Two vertical poles with heights 6 ft and 12 ft, respectively, are placed 20 ft apart. A wire is strung from the top of each pole to the base of the other pole. How high above the ground do the two wires cross?



302. _____ ft

Two vertical poles are a ft and b ft tall, respectively. A wire is strung from the top of each pole to the base of the other pole. How high above the ground do the two wires cross? Express your answer as a common fraction in terms of a and b .





Functions Stretch

A *function* maps a set of input values (*domain*) to a set of output values (*range*) in such a way that each input value maps to exactly one output value. The following exercises explore various types of functions through the use of equations, tables and graphs.

271. _____ What is the value of $f(-2)$ if $f(x) = x^2 + x + 5$?

272. _____ What is the value of x if $f(x) = 4$ for $f(x) = 3x - 14$?


The table shown represents the function $h(x)$.

273. _____ According to the table, what is the value of $h(2)$?


274. _____ What is the value of x if $h(x) = 58$?

x	$h(x)$
-1	3
0	10
1	7
2	6
3	19
4	58

275. _____ Based on the graph of $f(x) = -x^4 + 5x^2 - 3$, shown here, what is the value of $f(0)$?




276. _____ Based on the graph of $f(x) = x^3 + 6x^2 - 13x - 42$, shown here, what is the sum of all x -values for which $f(x) = 0$?



277. _____

A function that is defined by more than one equation, each with its own domain, is called a *piecewise function*. What is the value of $f(1)$ for the piecewise function defined and graphed as shown?

$$f(x) = \begin{cases} x^2 - 2, & x < 1 \\ x + 1, & x \geq 1 \end{cases}$$





278. _____

The composition of the function f with the function g is defined as $f(g(x))$. The domain of $f(g(x))$ is the set of all x -values such that x is in the domain of g , and $g(x)$ is in the domain of f . If $f(x) = 4x - 6$ and $g(x) = 2x + 1$, what is the value of $f(g(2))$?

279. _____

The functions f and g are graphed below. If $g(5) = r$ and $f(r) = s$, what is the value of s ?

280. $a =$ _____

What are the values of a and b that complete the table, representing the linear function $k(x)$?

$$b = \underline{\hspace{2cm}}$$

x	$k(x)$
-3	-5.5
0	b
3	9.5
a	17



Work Stretch

281. _____ minutes Working alone, Alice can paint a room in 1 hour. Bob can paint the room in 2 hours alone. How many minutes will it take them to paint the room together?
282. _____ minutes James is trying to learn a new yoga posture. Reading about it from a book, he would take 30 minutes to learn the posture. Working with an instructor doubles his rate of learning. How many total minutes will it take James to learn the posture if his instructor arrives after he has studied from the book for 10 minutes?
283. _____ minutes A hose could fill a small pool in 50 minutes if the pool did not leak. Alas, the pool leaks at a steady rate that can drain it completely in 300 minutes. How many minutes will it take the hose to fill the leaky pool?
284. _____ : _____ pm A vineyard's grapes can be harvested by 10 workers in 5 hours. If one worker starts the harvest at noon, and another worker joins the harvest each hour on the hour, at what time will the harvest be completed?
285. _____ : _____ pm Alfonso can write 100 practice problems for the math team in 20 hours, Beauregard can write the same number of problems in 30 hours, and Clyde can write that number of problems in 40 hours. Working together, at what time will the three of them finish writing 100 practice problems if Alfonso starts at noon, Beauregard joins him at 1 pm and Clyde joins them at 2 pm?
286. _____ minutes Vincent can process 50 orders in 2 hours working alone. When Leela is in the room, Vincent works at twice his normal speed. When Fry is in the room, Vincent works at half his normal speed. If Vincent works alone for 10 minutes, then with Leela for 10 minutes, then alone for 10 minutes, then with Fry for 10 minutes, then alone for 10 minutes, and this pattern continues (alone, with Leela, alone, with Fry), how many minutes will it take to process 50 orders?
287. _____ minutes Larry and Curly are trying to fill a sandbox with sand. Working alone, Larry can fill an empty sandbox in 4 hours, and Curly can do the same job in 5 hours. Moe is trying to empty the sandbox. Working alone, Moe can empty a full sandbox in 6 hours. If the sandbox is half full at the time Larry and Curly begin filling the sandbox and Moe begins emptying it, how many minutes will it take for the sandbox to be filled? Express your answer to the nearest whole number.
288. _____ hours Danielle and Jennifer can do a job in 2 hours working together. Danielle could do it in 3 hours alone. How many hours would it take Jennifer to do the job alone?
289. _____ hours One hose can fill a pool twice as quickly as another, smaller hose. If the two hoses together can fill the pool in 6 hours, how many hours would it take the smaller hose alone to fill the pool?
290. _____ housekeepers The Hilbert Lodge has a housekeeping staff of ten. Working alone, one housekeeper can clean all of the rooms in the lodge in 4 hours. A different housekeeper can clean all of the rooms in 5 hours, and still another takes 6 hours to clean all the rooms, working alone. Working alone, each of the remaining seven housekeepers can clean all the rooms in 7, 8, 9, 10, 11, 12 and 13 hours, respectively. What is the minimum number of housekeepers needed to clean all of the rooms in Hilbert Lodge in exactly 2 hours?



Coordinate Geometry Stretch

Coordinate geometry is where algebra intersects geometry. The characteristics of equations are made visual by plotting ordered pairs on a Cartesian coordinate plane. The mathematician and philosopher René Descartes is given credit for creating the idea of using a coordinate plane.

Some of the problems that follow involve using the slope, $m = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$, and a point, (x_1, y_1) , or points on a line to determine the equation of the line. The equation of a line can be written in the following forms:

Standard (general) form $Ax + By = C$, where A, B and C are integers

Slope-intercept form $y = mx + b$, where b is the y -intercept

Point-slope form $y - y_1 = m(x - x_1)$

Intercept form $\frac{x}{a} + \frac{y}{b} = 1$, where a and b are the x - and y -intercepts, respectively

Two-point form $\frac{y - y_1}{y_2 - y_1} = \frac{x - x_1}{x_2 - x_1}$

The preceding forms may be of use when solving the following problems, but all equation answers should be in slope-intercept form. Any non-integer values should be expressed as common fractions unless otherwise indicated.

291. _____ What is the midpoint of the line segment whose endpoints are $(-4, -2)$ and $(6, -5)$? Express your answer as an ordered pair.

292. _____ Two lines are parallel if they have the same slope. What is the equation of a line parallel to $y = 2x - 5$ that passes through the point $(3, 5)$?

293. _____ Two lines are perpendicular if the product of their slopes is -1 . In other words, their slopes are opposite inverses (or negative reciprocals). What is the equation of the line perpendicular to $y = \frac{2}{3}x - \frac{1}{3}$ at the point $(-4, -3)$?

294. _____ What is the equation of a line with x -intercept $(-3, 0)$ and y -intercept $(0, 6)$?

295. _____ A line has a slope of $\frac{1}{2}$ and a y -intercept of $(0, -3)$. That line intersects the line $2x + 3y = -2$ at a point. What is the sum of the coordinates of the point?

296. _____ A circle can be represented by an equation in the form $(x - h)^2 + (y - k)^2 = r^2$, where (h, k) are the coordinates of the center of the circle, and r is the radius of the circle. The graph of $x^2 + y^2 = 25$ is a circle with center $(0, 0)$ and a radius of 5 units ($r^2 = 25$, from the equation). The graph of the line $y = x - 7$ intersects this circle at two points. What is the sum of the x -coordinates of these two points?
297. _____ The point $(-2, 10)$ lies on the circle $(x - 3)^2 + (y + 2)^2 = 169$. What is the equation of the line tangent to that circle at that point?
298. _____ The two circles, $x^2 + y^2 = 25$ and $(x - 7)^2 + (y - 7)^2 = 25$, have a common chord. What is the equation of the line containing that chord?
299. _____ units Based on the Pythagorean Theorem, the distance d between two points (x_1, y_1) and (x_2, y_2) in the coordinate plane is $d = \sqrt{(y_2 - y_1)^2 + (x_2 - x_1)^2}$. What is the length of the common chord in question 298? Express your answer in simplest radical form.
300. _____ Triangle ABC has vertices A(3, 2), B(-2, 1) and C(6, -5). What is the equation of the line containing the altitude from vertex A to side BC?



Surface Area & Volume Stretch

This activity involves determining the surface area (SA) and volume (V) of various geometric solids. For the purposes of these exercises, all solids are assumed to be right (the height is perpendicular to the base at its center). Below is an example of each solid along with the formulas for determining its surface area and volume.


B = base area

P = base perimeter

h = height


l = slant height

r = radius

PYRAMID


$$SA = B + \frac{1}{2}Pl$$

$$V = \frac{1}{3}Bh$$

CONE: Pyramid with circular base


$$SA = \pi r^2 + \pi rl$$

$$V = \frac{1}{3}\pi r^2 h$$

SPHERE


$$SA = 4\pi r^2$$

$$V = \frac{4}{3}\pi r^3$$

PRISM

$$SA = 2B + Ph$$

$$V = Bh$$

CYLINDER: Prism with circular bases

$$SA = 2\pi r^2 + 2\pi rh$$


$$V = \pi r^2 h$$

For 271 and 272, find the surface area and volume of the geometric solid.


271. $SA =$ _____ in²

$V =$ _____ in³

271. square pyramid



272. rectangular prism




For 273-275, find the surface area and volume of the geometric solid. Express your answer in terms of π .


273. $SA =$ _____ m²

$V =$ _____ m³


273. cylinder



274. cone



275. sphere



274. $SA =$ _____ cm²



$V =$ _____ cm³

275. $SA =$ _____ ft²

$V =$ _____ ft³


276. _____ cm

A right square pyramid has lateral faces with slant heights that are each 10 cm. If the surface area of this pyramid is 96 cm^2 , what is the length of one of the edges of the base?


277. _____ cm^2 

What is the surface area, in square centimeters, of a cylinder with volume $250\pi \text{ cm}^3$ and height 10 cm? Express your answer in terms of π .



The frustum of a cone or a pyramid is that part of the solid left when the top portion is cut off by a plane parallel to its base.



278. A pyramid with height 12 cm has a square base with area 64 cm^2 . A plane perpendicular to the height intersects the pyramid 3 cm from its apex.

a. _____ cm^3 What is the volume of the resulting frustum?b. _____ cm^2 What is the surface area of the frustum? Express your answer in simplest radical form.

279. A cone with a height of 24 inches has a base with radius 18 inches. A plane perpendicular to the height intersects the cone halfway between its apex and base.

a. _____ in^3 What is the volume of the resulting frustum? Express your answer in terms of π .b. _____ in^2 What is the surface area of the frustum? Express your answer in terms of π .280. _____ m^3 


A cone of height 9 m was cut parallel to its base at 3 m above its base. If the base of the original cone had diameter 18 m, what is the volume of the resulting frustum? Express your answer in terms of π .



Data & Statistics Stretch

281. _____ pets As part of a survey, 20 pet owners indicated the total number of pets they currently own, and the results are displayed in the line plot shown. What is the mean of the median and the mode of the data?

Total Number of Pets per Owner



282. _____ mi/h The maximum speed of the fastest roller coaster at 20 different amusement parks is shown in this stem-and-leaf plot, where 10|7 represents 107 mi/h. What is the absolute difference between the mean and the median of the data? Express your answer as a decimal to the nearest tenth.


Maximum Speed of 20 Roller Coasters (mi/h)

Stem	Leaf
9	0 2 3 5 6
10	0 0 7
11	6 9
12	0 8
13	0 5 6 9
14	1 3 8
15	0

283. _____ mi/h The line graph shows one driver's speed, in miles per hour, from 8:00 a.m. to 12:00 noon. Based on the graph, what was the driver's average speed from 10:30 to 11:30? Express your answer as a decimal to the nearest tenth.


Driver's Speed

8:00 a.m. to 12:00 noon



284. _____

The quality of a conversation between two people can be described by the ratio of the number of words spoken by each person. The closer the ratio is to 1, the higher the quality. Each point in the graph shown represents a two-person conversation, with the number of words spoken by one person on the x -axis and the number of words spoken by the other person on the y -axis. If both axes use the same scale, which point in the graph represents the conversation with the highest quality?



285. _____

If the mean of five values is 27, what is the sum of the five values?

286. _____

When each of five numbers is doubled, the mean of the five new numbers is 60. What was the mean of the five original numbers?

287. _____

A list of 20 numbers has a mean of 37. When two numbers are removed from the list, the new mean is 38. What is the mean of the two numbers that were removed?

288. _____

The mean, median and unique mode of six positive integers are 8, 7 and 3, respectively. What is the maximum possible value for the range of the six numbers?

289. _____

The mean of three consecutive terms in an arithmetic sequence is 10, and the mean of their squares is 394. What is the largest of the three original terms?


290. _____

Six different positive integers add to 66. If one of them is the mean and another is the range, what is the largest possible number in the set?



Geometric Proportions Stretch

291. _____ smaller prisms




Each edge of the smaller triangular prism shown is $\frac{1}{2}$ the corresponding edge length of the larger triangular prism. How many of the smaller prisms combined have a total volume equal to the volume of the larger prism?

292. _____

A plane, parallel to the bases, slices the smaller prism $\frac{3}{4}$ of the way from one base to the other, dividing it into two smaller prisms. Of the three prisms, what fraction of the volume of the largest prism is the volume of the smallest prism? Express your answer as a common fraction.

293. _____


For the two similar circles shown, the area of the large circle is nine times the area of the small circle. What is the ratio of the radius of the small circle to the radius of the large circle? Express your answer as a common fraction.



294. _____ cm

If the S-curve in the large circle has length 3.12 cm, what is the length of the S-curve in the small circle? Express your answer as a decimal to the nearest hundredth.

295. _____



A new solid pyramid with a square base of side length 30 m will be constructed surrounding an existing solid pyramid with a square base of side length 20 m, as shown. If the existing and new pyramids are similar, what is the ratio of the total volume of the new pyramid to the volume of the old pyramid? Express your answer as a common fraction.

296. _____ years


It took 16 years to completely build the original pyramid. Adding to the original pyramid, at the same volume-per-year rate, in how many years will construction of the new, larger pyramid be completed?

297. _____ in^3

A glassblower starts with a solid glass sphere that is 2 inches in diameter. What is the volume of the glass sphere? Express your answer as a decimal to the nearest hundredth.

298. _____


The glassblower will heat the glass sphere and blow air into it to create a hollow sphere 10 inches in diameter of uniform thickness. What is the ratio between the surface area of the original sphere and that of the new, hollow sphere? Express your answer as a common fraction.



299. _____

In the finished hollow sphere, what is the ratio of the volume of glass to the volume of enclosed air? Express your answer as a common fraction.

300. _____ cm^3



An icosahedron sculpture is being installed at a state fair. On the architect's model of the sculpture, each of the 20 equilateral triangular faces has area 2.85 cm^2 . The actual sculpture has a total surface area of 4617 cm^2 . If the volume of the model is 34 cm^3 , what is the volume of the actual sculpture?



Logic Stretch

271. _____

Celia, Desi and Everett are each wearing a hat that displays a different whole number from 1 to 9, inclusive. Each number cannot be seen by the person wearing it, but that number is visible to the other two individuals. Everett says, "The sum of the numbers I see is 6." Celia says, "The product of the numbers I see is 10." What is the sum of the numbers that Everett could possibly have on his hat?

272. _____ people

In a survey, 30 people reported that they enjoy some combination of walking, hiking and jogging. The number who enjoy only walking, the number who enjoy only hiking and the number who enjoy only jogging are all equal. Likewise, the number who enjoy only walking and hiking, the number who enjoy only walking and jogging and the number who enjoy only hiking and jogging are equal. In addition, the survey showed that half as many people enjoy exactly two of these activities as those who enjoy only one activity. If three people enjoy all three activities, how many people enjoy jogging?

273. _____

$$\begin{array}{r} \diamond \square \circ \\ - \quad \circ \diamond \\ \hline \circ \square \end{array}$$

In the subtraction problem shown, the shapes \diamond , \square and \circ each represent a different digit. What is the value of $\square \diamond \div \circ$?

274. Box _____

Three identical boxes contain tennis balls, baseballs or both. A label is affixed to each box. The three labels correctly describe the three boxes, but none of the labels is on the correct box. Box 1 is labeled "Tennis Balls." Box 2 is labeled "Baseballs." Box 3 is labeled "Tennis Balls & Baseballs." Devon reaches into Box 3 and pulls out a baseball. Which box contains only tennis balls?

275. Page _____

Drew purchased a used 50-page book at the book fair. Drew later realized that the book, in which left-hand pages contained even page numbers and right-hand pages contained odd page numbers, did not contain all 50 pages. The sum of the page numbers on the pages that Drew's book did contain was 1242. What is the greatest page number that could be on a page missing from Drew's book?

276. _____ In the addition problem shown, each letter stands for a different digit. If $T = 3$, what is the value of the four-digit number MATH?

$$\begin{array}{r} \text{G} \quad \text{E} \quad \text{T} \\ + \quad \text{T} \quad \text{H} \quad \text{E} \\ \hline \text{M} \quad \text{A} \quad \text{T} \quad \text{H} \end{array}$$

277. _____ seconds Starting at the lower landing of a staircase, Porscha goes up the steps by repeating a three-step sequence: moving two steps up and then moving one step down. Starting at the upper landing of the same staircase, Micah goes down the steps by repeating a different three-step sequence: moving two steps down and then moving one step up. After simultaneously moving to their first steps, Porscha and Micah both move to another step every 3 seconds. To go from the upper landing to the lower landing of the staircase involves a net movement of 12 steps. How many seconds after moving to the starting steps will Porscha and Micah reach the same step?



278. _____ If the six-digit number 3D6,D92 is divisible by 11, what is the value of D?

279. _____ A special deck of cards contains cards numbered 1 through 4 for each of four suits. Each of the 16 cards has a club, diamond, heart or spade on one side and the number 1, 2, 3 or 4 on the other side. After a dealer mixed up the cards, three were selected at random. What is the probability that of these three randomly selected cards, displayed here, one of the cards showing the number 2 has a heart printed on the other side? Express your answer as a common fraction.



280. _____ The units digit of a three-digit number, ABC, is moved to the left of the remaining two digits to make a new three-digit number, CAB. If $CAB - ABC = 162$, what is the sum of the least and greatest possible values of ABC?



Solving Inequalities

Stretch


Quick Review of Inequality Properties

For any numbers a , b and c ,


- if $a > b$, then $a + c > b + c$ and $a - c > b - c$. (applies to $>$, \geq , $<$ and \leq)
- if $a > b$ and $c > 0$, then $ac > bc$ and $\frac{a}{c} > \frac{b}{c}$. (applies to $>$, \geq , $<$ and \leq)
- if $a > b$ and $c < 0$, then $ac < bc$ and $\frac{a}{c} < \frac{b}{c}$. (applies to $>$, \geq , $<$ and \leq)
- if $|a| < b$, then $a < b$ and $a > -b$. (applies to $<$ and \leq)
- if $|a| > b$, then $a > b$ or $a < -b$. (applies to $>$ and \geq)

Solve each inequality, and graph the solution on the number line provided.


281. _____ $3 - \frac{x}{3} \leq 5$




282. _____ $3 - \frac{x}{3} \geq -5$




283. _____ $|3 - \frac{x}{3}| \leq 5$




284. _____ $3 - \frac{x}{3} < x - 5$




285. _____ $3 - \frac{x}{3} > 5 - x$




286. _____ $|3 - \frac{x}{3}| < x - 5$




287. _____ $x^2 \leq 25$




288. _____ $x^2 \geq 25$



289. _____ $x^2 + 4x - 4 > -8$




290. _____ $x^2 + 4x - 4 > -7$






Mass Point Geometry Stretch


CENTER OF MASS



Consider a seesaw, with a fulcrum at B, that has objects at A and C. As shown, the object at A has a mass of m_1 , and its distance from B is d_1 . The object at C has mass m_2 , and its distance from B is d_2 . These examples show how the position of the fulcrum determines whether the seesaw is balanced. The mass at B is $m_1 + m_2$, the sum of the masses at A and C.




In this first example, B is positioned so that $d_1 = d_2 = 5$. Notice that $m_1 \times d_1 = 2 \times 5 = 10$ and $m_2 \times d_2 = 3 \times 5 = 15$. Although the objects at A and C are equidistant from B, the object at C is lower than the object at A because $m_1 \times d_1 < m_2 \times d_2$.



In this example, B is positioned so that $d_1 = 6$ and $d_2 = 4$. Here, $m_1 \times d_1 = 2 \times 6 = 12$ and $m_2 \times d_2 = 3 \times 4 = 12$. This time, the seesaw is balanced because $m_1 \times d_1 = m_2 \times d_2$. In this case, the position of B is known as the *center of mass*.

A *cevian* is a line segment that joins a vertex of a triangle with a point on the opposite side. Mass point geometry is a technique used to solve problems involving triangles and intersecting cevians by applying center of mass principles. Because triangle ABC, shown here, has cevians AF, BD and CE that intersect at point G, we can apply the center of mass principles presented. For example, side AB is balanced on point E when $m_1 \times d_1 = m_2 \times d_2$.



A *mass point*, denoted mP , consists of point P and its associated mass, m . Assume point G is the center of mass on which the entire triangle balances. Then the mass at G is the sum of the masses at the endpoints for each cevian and $mG = mA + mF = mB + mD = mC + mE$.

Suppose $BF:CF = 3:4$ and $AD:CD = 2:5$, and we are asked to determine the ratios $AE:BE$, $AG:FG$ and $BG:DG$.

Start by finding mB and mC for side BC, which is balanced on point F. We know $m_2 \times 3 = m_3 \times 4$. We can let $m_2 = 4$ and $m_3 = 3$, so $4B + 3C = (4+3)F = 7F$.

Next, find mA for side AC, which is balanced on point D. We know $m_1 \times 2 = m_3 \times 5$. Since $m_3 = 3$, it follows that $m_1 \times 2 = 3 \times 5$ and $m_1 = 15/2$. Rather than having mass point $(15/2)A$, we can multiply $4B$, $(15/2)A$, $3C$ and $7F$ by 2 to get the following mass points: $8B$, $15A$, $6C$ and $14F$. Now the mass at each point is of integer value.

Now, there is enough information to find mD and mE , since $15A + 6C = (15+6)D = 21D$ and $15A + 8B = (8+15)E = 23E$. Therefore, given mass points $15A$ and $8B$, it follows that side AB is balanced on point E when $AE:BE = 8:15$. In addition, given mass points $21D$ and $14F$, we see that cevians AF and BD both are balanced on point G when $AG:FG = 14:15$ and $BG:DG = 21:8$.


Solve the following problems by using mass point geometry. Express ratio answers as common fractions.

Triangle ABC, shown here, has cevians AD, BE and CF intersecting at point G, with $AF:BF = 3:2$ and $BD:CD = 5:3$.


291. _____ What is the ratio of AE to CE?

292. _____ What is the ratio of BG to EG?


293. _____ What is the ratio of DG to AG?




294. _____ The medians of a triangle intersect at a point in the interior of the triangle as shown. What is the ratio of the lengths of the shorter and longer segments into which each median is divided at the point of intersection?




295. _____ In rectangle ABCD, point E is on side DC such that $BC = 8$, $BE = 10$ and $AC = 17$. If segments AC and BE intersect at F, what is the ratio of the area of triangle CFE to the area of triangle AFB?




296. _____ If $AB:BC = 1:4$ and $AF:DF = 5:4$, what is the ratio of DE to CD?



297. _____ For integers x , y and z , if $AB:BC = 1:4$, $AG:GH = 3:5$ and $AF:DF = 5:4$, then $CH:DH:DE = x:y:z$. What is the value of $x + y + z$?




298. _____ In triangle ABC, $AD:BD = 1:2$, $BE:EC = 1:3$ and $AF:CF = 3:2$. What is the ratio of the area of triangle GHI to the area of triangle ABC?



Triangle ABC, shown here, has cevian AD and transversal EF intersecting at G, with $AE:CE = 1:2$, $AF:BF = 5:4$ and $BD:CD = 3:2$.

299. _____ What is the ratio of AG to DG?

300. _____ What is the ratio of EG to FG?






Counting Stretch

221. _____ Hazel wrote the integers 1 through 321 on the board. How many total digits did she write?

222. _____ triangles



How many triangles of any size are in this figure?

223. _____ ways In how many ways can one knife, one fork and one spoon be distributed, in any order, to three people, if each person is given 0, 1, 2 or 3 utensils?

224. _____ ways

Using pennies, nickels, dimes and quarters, how many ways can you make 67 cents?

225. _____ scores

In the game Fortrix, a player can earn 3, 7 or 11 points on a turn. How many different scores are possible for a single player after six turns?

226. _____ integers

How many 3-digit integers are divisible by both 5 and 17?

227. _____ integers

How many positive integers less than 40 are relatively prime to both 7 and 10?

228. _____ palin-
dromes


How many palindromes are between 9 and 1009?

229. _____ paths

In the 3×3 grid shown, a path can begin in any cell and can pass through a cell more than once. How many such paths spell ROTOR?

R	O	R
O	T	O
R	O	R

230. _____ paths




Moving only up and right, how many paths from P to H pass through A and T?




Area Stretch

231. _____ % Norm has a square sheet of paper with 10-inch sides. Along each side, he makes a mark 2 inches from each corner. He then draws a line segment connecting the two marks near each corner. Finally, he cuts along each line segment, removing a triangle from each corner of the square and creating an octagon. What percentage of the area of the square is the area of the octagon?




232. _____ ft^2 The figure shows an office floor plan. How many square feet does this office occupy?



233. _____ m^2 A running track consists of two parallel straight segments, each 100 meters long, connected by two semicircular stretches, each with inner diameter 50 meters. What is the total area enclosed by the running track? Express your answer to the nearest hundred.


234. _____ units² What is the greatest possible area of a concave pentagon in the coordinate plane with vertices $(-2, 0)$, $(2, 0)$, $(2, 10)$, $(0, 6)$ and $(-2, 10)$?

235. _____ units² A square is inscribed in a circle of radius 4 units. The square divides the interior of the circle into five regions, four of which lie outside the square. What is the area of the shaded region? Express your answer in terms of π .




236. _____ in² Amy marks two points A and B that are 4 inches apart. She draws one circle that has segment AB as a diameter. She then draws a larger circle, which overlaps the first circle, such that the arc from A to B along its circumference is a quarter-circle. What is the total area covered by the two circles? Express your answer in terms of π .


237. _____ units² In convex octagon ABCDEFGH, shown here, each side has length 6 units, and diagonals AE and CG have length 16 units. If the octagon is symmetric across both diagonals AE and CG, what is its area? Express your answer in simplest radical form.



238. _____ units² In this figure, AE = EQ = BC = CP = 10 units, and AQ = BP = 12 units. The points A, P, Q and B are collinear. If the perimeter of the concave pentagon ABCDE is 52 units, what is its area? Express your answer as a common fraction.



239. _____ units² Right triangle ABC with AC = 3 units, BC = 4 units and AB = 5 units is rotated 90° counterclockwise about M, the midpoint of side AB, to create a new right triangle A'B'C'. What is the area of the shaded region where triangles ABC and A'B'C' overlap? Express your answer as a common fraction.



240. _____ units In right triangle ABC, $\angle C$ is a right angle, AC = 10 units and BC = 24 units. If a point X is located inside triangle ABC so that the distance from X to side AB is twice the distance from X to side AC, and the distance from X to side AC is twice the distance from X to side BC, what is the distance from X to side AB? Express your answer as a common fraction.



Modular Arithmetic Stretch

Modular arithmetic is a system of integer arithmetic that enables us obtain information and draw conclusions about large quantities and calculations. It would be extremely helpful, for instance, when asked to find the units digit of 2^{2015} if we didn't really have to calculate the value of the expression to get that information. Modular arithmetic allows us to do just that!

THE BASICS:

The simplest example of modular arithmetic is commonly referred to as “clock arithmetic.” Suppose it is 3 o’clock now and I want to know what time it will be in 145 hours. We could count from 3 o’clock for 145 consecutive hours. We certainly wouldn’t be expected to count 145 hours starting with 3 o’clock. Suppose we did counting the hours from 3 o’clock. What happens when we get to 12 o’clock? We continue counting but begin a new 12-hour cycle. Instead of counting 145 hours, we can just see how many of these 12-hour cycles we’d go through counting 145 hours. More importantly, we need to determine how many hours would remain after making it through the last full 12-hour cycle.

In this example, the value 12 is called the **modulus** and what is left over is called the remainder. In this case, we can determine fairly quickly that there are 12 full 12-hour cycles in 145 hours, with a remainder of 1 hour (since $12 \times 12 = 144$ and $145 - 144 = 1$).

Standard arithmetic: $145 = 12 \times 12 + 1$

Modular arithmetic we write: $145 \equiv 1 \pmod{12}$ Read “145 is congruent to 1 modulo 12”

The remainder of 1 tells me that it will be the same time 145 hours after 3 o’clock that it will be 1 hour after 3 o’clock. And that time is 4 o’clock.

Here’s another example of modular arithmetic. Suppose today is Tuesday. What day of the week will it be 417 days from now? Since the days of the week are on a 7-day repeating cycle, the modulus here is 7. If we divide 417 by 7, we get

Standard arithmetic: $417 = 59 \times 7 + 4$

Modular arithmetic we write: $417 \equiv 4 \pmod{7}$

Thus, 417 days from Tuesday will be the same day of the week as 4 days from Tuesday, Saturday.

TRY THESE

241. _____ If the current month is July, what month will it be in 152 months?

242. _____ a.m.
p.m. If the time is currently 8 a.m., what time will it be in 255 hours?
Circle a.m. or p.m. in answer blank.

243. _____ m Jennie goes out every morning and jogs on the school track. The track is 400 meters around. If Jennie runs 5310 meters then how far will she be from where she started once she finished her run?

MODULAR ADDITION: What is the remainder when $9813 + 7762 + 11252$ is divided by 10?

$$\begin{aligned}9813 + 7762 + 11252 &= (981 \times 10 + 3) + (776 \times 10 + 2) + (1125 \times 10 + 2) \\&= (981 + 776 + 1125) \times 10 + (3 + 2 + 2)\end{aligned}$$

Since we are only interested in the remainder, we need only focus on the last part. We see that the remainder is $3 + 2 + 2 = 7$. Written in modular arithmetic notation it would look like this:

$$9813 + 7762 + 11252 \equiv 3 + 2 + 2 \equiv 7 \pmod{10}$$

MODULAR MULTIPLICATION: What is the remainder when 9813×7762 is divided by 10?

$$\begin{aligned}9813 \times 7762 &= (981 \times 10 + 3) \times (776 \times 10 + 2) \\&= (981 \times 776 \times 10^2) + (981 \times 2 \times 10) + (776 \times 3 \times 10) + (3 \times 2)\end{aligned}$$

The first three terms are multiples of 10, and once again last term is the remainder $3 \times 2 = 6$. Written in modular arithmetic notation would look like this:

$$9813 \times 7762 \equiv 3 \times 2 \equiv 6 \pmod{10}$$

MORE MOD SHORTCUTS: There are many useful applications of modular arithmetic. Here are just a few more.

- Consider the powers of 3: $3^0 = 1$; $3^1 = 3$; $3^2 = 9$; $3^3 = 27$; $3^4 = 81$; $3^5 = 243$; $3^6 = 729$
Notice that the units digits are repeated every four powers of 3, so the modulus is 4. Repeating units digits correspond to remainders 1, 2, 3 and 0.
- Suppose you want the unit digit of 3^{53} . First, we note that $53 \equiv 1 \pmod{4}$ since the remainder 1 corresponds to units digit 3, thus, the expansion of 3^{53} has a units digit of 3.
- The smallest number that has remainder 1 when divided by 2 and 3 is 7. Why?
 $1 \equiv 7 \pmod{2}$ and $1 \equiv 7 \pmod{3}$

MODULAR ARITHMETIC PRACTICE

244. _____ What is the last digit of 2^{2015} ?

245. _____ What is the value of 122×71 modulo 11?

246. _____ What is the remainder when $5981 \times 8162 \times 476$ is divided by 5?

247. _____ Jon has 29 boxes of donuts with 51 donuts in each box. He wants to divide them into groups of a dozen each. Once he groups them again, how many donuts will be left over?

248. _____ What is the least integer greater than 6 that leaves a remainder of 6 when it is divided by 7 and by 11?

249. _____ When organizing her pencils, Faith notices that when she puts them in groups of 3, 4, 5, or 6, she always has exactly one pencil left over. If Faith has between 10 and 100 pencils, how many pencils does she have?

250. _____ When organizing her pens, Faith notices that when she puts them in groups of 3, 4, 5, or 6, she is always one pen short of being able to make full groups. If Faith has between 10 and 100 pens, how many pens does she have?



Fractions Stretch


Solve the following problems. Express any non-integer answer as a common fraction.

221. _____ What fraction of 100 is 25?


222. _____ What fraction of $\frac{3}{8}$ is $\frac{9}{16}$?

223. _____ What is the value of $\sqrt{\frac{3}{11} \div \frac{11}{12}}$?

224. _____ What fractional part of this grid of 20 unit squares is shaded?



225. _____ What fraction of the area of rectangle ABCD is the area of inscribed triangle DEF?



226. _____ On a number line, what common fraction is $\frac{3}{4}$ of the way from $\frac{1}{2}$ to $\frac{3}{4}$?

227. _____ What is the reciprocal of $\frac{1}{2 + \frac{1}{3}}$?

228. _____ What common fraction is equal to $0.\overline{75}$?

229. _____ If $\frac{1}{\frac{1}{n} + \frac{1}{3}} + \frac{1}{\frac{1}{3} + \frac{1}{n}} = \frac{5}{12}$, what is the value of n ?

230. _____ If $\frac{2x}{x-3} - 2 = \frac{4}{x+2}$, what is the value of x ?




Angles and Arcs Stretch

S_{ECANT}	a line that intersects the circle at two points
C_{HORD}	a line segment whose endpoints are two points on the circle
T_{ANGENT}	a coplanar line that intersects the circle at a single point of tangency
C_{ENTRAL ANGLE}	an angle with its vertex at the center of the circle
I_{NSCRIBED ANGLE}	an angle with its vertex on the circle and whose sides are chords of the circle
M_{AJOR ARC}	an arc of the circle with measure greater than or equal to 180°
M_{INOR ARC}	an arc of the circle with measure less than 180°

ANGLE AND ARC MEASURES

In the figures below, observe how the degree measure of $\angle AXB$ decreases as the distance between the vertex of the angle and the center of the circle increases.



- In Figure I, angles AOB and COD are central angles of circle O that intercept arcs AB and CD, respectively. The degree measure of a central angle and the arc it intercepts are equal.

$$m\angle AOB = m\widehat{AB} \text{ and } m\angle COD = m\widehat{CD}$$

- In Figure II, vertical angles AXB and CXD, formed by the intersection of chords AC and BD inside circle O, intercept arcs AB and CD, respectively. The degree measure of vertical angles formed by two chords intersecting inside a circle is half the sum of the measures of their intercepted arcs.

$$m\angle AXB = m\angle CXD = \frac{1}{2}(m\widehat{AB} + m\widehat{CD})$$

- In Figure III, $\angle AXB$ is inscribed in circle O. The degree measure of an inscribed angle is half the measure of the intercepted arc.


$$m\angle AXB = \frac{1}{2}m\widehat{AB}$$

- In Figure IV, $\angle AXB$, formed by the intersection of two secants at point X outside of circle O, intercepts arcs AB and CD. The degree measure of an angle formed by two secants, two tangents or a secant and a tangent is half the difference of the measures of its intercepted arcs.

$$m\angle AXB = \frac{1}{2}(m\widehat{AB} - m\widehat{CD})$$

It may appear that there are four different formulas for calculating the four types of angles. But in each case, the measure of the angle in question is, essentially, the average of the measures of the intercepted arcs. In Figure IV, note that, with respect to $\angle AXB$, \widehat{AB} appears concave, while \widehat{CD} appears convex. So the measure of $\angle AXB$ can be thought of as the average of 80° and -40°.


Solve the following problems by using what you've learned about angles and arcs. Express any non-integer value as a decimal to the nearest tenth.




231. _____° Regular nonagon ABCDEFGHI is inscribed in a circle, as shown.

What is $m\angle AHC$?

232. _____° In circle A, shown here, \overleftrightarrow{BD} is tangent to the circle at B, and major \widehat{BC} has measure 230° . What is $m\angle CBD$?




233. _____°



Circle O, shown here with chords AB and BE, has secants AC and DE that intersect at X. If $m\angle ABE = 35^\circ$ and $m\angle AXE = 15^\circ$, what is the measure of \widehat{CD} ?


234. _____°

In this figure, lines AX and BX are tangent to circle O at A and B, respectively. If $m\angle AXB = 50^\circ$, what is the measure of major \widehat{AB} ?



Use the figure at the right for questions 235 through 238.

235. _____° What is $m\angle ABD$?



\overleftrightarrow{AE} is tangent to circle O

$\overleftrightarrow{AE} \perp \overline{AC}$

$m\angle BDC = 40^\circ$


$m\widehat{AD} = 125^\circ$

236. _____° What is $m\widehat{AB}$?

237. _____° What is $m\angle BAE$?

238. _____° What is $m\angle CFD$?


239. _____°



Quadrilateral ABCD is inscribed in circle Q, as shown, with diagonals intersecting at X. If $m\widehat{AB} = 110^\circ$, $m\widehat{BC} = 60^\circ$ and $AB = BD$, what is $m\angle CXD$?

240. _____°

Circle P is internally tangent to circle O at A, as shown. \overline{AC} and \overline{BE} intersect at F, which is also the point of tangency between \overline{BE} and circle P. \overline{AD} and \overline{BE} are diameters of circle O, and \overline{AG} is a diameter of circle P. If $m\widehat{CD} = 50^\circ$, what is the measure of minor \widehat{BC} ?





Bases Stretch

The **base 10** number system, the number system we are most familiar with, uses the digits 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9. Numerals with these digits in the ones, tens, hundreds and higher places express specific numerical quantities. In base 10, the number 245, for example, is composed of 2 hundreds, 4 tens and 5 ones. That is, $2(10^2) + 4(10^1) + 5(10^0) = 200 + 40 + 5 = 245$.

A **base b** number system uses the digits 0, 1, ..., $b - 1$. Numerical quantities are expressed with these digits in the b^0 , b^1 , b^2 and higher places. In base b , if $b \geq 6$, the numeral 245_b represents the number $2(b^2) + 4(b^1) + 5(b^0)$. In base 8, for example, $245_8 = 2(8^2) + 4(8^1) + 5(8^0) = 2(64) + 4(8) + 5(1) = 128 + 32 + 5 = 165$.

Bases greater than 10 use letters to represent the digits greater than 9. For example, the 12 digits used in base 12 are 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A and B. The numeral 10 in base 12 has 1 twelve and 0 ones. That is, $10_{12} = 1(12^1) + 0(12^0) = 1(12) + 0(1) = 12 + 0 = 12$.

Practice Problems

What is the representation of each of the following in base 10?

241. _____ 24_9

242. _____ 24_8

243. _____ 24_7

What is the representation of 24 in each of the following bases?

244. _____ base 9

245. _____ base 8

246. _____ base 7

Now try these.

247. _____ What is the representation of 4991 in base 12?

248. _____ What is the representation of $3BB_{12}$ in base 6?



249. _____ If $523_b = 262$, what is the value of b ?

250. _____ If $441_b = n^2$ and $351_b = (n - 2)^2$, for some $b < 10$, what is the value of n ?



Probability Stretch


1. _____ % Petra randomly selects a card from a standard deck of 52 playing cards. What is the percent probability that the card shows a red number greater than 6? Express your answer to the nearest hundredth.
2. _____ Max has eight identical cups. Each cup contains a different combination of nickels, dimes and quarters, each totaling 45 cents. Max randomly selects a cup. What is the probability that the cup he selects contains at least three dimes? Express your answer as a common fraction.
3. _____ A bag contains five chips numbered 2 through 6. Danya draws chips from the bag one at a time and sets them aside. After each draw, she totals the numbers on all the chips she has already drawn. What is the probability that at any point in this process her total will equal 10? Express your answer as a decimal to the nearest tenth.
4. _____ A drawer contains five socks: two green and three blue. What is the probability that two socks pulled out of the drawer at random will match? Express your answer as a common fraction.
5. _____ A penny, a nickel and a dime are flipped. What is the probability that at least two coins land heads up and one of them is the nickel? Express your answer as a common fraction.
6. _____ % When the circuit containing blinking lights A and B is turned on, lights A and B blink together. Then A blinks once every 5 seconds and B blinks once every 11 seconds. Lindsey looks at the two lights just in time to see A blink alone. What is the percent probability that the next light to blink will be A blinking alone?
7. _____ % What is the percent probability that a randomly selected multiple of 3 less than or equal to 3000 is also a multiple of 5?
8. _____ Starting at the top and selecting paths randomly as you move downward, what is the probability of ending at an odd number? Express your answer as a common fraction.
9. _____ A five-digit number is made by randomly ordering the digits 1, 2, 3, 4 and 5. What is the probability that this number is divisible by 4? Express your answer as a common fraction.
10. _____ Pierre throws darts that land randomly in the dartboard shown here. The dartboard is a circle of radius 2 units, with an inner circle of radius 1 unit. Both circles are divided into six congruent sectors. What is the probability that a dart Pierre throws will land in one of the four inner numbered sectors? Express your answer as a decimal to the nearest hundredth.





Patterns Stretch

11. _____ dots The first four stages of a dot pattern are shown. How many more dots are in the figure at Stage 47 than in the figure at Stage 27?



12. _____ The first three terms of a sequence are 1, 2 and 3. Each subsequent term is the sum of the three previous terms. What is the 11th term of this sequence?

13. _____ What is the sum of the terms in the arithmetic series $2 + 5 + 8 + 11 + 14 + \dots + 89 + 92$?

14. _____ Three consecutive terms in an arithmetic sequence are x , $2x + 11$ and $4x - 3$. What is the constant difference between consecutive terms in this sequence?

15. _____ What is the sum of the terms in the geometric series $1 + 4 + 16 + \dots + 1024$?

16. _____ What is the sum of the first 51 consecutive odd positive integers?

17. _____ What is the sum of the terms in the infinite series $1 + \frac{1}{2} + \frac{1}{4} + \frac{1}{8} + \frac{1}{16} + \frac{1}{32} + \dots$?

18. _____ What is the sum of the terms in the infinite series $1 + \frac{1}{4} + \frac{1}{16} + \frac{1}{64} + \frac{1}{256} + \dots$? Express your answer as a common fraction.

19. _____ Let $f(x) = 2x + 3$ and $f^2(x) = f(f(x)) = f(2x + 3) = 2(2x + 3) + 3 = 4x + 9$. If $f^5(x) = ax + b$, what is the value of $a + b$?

20. _____ degrees The degree measures of the interior angles of a quadrilateral form a geometric sequence whose terms have integer values and are all integer multiples of the first term. What is the largest possible degree measure of an angle in this quadrilateral?



Travel Stretch

$$\text{speed} = \frac{\text{distance}}{\text{time}}$$

$$\text{distance} = \text{speed} \times \text{time}$$

$$\text{time} = \frac{\text{distance}}{\text{speed}}$$

21. _____ mi/h Jack and Jill travel up a hill at a speed of 2 mi/h. They travel back down the hill at a speed of 4 mi/h. What is their average speed for the entire trip? Express your answer as a mixed number.



22. _____ : _____ p.m. At 2:20 p.m., Jack is at the top of the hill and starts walking down at the exact same time that Jill, who is at the bottom of the hill, starts walking up. If they maintain the same uphill and downhill speeds from the previous problem, and the distance from the bottom to the top of the hill is 1.5 miles, at what time will Jack and Jill meet?

23. _____ yards When Jack and Jill meet, as described in the previous problem, how many yards will they be from the bottom of the hill?

24. _____ minutes Alysha's average speed when walking from home to the market is 5 mi/h, and it takes her 21 minutes longer than when she drives to the market. If Alysha drives to the market, along the same route, at an average speed that is eight times her average walking speed, how many minutes does it take her to drive from home to the market?



25. _____ miles Based on problem 24, how many miles does Alysha travel to get from home to the market?

26. _____ minutes  Jana begins jogging along a path and, 5 minutes later, Zhao begins riding his bicycle along the same path, which has a length of 2 miles. Zhao rides his bicycle at a speed of 10 mi/h, and Jana's jogging speed is 6 mi/h. If they both begin at one end of the path and end at the other, how many minutes after Zhao reaches the end of the path will Jana reach the end of the path?

27. _____ minutes Based on problem 26, how many minutes after Zhao begins riding will he catch up with Jana? Express your answer as a mixed number.

28. _____ miles Again, based on problem 26, how many miles will Jana have traveled when Zhao catches up with her? Express your answer as a mixed number.

29. _____ mi/h  Ansel left the dock in his motorboat, traveled 10 miles, and then returned to the dock along the same route. On the return trip, Ansel was traveling against the current of the river, and his average speed relative to the water was 20 mi/h. If the round-trip took Ansel 64 minutes, what is the speed of the river's current?

30. _____ Based on problem 29, what fraction of Ansel's total travel time was spent traveling upstream? Express your answer as a common fraction.



Measurement Stretch

1. _____ units



Merri places weights of 6 units and 28 units on the right side of a balance and weights of 3 units and 19 units on the left side. If she adds an object to the left side that makes the balance level, how many units does the object weigh?

2. _____ tacks


The weight of a small clip is $\frac{2}{3}$ the weight of a large clip. If 2 tacks weigh the same amount as a large clip, how many tacks weigh the same amount as 12 small clips?

3. _____ Dems

On the planet Klem, 1 Bem plus 7 Dems equals 4 Pems, and 2 Bems plus 1 Dem equals 1 Pem. How many Dems equal 7 Bems?

4. _____ meters

If a race car is traveling at 99 mi/h, how many meters does it travel in a second, given that 0.305 meter = 1 foot? Express your answer as a decimal to the nearest tenth.




5. _____ %

If the results when reading a measuring stick can be off by at most 1 cm, what is the maximum percent error when 24 cm is measured? Express your answer to the nearest tenth.

6. _____ grams

Vijay gives Sanjay a set of four weights of 1, 3, 8 and 26 grams. When Sanjay places weights on either side of a balance, what is the smallest positive integer number of grams that he **cannot** measure with this set?



7. _____ gallons

If Clem has 2 cups, 7 pints, 8 quarts and 11 half-gallons of lemonade, how many total gallons of lemonade does she have? Express your answer as a mixed number.

8. _____ Klegs

If 2 Blams equal 15 Droms and 5 Droms equal 28 Klegs, how many Klegs are in a Blam?

9. _____

What is the ratio of 1 ounce to 1000 grams, given that 1 pound equals 454 grams? Express your answer as a decimal to the nearest thousandth.

10. _____ times

If one order of fries and five burgers cost twice as much as three orders of fries and two burgers, how many times as much does a burger cost compared to one order of fries?





Expected Value Stretch


If the outcomes of random variable X have values $x_1, x_2, x_3, \dots, x_n$ and the probabilities of these outcomes occurring are $p_1, p_2, p_3, \dots, p_n$, respectively, then the **expected value** of the outcome is the sum of the products of the probability of each outcome and the value of that outcome.

$$E(X) = p_1 x_1 + p_2 x_2 + p_3 x_3 + \dots + p_n x_n$$

11. _____ An unfair six-sided die with faces labeled 1, 2, 3, 5, 8 and 13 is rolled. The table lists the probability of the die landing with each number showing on the top face. The expected value of the roll is the sum of the products of each face value and its corresponding probability of being rolled. What is the expected value when the die is rolled? Express your answer as a mixed number.

Top Face Value	Probability
1	$\frac{1}{3}$
2	$\frac{1}{15}$
3	$\frac{1}{6}$
5	$\frac{1}{5}$
8	$\frac{2}{15}$
13	$\frac{1}{10}$


12. \$ _____ Terry plays a game with prizes of 5, 10, 15 and 20 dollars. The graph shows each possible prize amount and its corresponding probability. The expected value of her prize is the sum of the products of each prize and the probability of winning that prize. What is the expected value of Terry's prize?



13. _____ A fair 10-sided die with one face labeled 1, two faces labeled 2, three faces labeled 3 and four faces labeled 4 is rolled. What is the expected value when this die is rolled?

14. _____ cm^2 Ana has a bowl containing two square tiles, one with side length 2 cm and the other with side length 3 cm. She randomly chooses a tile from the bowl. The expected value of the area of the chosen tile is the sum of the products of each tile's area and its corresponding probability of being chosen. If the probability of choosing a particular tile is proportional to its area, what is the expected value of the area of the tile Ana chooses? Express your answer as a common fraction.

15. _____ points For the dartboard shown, the number of points scored when a dart lands in each region is indicated. The innermost circle of the board has radius 1 inch, and each subsequent circle has a radius 2 inches greater than the previous circle. Kane throws a dart that lands randomly somewhere on the board. What is the expected value of the number of points he scores? Express your answer as a decimal to the nearest tenth.



16. _____ Gwen randomly draws a card from a deck of 40 cards numbered 1 through 40. What is the expected value of the number on the card she draws? Express your answer as a decimal to the nearest tenth.

17. _____ faces Luke paints each face of a $5 \times 5 \times 5$ cube red. He then cuts the cube into 125 unit cubes and randomly chooses a single unit cube. What is the expected value of the number of painted faces on this unit cube? Express your answer as a decimal to the nearest tenth.

A property of E is that it is a linear function of the random variable. So, for random variables X and Y , the expected value of the sum of random variables equals the sum of their expected values.

$$E(X + Y) = E(X) + E(Y)$$

18. _____ points In each round of a particular game, Dinara can win at most one point. If she has a 70% chance of winning a point in each round, what is the expected value of Dinara's total score after three rounds? Express your answer as a decimal to the nearest tenth.

19. _____ Jo and her four friends each secretly pick a random integer from -5 to 5 , inclusive. What is the expected value of the sum of the five chosen numbers?

20. _____ jelly beans Allen randomly distributes 1000 jelly beans into 10 jars lined up in a row from left to right. What is the expected value of the number of jelly beans in the leftmost jar?



Transformations Stretch

21. _____ units A point $P(-3, 2)$ is translated right 4 units to its image P' . The point P' is then translated up 3 units to its image P'' . What is the distance from P to P'' ?
22. _____ units A segment has endpoints $A(0, 0)$ and $B(-3, 4)$. Point C is the image of point B translated down 4 units and left 3 units. What is the perimeter of $\triangle ABC$?
23. _____ (____, ____) A point $Q(-3, 4)$ is reflected across the x -axis, and then the image Q' is reflected across the line $x = 2$. What are the coordinates of the image Q'' ? Express your answer as an ordered pair.
24. _____ A point $S(1, 6)$ is reflected across the line $x - 2y = -6$. What is the sum of the coordinates of the image S' ?
25. _____ (____, ____) What are the coordinates of the image of point $D(-5, -3)$ when it is rotated 90 degrees clockwise about the origin? Express your answer as an ordered pair.
26. _____ (____, ____) What are the coordinates of the image of the point $E(3, -1)$ when it is rotated 90 degrees counterclockwise about the point $F(5, 4)$? Express your answer as an ordered pair.
27. _____ A segment with endpoints $G(-2, 3)$ and $H(4, 7)$ is dilated by a scale factor of $\frac{2}{3}$ with center of dilation $(0, 0)$. What is the sum of all the coordinates of G' and H'' ?
28. _____ Point $J(4, 8)$ is dilated by a scale factor of $\frac{3}{2}$ with center of dilation $K(2, 2)$. What is the product of the coordinates of J' ?
29. _____ units² A point $L(-2, 4)$ is rotated 90 degrees clockwise about the point $M(3, 2)$. Point N is the image of L' dilated by a scale factor of $\frac{3}{2}$ with center of dilation M . What is the area of $\triangle LMN$? Express your answer as a common fraction.
30. _____ units A point $R(-5, 3)$ is reflected across the line $y = x - 2$, and then the image R' is rotated 90 degrees clockwise about the origin. What is the distance from R to R'' ? Express your answer in simplest radical form.




Ratios Stretch

DEFINITION

A **ratio** is the comparison of two quantities by division.

This graph shows the number of courses in Science, Technology, Engineering and Math offered at a particular school. According to the graph, the ratio of Engineering to Technology courses is 2 to 5, also written E:T = 2:5. The ratio E:T is a comparison of two of the four “parts” that combine to make up the “whole” group of STEM courses. Some ratios compare a “part” to the “whole.” Ratios are often written in the form of a fraction, decimal or percent. According to the graph, this school offers a total of 20 STEM courses. So, the ratio of Math courses to STEM courses is 7 to 20. In other words, Math courses account for $\frac{7}{20} = 0.35 = 35\%$ of the STEM courses at this school.

COURSES IN STEM SUBJECTS



- _____ Dave's digital library contains 25 fiction books and 15 nonfiction books. What is the ratio of nonfiction books to fiction books in Dave's digital library? Express your answer as a common fraction.
 - _____ For a 30-60-90 right triangle, what is the ratio of the length of the longer leg to the length of the hypotenuse? Express your answer as a common fraction in simplest radical form.
 - _____ A jar contains seven blue marbles and eight green marbles. Ming adds four yellow marbles and five blue marbles to the jar. What is the ratio of green marbles to non-green marbles in the jar? Express your answer as a common fraction.
- Fairy Godmother has granted wishes to Aurora, Belle and Cindi in the ratio 6:8:11. Use this information to solve problems 4 through 7.
- _____ What fraction of the wishes were granted to Belle? Express your answer as a common fraction.
 - _____ % What percent of the wishes granted by Fairy Godmother were *not* granted to Aurora?
 - _____ % What is the absolute difference between the percents of wishes Fairy Godmother has granted to Aurora and to Cindi?
 - _____ wishes Fairy Godmother has granted at least 20 wishes each to Aurora, Belle and Cindi. What is the least possible number of wishes that she has granted to Cindi?
 - _____ % Jennie put 38 mL of water in a cylinder with a capacity of 60 mL. If she increases the volume of water in the cylinder by 50%, what percent of the cylinder will contain water?
 - _____ % A shop owner increased the price of a jacket by 17%. What percent of the new price is the original price of the jacket? Express your answer to the nearest tenth.



- _____ New packaging for fruit snacks contains 10% less weight than the original packaging. If the new package costs 15% more than the original package, by what fraction did the unit price increase? Express your answer as a common fraction.




Venn Diagrams Stretch

SET THEORY REVIEW


A **set** is a collection of objects or elements, called **members**. Consider two sets A and B.

- ⊕ The **intersection** of A and B, denoted $A \cap B$, is the set of elements that are in both A and B.
- ⊕ The **union** of A and B, denoted $A \cup B$, is the set of elements in A or in B or in both.
- ⊕ The **universal set U** is the set of all possible elements.
- ⊕ The **relative complement** of A, denoted $B \setminus A$, is the set of all elements in B but not in A.
- ⊕ The **complement** of A, denoted A' , is the set of all elements not in A, in other words, $U \setminus A$.
- ⊕ The **cardinality** of A, denoted $|A|$, is the number of elements in set A.


A **Venn diagram** is a useful tool for comparison. It helps us visualize the relationships between two or more sets. The Venn diagrams shown compare sets A, B and C.




$$|A| = 12$$





$$|A \cap (B \cup C)| = |(A \cap B) \cup (A \cap C)| = 6$$




$$|A \cap B \cap C| = 2$$




$$|A \cap B| = 3$$




$$|A \cap C| = 5$$




$$|A \setminus B| = 9$$



$$(A \cup B \cup C)'$$



$$|(A \setminus B \setminus C)| = 6$$




$$|(A \cap B) \setminus C| = 1$$

$$|(A \setminus B \setminus C) \cup (B \setminus A \setminus C) \cup (C \setminus A \setminus B)| = 18$$

At Mesa Performing Arts Center, 30 students take courses in one or more of the drama, music and art departments. Five students take courses in exactly one department. Of these students, twice as many take drama courses as take music courses. Five students take courses in exactly two departments. Of these students, twice as many take drama and music courses as take music and art courses. Use the provided Venn diagram to organize this information, and then answer questions 11 through 13.


11. _____ students How many students take only art courses?



12. _____ students How many students take courses in all three departments?

13. _____ students How many students take courses in art or music but not both?

The integers from 1 to 630, inclusive, are tested for divisibility by 6, 10 and 21. Use the provided Venn diagram to help determine the cardinality of various sets that contain multiples of 6, 10 and 21, and then answer questions 14 through 16.




14. _____ integers How many of these integers are divisible by both 6 and 10 but not by 21?

15. _____ integers How many of these integers are divisible by 6 but not by either 10 or 21?

16. _____ integers How many of these integers are not divisible by any of 6, 10 or 21?

A fair coin is flipped, a standard six-sided die is rolled and a card is randomly selected from a standard deck of 52 playing cards. The Venn diagram shown can be used to organize the numbers of outcomes that include flipping heads (H), rolling a 6 (S) and/or selecting a diamond card (D). Use your answers to questions 17 through 19 to fill in this diagram.



17. _____ ways How many ways are there to flip heads, roll a 6 and select a diamond card?

Hint: This is the value of $|H \cap S \cap D|$.

18. _____ ways Since there are $1 \times 1 \times 52 = 52$ ways to roll a 6 and flip heads, how many ways are there to roll a 6 and flip heads but not select a diamond card?

Hint: Use $|S \cap H| = 52$ to find the value of $|(S \cap H) \setminus D|$.

19. _____ ways Since there are $1 \times 6 \times 52 = 312$ ways to flip heads and $13 \times 1 \times 6 = 78$ ways to select a diamond card and flip heads, how many ways are there to flip heads but not select a diamond card and not roll a 6?

Hint: To start, use $|D \cap H| = 78$ to find the value of $|(D \cap H) \setminus S|$. Remember that $|H| = 312$.

20. _____ What is the probability of rolling a 6 and not flipping heads **or** flipping heads and not selecting a diamond? Express your answer as a common fraction.




Clocks Stretch

Problems in this stretch involve 12-hour digital and analog clocks, and all time answers should be expressed to the nearest minute, unless otherwise stated.

21. _____ a.m. What time will it be 47 minutes after 7:37 a.m.?

22. _____ a.m. What time was it 43 minutes before 9:32 a.m.?

23. _____ seconds A certain clock sounds one chime at 1 o'clock, two chimes at 2 o'clock, three chimes at 3 o'clock, and so on. If this clock behaves in this manner every hour, on the hour so that each chime lasts one second and there is a one-second pause between consecutive chimes, how many seconds long are the chimes that sound at 11 o'clock?



The angle formed by the hour hand and minute hand changes (\pm) at a rate of $6 - \frac{1}{2} = 1\frac{1}{2} = 5\frac{1}{2}$ degrees each minute.


Rates of Rotation

Minute Hand

$$\frac{360 \text{ degrees}}{1 \text{ hour}} = \frac{6 \text{ degrees}}{1 \text{ minute}} = \frac{1 \text{ degree}}{\frac{1}{6} \text{ minute}}$$

Hour Hand

$$\frac{30 \text{ degrees}}{1 \text{ hour}} = \frac{\frac{1}{2} \text{ degree}}{1 \text{ minute}} = \frac{1 \text{ degree}}{2 \text{ minutes}}$$



In the example shown, the time is 2:20. In 2 hours 20 minutes, the hour hand rotates clockwise 70 degrees. In 20 minutes, the minute hand rotates clockwise 120 degrees. The degree measure of the acute angle formed by the clock hands is $120 - 70 = 50$ degrees.

24. _____ degrees What is the degree measure of the acute angle formed by the hour and minute hands at 2:16?

25. _____ degrees What is the absolute difference in the degree measures of the smaller angles formed by the hour and minute hands at 2:08 and 8:02?

26. _____ : After 5:30, when is the next time that the hour and minute hands are aligned so that the angle formed measures 0 degrees?

27. _____ minutes After 4 o'clock, how many minutes elapse between the first and second times that the hour and minute hands form a 38-degree angle? Express your answer as a mixed number.

28. _____ minutes After 3:24, how many minutes have elapsed the first time that the angle formed by the hour and minute hands is twice the measure of the angle formed by the hands at 3:24? Express your answer as a mixed number.

29. _____ What fraction of the times displayed on a digital clock contain the digit 5? Express your answer as a common fraction.

30. _____ times A 24-hour digital clock displays times from 00:00 to 23:59. How many of the times displayed on this clock contain the digit 2?