



Para o desenvolvimento do protótipo, utilizamos a plataforma APPSHEET do Google, assim configuramos um aplicativo protótipo:

Tela de configuração das informações do APP.



Relacionamento das bases de dados:



Como Storage utilizamos o Google Drive:

The screenshot shows the TDAD AppSheet interface in Mozilla Firefox. The 'Tables' tab is selected, and the configuration for the 'Clima' table is displayed. The table is linked to a Google Drive source. The configuration includes the following fields:

- Table name:** Clima
- Are updates allowed?** Updates, Adds, Deletes (all checked), Read-Only (unchecked)
- Source Path:** clima
- Worksheet Name/Qualifier:** Página1
- Data Source:** google-2
- Source Id:** DocId=166id0o4RwL8P33V4UamoPefEwkp5hZ2w58Nvt4
- Store for image and file (ENTERPRISE PLAN):** Default

The right sidebar shows a preview of the app as it will look to the user, featuring a header with the text 'O que é a ABoVE?' and a main content area with a description of the ABoVE project.

Configuração dos campos do banco de dados:

The screenshot shows the TDAD AppSheet interface in Mozilla Firefox, specifically the 'Columns' tab for the 'Inicio' table. The table has 7 columns. The configuration for each column is as follows:


NAME	TYPE	KEY?	LABEL?	FORMULA	SHOW?	EDITAB
1. _RowNumber	Number	<input checked="" type="checkbox"/>	<input type="checkbox"/>	=	<input type="checkbox"/>	<input type="checkbox"/>
2. Nome:	Name	<input type="checkbox"/>	<input checked="" type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3. Nome2:	Text	<input type="checkbox"/>	<input type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4. Imagen:	Image	<input type="checkbox"/>	<input checked="" type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5. Icon:	Image	<input type="checkbox"/>	<input type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6. Assunto:	LongText	<input type="checkbox"/>	<input type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
7. Topico:	Text	<input type="checkbox"/>	<input type="checkbox"/>	=	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Below the table configuration, there are three additional sections:


- Local:** 4 columns: _RowNumber, Estado.
- log_de_acesso:** 5 columns: Date, Username.
- Perfil:** 6 columns: Username, Username.

The right sidebar shows a preview of the app as it will look to the user, featuring a header with the text 'O que é a ABoVE?' and a main content area with a description of the ABoVE project.


[illegible]



Logs de alterações e desenvolvimento do APP:



Configuração do Layout do APP:



Logs JSON com todas as fases do desenvolvimento:



Export Json File