MDS
v0.9.1



The McKinsey Design System

version 0.9



Release Notes

Version	Release	Notes
v0.9.1	09.01.2020	Bug Fixes, New Components - Custom Select (styled options). Multi-select with Tags, with Checkboxes, Improved documentation for Links, Improved Pagination, Experimental Badges, Experimental Tags
v0.9	05.14.2020	All file reworked replacing Theinhardt for McKinseys Sans. Added Cards, Date Pickers, Page Switchers, Pagination, Menu Popups, Single and Multi Select Popups, and Tags and Badges as experimental.
v0.8.4	02.18.2020	Added MDS thumbnail for Core Sketch Library, reworked line heights to match 4px Grids, added minimum size for buttons (twice their own height), Electric Blue has a new value #2251FF. This was updated globally. Fixes: Fixed smart layout on several components, data tables are now working properly, created deprecated section for icons ahead of a stand alone icon library
v0.8.3	12.19.2019	Updated all components with Smart Layout Rules, Added danger buttons and buttons with right icons, Tooltips were adjusted/cleaned up and Typography and line heights were adjusted to work with 4pt grid (beta)
v0.8.2	10.23.2019	4pt Grids (Beta), Tooltips with content and CTAs, Alerts/notifications with CTAs
v0.8.1	09.10.2019	Added Alerts/Notifications, Form Validation,Simple Tooltips and Simple Modals
v0.8	07.30.2019	Color, Typography, Borders and Lines, Spacing, Grid, Icons, Script Mark. Core symbols: Avatars, Breadcrumbs, Buttons, Data Tables, Footers, Form Inputs, Headers, Links, Tabs

Color

Brand colors

McKinsey Deep Blue
#051C2C
$color-brand-deep-blue

McKinsey Electric Blue
#2251FF
$color-brand-electric-blue

McKinsey Cyan
#00A9F4
$color-brand-cyan

Functional colors

Our functional palette is used primarily for data visualization. You can learn more by referencing https://mckinsey.ent.box.com/file/408627955620

Blue Transition 1
#034B6F
$color-data-blue-1

Blue Transition 2
#027AB1
$color-data-blue-2

Blue Transition 3
#39BDF3
$color-data-blue-3

Blue Transition 4
#71D2F1
$color-data-blue-4

McKinsey Pale Electric Blue
#AFC3FF
$color-data-pale-electric-blue

McKinsey Turquoise
#3C96B4
$color-data-turquoise

McKinsey Pale Blue
#AAE6F0
$color-data-pale-blue

McKinsey Purple
#8C5AC8
$color-data-purple

McKinsey Pink
#E6A0C8
$color-data-pink

McKinsey Red
#E5546C
$color-data-red

McKinsey Orange
#FAA082
$color-data-orange

Neutrals colors

Super Dark Gray
#333333
$color-gray-80

Dark Gray
#4D4D4D
$color-gray-70

Mid Gray
#757575
$color-gray-54

Light Gray
#B3B3B3
$color-gray-30

Super Light Gray
#D0D0D0
$color-gray-18

Pale Gray
#E6E6E6
$color-gray-10

Super Pale Gray
#F0F0F0
$color-gray-06

Black
#000000
$color-black

White
#FFFFFF
$color-white

Typography Desktop

Desktop display headings

Style Name	Pixels	Line Height	Rems	Line Height
Display 1	64px	76px	4rem	1.187
Display 2	60px	72px	3.75rem	1.2
Display 3	56px	68px	3.5rem	1.214
Display 4	52px	64px	3.25rem	1.153

Desktop heading styles

Style Name	Pixels	Line Height	Rems	Line Height
Heading 1	44px	52px	2.75rem	1.181
Heading 2	40px	48px	2.5rem	1.2
Heading 3	36px	44px	2.25rem	1.222
Heading 4	32px	36px	2rem	1.125
Heading 5	28px	32px	1.75rem	1.142
Heading 6	24px	28px	1.5rem	1.166

Desktop body styles

Style Name	Pixels	Line Height	Rems	Line Height
Article Lead	24px	36px	1.5rem	1.5
Article Body	20px	32px	1.25rem	1.6
Body Large	18px	28px	1.125rem	1.555
Body Default	16px	24px	1rem	1.5
Body Small	14px	20px	.875rem	1.428

Typography Mobile

Mobile display headings

Style Name	Pixels	Line Height	Rems	Line Height
Display 1	60px	72px	3.75rem	1.2
Display 2	56px	68px	3.5rem	1.214
Display 3	52px	60px	3.25rem	1.153
Display 4	48px	56px	3rem	1.166

Mobile heading styles

Style Name	Pixels	Line Height	Rems	Line Height
Heading 1	40px	48px	2.5rem	1.2
Heading 2	36px	44px	2.25rem	1.111
Heading 3	32px	36px	2rem	1.125
Heading 4	28px	32px	1.75rem	1.142
Heading 5	24px	28px	1.5rem	1.333
Heading 6	20px	24px	1.25rem	1.4

Mobile body styles

Style Name	Pixels	Line Height	Rems	Line Height
Article Lead	20px	32px	1.25rem	1.6
Article Body	18px	28px	1.125rem	1.555
Body Large	18px	28px	1.125rem	1.555
Body Default	16px	24px	1rem	1.5
Body Small	14px	20px	.875rem	1.428

Borders and Lines

In Sketch, borders and lines can be distributed as shared styles. This makes working with horizontal rules consistent and easier to manage.

Horizontal rules

Sizes	Style	Color	Style Name	Example
1px	Solid	#E6E6E6	Light Seperator	
1px	Solid	#B3B3B3	Medium Seperator	
1px	Solid	#000000	Dark Seperator	


Control borders

Sizes	Style	Color	Style Name	Example
1px	Solid	#000000	Form Control Dark	
1px	Solid	#2251FF	Form Control Focus	
1px	Solid	#B3B3B3	Form Control Default	

Elevation on MDS

Elevations represent different user interface layers simulated through the use of shadows. Placing different elements on different layers creates a clear hierarchy of interface elements and makes it easier to locate currently available options for the user. Layers are represented by various sized shadows to indicate a position along an imaginary z-axis extending above the user interface towards the user.


Specifications/Anatomy



Component distance from surface	1º shadow	2º shadow
2px	Y = 2 | Blur = 4 | Spread = -1	Y = 0 | Blur = 1 | Spread = 0
4px	Y = 4 | Blur = 8 | Spread = -1	Y = 0 | Blur = 1 | Spread = 0
8px	Y = 8 | Blur = 16 | Spread = -1	Y = 0 | Blur = 1 | Spread = 0
16px	Y = 16 | Blur = 32 | Spread = -1	Y = 0 | Blur = 1 | Spread = 0

Look and feel





This diagram shows the different layer representations stacked on top of each other as well as how different components are distributed across the different elevation layers.

0px elevation

Content and common UI elements are usually placed on the surface of the page at the 0px elevation.

2px elevation

The 2px layer elevation helps to indicate interactive components. After interaction, the component may rise to another elevation layer.

4px elevation

The simplest components requiring contrast and the user's attention, such as tooltips and popovers, are placed at the 4px elevation.

8px elevation

More complex components and items with interactions such as navigation menus and cards in a hover state are placed at the 8px elevation.

16px elevation

Components that require the most user focus like drawers, modals, and pickers are place at the upper most layer.

Spacing

Spacing is one of the most important aspects of visual design and is foundational to the McKinsey Design System. Underlying every layout, component or spatial relationship is a 4pt spacing system. We use spacing consistently and intentionally to establish order, hierarchy and rhythm.

Spacing sizes and increments

All spacing helpers are percentages or multiples of 4px (0.25rem). Using 4px as a constant offers flexibility, clean numbers to work with, and helps improve design and accessibility when fonts are scaled in a browser. This also offers spacing consistency and consistent rhythm throughout the design system.

Small

4 8 16

Medium

24 32 48

Large


64 96

Types of spacing

Use margins and padding to create several types of spacing. See examples below for Inset spacing, Inline spacing, Stacked spacing, Spacing text, and Margins.

Inset spacing

Inset spacing is spacing applied to the inside of a container or component.



Inline spacing

Inline spacing occurs horizontally between objects across the x-axis.



Stacked spacing

Stacked spacing occurs vertically between objects across the y-axis.



Spacing text

Space text to the direct selection of a text box in Sketch. Line height determines text box size, so apply the correct line height to the text before making measurements.

Avoid measuring to the baseline of text. That creates unexpected spacing results.



4pt grid system guidance

The 4pt grid system is the underlying fabric that provides consistency and structure to all visual elements of McKinsey's Design System. It establishes a framework for consistently scaling and evolving the design system in a predictable and flexible way over time. All spacing, typography, and visual elements adhere to the 4pt grid system.

Getting started

The artboards you see here are setup with 4pt grid and layout settings in a variety of common sizes used for designing responsive web applications. These can be used as is or as a starting point for your projects. Typically Designers will choose three artboards representing mobile, tablet and desktop. The 4pt grid is very flexible and you are encouraged to setup your artboard to suit your needs using the grid system.

Need the grid setup for a specific device?

We have those too! We've worked to identify the most commonly used devices at the firm and have setup artboards with all the grid and layout settings you need to get started. You can find these on Box at:

https://mckinsey.ent.box.com/notes/543675818181?s=zncbublu7ybq10w3rq0r96bn7vihpw3r

Questions or comments

Reach out on Slack in the #mds-community channel.

iPhones XR, XS Max (414px wide)

Apple devices do not adhere to an 8pt grid. To correct this, the canvas has been rounded 400px. This will add about 1px to each column when executed in code.

To check for design to code accuracy, Inspect screens at 400px width.

Left Rail is off canvas and fills viewport when activated

iPhones XR, XS Max (414px wide)

Apple devices do not adhere to an 8pt grid. To correct this, the canvas has been rounded 400px. This will add about 1px to each column when executed in code.

To check for design to code accuracy, Inspect screens at 400px width.

Both Rails are off canvas and fills viewport when activated

iPhones XR, XS Max (414px wide)

Apple devices do not adhere to an 8pt grid. To correct this, the canvas has been rounded 400px. This will add about 1px to each column when executed in code.

To check for design to code accuracy, Inspect screens at 400px width.

Avoid using two rails on tablet. Instead, consider making right rail available off-canvas.

Script Mark

Use the script mark in either its positive or inverse form. Always create high contrast between the script mark and its background.

Deep Blue

McKinsey Deep Blue is our standard for the script mark. Use it when full-color reproduction is available.



Black

When you can't use color, use the black version of the script mark..



White

If you use the white version on a dark background, use McKinsey Deep Blue as your background.



Alerts

Alerts provide user feedback and messaging. There are two types of alerts - Global Alerts and Contextual Alerts. Each have specific use cases and cannot be used interchangeable.

Anatomy



Global Alerts

Global alerts display system-wide messaging. They're displayed above the header at the very top of the screen. When buttons are not needed select the button and choose "No Symbol" in overrride settings.

Warning global

Your account will expire in 3 days unless action is taken. Talk to our admins to help you. Secondary button Primary button

Error/danger global

All files that have not been saved will be lost. You can't undo this, but you can save your file. Secondary button Primary button


Information global

You can now update your system information to v0.8.1. You can update it now. Secondary button Primary button

Neutral global

You can now update your system information to v0.8.1. You can update it now. Secondary button Primary button

Where to use them



Contextual Alerts

Contextual alerts display messaging geared to a specific user action or state of an application. There are currently five alerts that can be displayed in a variety of contexts - Success, Warning, Error/Danger, Information and Neutral. These should not be used for system-wide messaging.

Success contextual

Your profile has been successfully updated! Always keep your information up to date.

Warning contextual

Your account will expire in 3 days unless action is taken. Talk to our admins to help you.

Error/danger contextual

All files that have not been saved will be lost. You can't undo this, but you can save your file.


Information contextual

You can now update your system information to v0.8.1. You can update it now.

Neutral contextual

You can now update your system information to v0.8.1. You can update it now.

Where to use them



Sizes

Global alerts display system-wide messaging. They're displayed above the header at the very top of the screen.

Desktop (1440px) - Success global

Your profile has been successfully updated! Always keep your information up to date. Secondary button Primary button

Tablet (768px) - Success global

Your profile has been successfully updated! Always keep your information up to date. Secondary button Primary button

Mobile (414px) - Success global

Your profile has been successfully updated! Always keep your information up to date. Secondary button Primary button

Avatars

Avatars display a user's profile image. In our case, we encapsulate the photo in a circle. You may find these commonly used as a profile image in the top right of a header, on a profile card, in text messages, and many other contexts.

Avatar sizes

Avatar size depends on the element where it lives. For example, use Huge (256px) for big components like profile cards. On small components like a dashboard, it's more appropriate to use the extra small (32px). Notice, the smaller the circle gets, the more zoom you need on the photo to recognize the person.

Extra Small (32px)



Small (48px)



Medium (64px)



Large (96px)



Extra Large (128px)



Huge (200px)



Avatar styles

Avatars have three styles, depending on what information the colleague provides.

No Name, No Photo



Full Name, No Photo



With Photo



Font size

When you use an avatar with initials only, match the font to the avatar size to make it readable.

Extra Small (32px avatar)



Small (48px avatar)



Medium (64px avatar)




Large (96px avatar)



Extra Large (128px avatar)




Huge (200px avatar)



Breadcrumbs

Breadcrumbs are used to help the users keep track and maintain awareness of the overall locations within a specific navigation that the user is currently in. A breadcrumb must have the minimum size of 2 items and the maximum of 5 items, so that it's easier for the user to use it.

Anatomy



Breadcrumbs options

The last item on the breadcrumb is always where the user is currently on the overall navigation, so it uses the electric blue to differentiate from the others.

2 items Item 1 > Active item

3 items Item 1 > Item 2 > Active item

4 items Item 1 > Item 2 > Item 3 > Active item

5 items Item 1 > Item 2 > Item 3 > Item 4 > Active item

Active item Item 1 > Item 2 > Item 3 > Item 4 > Active item

If a breadcrumb needs more than 5 levels of navigation, our recommendation is to simply use the 16px glyphed icon ellipsis to indicate that there is more hidden within it. Once the user clicks on it, a popup menu will appear, providing all the navigation levels that are compressed. The best and appropriate place to put the ellipsis is replacing the second item on the breadcrumb. By doing so the first level is always visible, keeping the reference where iit all started, and we keep the last 3 levels, where the user is mostly likely to use to navigate.

Item 1 > ••• > Item 5 > Item 6 > Active item

Item 1 > ••• > Item 5 > Item 6 > Active item

- Item 2
- Item 3
- Item 4


Button Guidelines

Button Specs

Primary large button




Primary medium button



Primary small button



Primary dropdown large button



Primary dropdown medium button



Primary dropdown small button



Button styles and hierarchy

Primary, secondary and tertiary buttons provide interaction hierarchy. They're designed to maintain priority across all states. Contrast progressively increases as users get closer to completing the interaction. The alternative high-contrast primary button is only used in certain scenarios. See usage below.



Usage

Primary

Primary buttons are used for drawing attention to the most important interactions. When possible limit primary buttons to one per page.

Secondary

Secondary buttons are less prominent and are meant to draw attention without being distracting. They pair with primary and tertiary buttons.

Tertiary

Tertiary buttons are our most subtle and lowest priority buttons. They are particularly useful for error prevention such as Cancel, Back and Edit.

Primary high contrast

Primary high contrast buttons are used as an alternative to our Electric Blue buttons. These are used exclusively for high impact customer facing designs.

Accessibility

All buttons need to adhere to WCAG AA 2.0 guidelines a contrast ratio: 4.5 must be met. In additon to contrast ratio focus states are important for acessibility.



Text Color	#FFFFFF	#1F40E6	#333333	#7F7F7F
Background	#1F40E6	Transparent	Transparent	#D0D0D0
Border Color	None	#1F40E6	#D0D0D0	None
Contrast on White	AA: 7.16	AA: 7.16	AA: 12.63	N/A
Contrast on Gray 10	AA: 6.28	AA: 6.28	AA: 10.12	N/A

Button groups


Need to maintain visual hierarchy. The order and position need to be carefully consider. Primary actions almost always appear on the right.




Fluid buttons

Fluid buttons span a percentage of the of their container. Fluid buttons have a max-width of 575px constraining usage to mobile and in containers 575px or smaller like a modal.


100% width on iPhone XR (414px):




1/2 on iPhone XR (414px):



Button background do's



Button background dont's



Button Styles, States and Sizes

Button Styles and States

Styles	Default	Hover	Active	Focus (in testing)	Disabled
Primary	Button label	Button label	Button label	Button label	Button label
Secondary	Button label	Button label	Button label	Button label	Button label
Tertiary	Button label	Button label	Button label	Button label	Button label
High Contrast	Button label	Button label	Button label	Button label	Button label
Danger	Danger	Button label	Button label	Button label	Button label
Primary Icon Left	☆ Button label	☆ Button label	☆ Button label	☆ Button label	☆ Button label
Secondary Icon Left	☆ Button label	☆ Button label	☆ Button label	☆ Button label	☆ Button label
Tertiary Icon Left	☆ Button label	☆ Button label	☆ Button label	☆ Button label	☆ Button label
High Contrast Icon Left	☆ Button label	☆ Button label	☆ Button label	☆ Button label	☆ Button label
Danger Icon Left	Button label	Button label	Button label	☆ Button label	☆ Button label
Primary Icon Right	Button label →	Button label →	Button label →	Button label →	Button label →
Secondary Icon Right	Button label →	Button label →	Button label →	Button label →	Button label →
Tertiary Icon Right	Button label →	Button label →	Button label →	Button label →	Button label →
High Contrast Icon Right	Button label →	Button label →	Button label →	Button label →	Button label →
Primary Dropdown	Dropdown	Dropdown	Dropdown	Dropdown	Dropdown
Secondary Dropdown	Dropdown	Dropdown	Dropdown	Dropdown	Dropdown
Tertiary Dropdown	Dropdown	Dropdown	Dropdown	Dropdown	Dropdown
High Contrast Dropdown	Dropdown	Dropdown	Dropdown	Dropdown	Dropdown
Primary Icon Only	☆	☆	☆	☆	☆
Secondary Icon Only	☆	☆	☆	☆	☆
Tertiary Icon Only	☆	☆	☆	☆	☆
High Contrast Icon Only	☆	☆	☆	☆	☆

Button Sizes

Every button comes in large, medium and small sizes.

Large Button Medium Button Small Button

Button Guidelines on Dark

Button styles and hierarchy

Primary, secondary, and tertiary buttons provide interaction hierarchy. They're designed to maintain priority across all states. Contrast progressively increases as users get closer to completing the interaction.

default	Primary button	Secondary button	Tertiary button	High contrast button
:hover	Primary button	Secondary button	Tertiary button	High contrast button
:active	Primary button	Secondary button	Tertiary button	High contrast button


Accessibility

All buttons need to adhere to WCAG AA 2.0 guidelines A contrast ratio: 4.5 must be met. In additon to contrast ratio focus states important for acessibility.

	Primary button	Secondary button	Tertiary button	Disabled button
Text Color	#333333	#FFFFFF	#7F7F7F	#4D4D4D
Background	#FFFFFF	Transparent	Transparent	7F7F7F
Border Color	None	#FFFFFF	#7F7F7F	None
Contrast on Deep Blue	AA: 17.37	AA: 17.37	AA: 4.33	N/A
Contrast on Black	AA: 21	AA: 21	AA: 5.24	N/A

Button groups


Need to maintain visual hierarchy. The order and position need to be carefully consider. Primary actions almost always appear on the right.




Fluid buttons

Fluid buttons span a percentage of the of their container. Fluid buttons have a max-width of 575px constraining usage to mobile and in containers 575px or smaller like a modal.

100% width on iPhone XR (414px):



1/2 on iPhone XR (414px):



Button Styles, States, and Sizes on Dark

Primary buttons

	Small size	Default size	Large size
default	Primary Button	Primary button	Primary button
:hover	Primary Button	Primary button	Primary button
:active	Primary Button	Primary button	Primary button
:disabled	Disabled button	Disabled button	Disabled button

Secondary buttons

	Small size	Default size	Large size
default	Secondary button	Secondary button	Secondary button
:hover	Secondary button	Secondary button	Secondary button
:active	Secondary button	Secondary button	Secondary button
:disabled	Disabled button	Disabled button	Disabled button

Tertiary buttons

	Small size	Default size	Large size
default	Tertiary button	Tertiary button	Tertiary button
:hover	Tertiary button	Tertiary button	Tertiary button
:active	Tertiary button	Tertiary button	Tertiary button
:disabled	Disabled button	Disabled button	Disabled button

Primary buttons with icons

	Small size	Default size	Large size
default	☆ Primary button	☆ Primary button	☆ Primary button
:hover	☆ Primary button	☆ Primary button	☆ Primary button
:active	☆ Primary button	☆ Primary button	☆ Primary button
:disabled	☆ Disabled button	☆ Disabled button	☆ Disabled button

Secondary buttons with icons

	Small size	Default size	Large size
default	☆ Secondary button	☆ Secondary button	☆ Secondary button
:hover	☆ Secondary button	☆ Secondary button	☆ Secondary button
:active	☆ Secondary button	☆ Secondary button	☆ Secondary button
:disabled	☆ Disabled button	☆ Disabled button	☆ Disabled button

Tertiary buttons with icons

	Small size	Default size	Large size
default	☆ Tertiary button	☆ Tertiary button	☆ Tertiary button
:hover	☆ Tertiary button	☆ Tertiary button	☆ Tertiary button
:active	☆ Tertiary button	☆ Tertiary button	☆ Tertiary button
:disabled	☆ Disabled button	☆ Disabled button	☆ Disabled button

Cards

A card component creates a structure that contains different pieces of information. Cards are used to feature content and are usually placed at an elevation of 2px to highlight their interactivity. Depending on the specific needs of the card and the content the either the entire card or individual components may be active areas. When the whole card has a single interaction with a mouse over, the component will be raised to the 8px elevation to emphasize the interaction.


Cards are used to group information about a specific subject. Two common examples include a profile with a lot of information about the featured company/person or an article with a pertinent illustration/photo, eyebrow text, and introductory text. Another very common use of cards are in dashboards, where each card my have a different content and size, with all cards adjusted for their specific content. In this usage the cards adapt to a very flexible layout to provide structure and focus to a lot of different information.

The expected behavior upon interacting with a card is to navigate to another page with more extensive content related to the content that was summarized and featured on the selected card.

Specifications/Anatomy


The card is a flexible container component with content that will vary depending on individual use cases. Each part of the card shown below - from the Image all the way down to the Call to action - are optional. The main card content may be replaced by other non-text components such as a chart for a graphical dashboard requirement, but the pattern shown below should meet most text based content presentation needs. Use this component as the initial starting point when creating cards and simplify the card by removing unneeded items.






Minimum and maximum text sizes

To keep cards consistent with each other and to have good visual proportions, the minimum, maximum, and recommended lines of text are defined for the card titles and texts. For titles the minimum is 1 line and the maximum is 3 lines with a recommendation for 2 lines of text. For the card's main content the minimum is 2 lines and the maximum 5 lines with a recommendation of either 3 or 4 lines of text.The main text for a card should be a short summary, general idea, or introductory text that informs and guides the user to the detailed content.



Matching cards


Although card dimensions may vary a lot depending on the content they have, the general rule is to match the size of other nearby cards - for example, matching the height and width of cards in the same row and column. This will reinforce a grid structure and help the user identify and categorize the content into imaginary boxes for quick scanning and focus. The 16px spacing between the call to action and the penultimate content should be considered the minimum and allowed to vary depending on the height of the card as dictated by other nearby cards and the height of the card's content.




Styles and Variations

Image size

Three standard image aspect ratios are recommended for use in cards: 16:9 rectangular images, 4:3 rectangular images, and 1:1 square images. The 16:9 image option is used to compliment the card text while the 1:1 image option is used to spotlight the card. The 4:3 option is a balanced compromise between complimenting and spotlighting the card.




Vertical / Horizontal




Normal / Flushed

A flushed version of the card without elevation can be used within a more immersive context. For example, within an article if a new specific topic needs to be introduced parallel to the current one, a single flushed card could be used. When using the flushed version, the call to action on the bottom of the card must be aligned to the left of the card. This prevents the a link pointing to any surrounding text - see the in context example below.



production, or for sectors like tourism, as well as through the use of new technologies and approaches to manage risk in a changing climate. One of the biggest challenges could stem from using the wrong models to quantify risk. These range from financial models used to make capital allocation decisions to engineering models used to design structures. For example, current models may not sufficiently take into account geospatial dimensions or assumptions could be based on historical precedent that no longer applies.



Societies have been adapting to the changing climate, but the pace and scale of adaptation will likely need to increase significantly. Key adaptation measures include protecting people and assets, building resilience, reducing exposure, and ensuring that appropriate financing and insurance are in place. Implementing adaptation measures could be challenging for many reasons. The economics of adaptation could worsen in some geographies over time, for example, those exposed to rising sea levels. Adaptation may face technical or other limits. In other instances, there could be hard trade-offs that need to be assessed, including who and what to protect and who and what to relocate.

While adaptation is now urgent and there are many adaptation opportunities, climate science shows us that the risk from further warming can only be stopped by achieving zero net greenhouse gas emissions. Decarbonization is not the focus of this research, however, decarbonization investments will need to be considered in parallel with adaptation investments, particularly in the transition to renewable energy. Stakeholders should consider assessing their decarbonization potential and opportunities from decarbonization.

Data Tables

Data tables are composed of multiple rows and columns. A header row at the top lists column names, and all subsequent rows contain data. Data tables must include a minimum of three columns.

Header

There are two stylings of header rows that can be used on a data table. The first one (Light) uses the Pale Gray as the background color (#E6E6E6) and has less contrast on a white background. The other option (Dark) uses the McKinsey Deep Blue as the (#051C2C) background color of the header. Both the header and the content rows have 48px height. On the Light version, the default font color is the Super Dark Gray (#333333), and on hover and active the McKinsey Electric Blue (#2251FF) takes over. On the Dark version, the default color is white, and the hover and active color is the McKinsey Cyan (#00A9F4).

Light | Left align

The most common use for the Header is to be Left aligned, for general information.

Default



Selected

Light | Left align + icon

To be used when there is any kind of order to be displayed.

Default



Selected

Light | Right align

The Right align is commonly used for information such as date and currencies.

Default



Selected

Light | Right align + icon

The Right align is commonly used for information such as date and currencies and the need to have any kind of order to it

Default



Selected

Dark | Left align

The most common use for the Header is to be Left aligned, for general information.

Default



Selected



Dark | Left align + icon

To be used when there is any kind of order to be displayed.

Default



Selected



Dark | Right align

The Right align is commonly used for information such as date and currencies.

Default



Selected



Dark | Right align + icon

The Right align is commonly used for information such as date and currencies and the need to have any kind of order to it

Default



Selected



Row

The rows are made to capture the content related to the Header column in which they are right below. The main purpose is to provide data in a way that is easy for the user to see it. On interactive tables, we can use only white rows, but for a better reading of the content on non-interactive tables, the suggestion is to use Even rows as white and Odd rows as light gray to keep track of the information.

Left align

The most common alignment for general information.

Even row



Odd row

Icon + left align

To use when there is something descriptive that visually adds to the content.

Even row



Odd row

Left align + icon

Use when there is more information to given, e.g an icon with a menu for print, save or export.

Even row



Odd row

Right align

Mainly used for content such as currencies and dates.

Even row



Odd row



Icon

To use when there is an extra information, e.g an expand icon to open a drawer with more rows.

Even row



Odd row



Checkbox

If users need to interact with data, a Checkbox should accompany each row. Checkboxes allow users to perform an action on multiple items at once.

Even row



Odd row



Interactive Tables

Light header

Site	East	North	Elevation	Company	Date	
AA0105	755532158.25	6583920.25	180.08	Tropicana Products LTDA	5 Mar 2019	•••
CU2975	755532158.25	6583920.25	140.08	Aloha Air Cargo	5 Mar 2019	•••
GG8509	6583920.25	755532158.25	173.08	Kaiser Aluminium and Metal Storage	5 Mar 2019	•••
HH7463	6583920.25	755532158.25	129.08	Dickies	5 Mar 2019	•••

Dark header

	CC	Client	Due Date	Cur	Expenses	
☐	EF7663	Tropicana Products LTDA	5 Mar 2019	EUR	230,000	•••
☐	CU2975	Aloha Air Cargo	5 Mar 2019	EUR	253,000	•••
☑	GG8509	Kaiser Aluminium and Metal Storage	5 Mar 2019	EUR	230,000	•••
☐	HH7463	Dickies	5 Mar 2019	EUR	230,000	•••

Hover on tables

When you got your mouse over your table, the specific row that you are over has a distinct way to show it's being selected.

	CC	Client	Due Date	Cur	Expenses	
☐	EF7663	Tropicana Products LTDA	5 Mar 2019	EUR	230,000	•••
☐	CU2975	Aloha Air Cargo	5 Mar 2019	EUR	253,000	•••
☐	GG8509	Kaiser Aluminium and Metal Storage	5 Mar 2019	EUR	230,000	•••
☐	HH7463	Dickies	5 Mar 2019	EUR	230,000	•••

Non-interactive tables

Site	East	North	Elevation	Company	Date
AA0105	755532158.25	6583920.25	180.08	Tropicana Products LTDA	5 Mar 2019
CU2975	755532158.25	6583920.25	140.08	Aloha Air Cargo	5 Mar 2019
GG8509	6583920.25	755532158.25	173.08	Kaiser Aluminium and Metal Storage	5 Mar 2019
HH7463	6583920.25	755532158.25	129.08	Dickies	5 Mar 2019

Footers

Footer options


There are some different versions of the footer available depending on the necessity of the design. When there is a need for more information, such as disclosure, subscribe and navigation, the large and default versions are more suitable as they got a lot of options and itens. When the purpose is to be more discrete and only identify, a common case in products, the condensed version is probably the best option. The icons within the links are always optional, and the copyright text is needed only for external facing products/pages.

Desktop footers

Spacing on footer



Large footer



Default footer




Condensed footer




Tablet footers


Large footer



Default footer




Condensed footer




Mobile footers


Large footer



Default footer




Condensed footer



Date Picker

The date picker component allows selection of a singular date or a range of dates. When used within a form, the component is usually not visible when the form first loads and appears after the user clicks on a date or date range input field. The user then selects a specific date instead of inputing the information with the keyboard. The expanded date picker provides additional information on date restrictions and eliminates confusion between international date format variations by spelling out or abbreviating the month and including a four digit year.

Specifications/Anatomy



Styles and variations

Active days on the current month calendar are indicated by more contrast while days outside the active range and on other months are indicated with a subtle gray. The current day is surrounded by a gray square to make sure the user can differentiate it from a selected day. When selecting a date range, the first and last selected days will have electric blue backgrounds and a white medium font while the days within the range will have a softer blue background.

Month days

Common day of the current month being displayed.

Today

The current date.

Selected days

The first and second day selected by the user to create a range of days.

In range days

All the days between the first and last selected days of a date range.

Past days

A day that has passed in the calendar.

Hover

Mouse hover.

Today hover

The current date hovered.

Selected days hover

The first and second day selected by the user to create a range of days hovered.

In range days hover

All the days between the first and last selected days of a date range hovered.

Date picker selector

To open the date picker click on the date pick selector which is represented by a calendar icon on the right corner of the input field. The calendar icon signals the difference between a common input field and a date picker field. The date picker can be used to select a specific date or a date range.

Label name
DD MMM YYYY

Label name
DD MMM YYYY → DD MMM YYYY

Date convention

In order to keep the date consistent and easy to interpret across locals, an intuitive and easy to read date format has been selected. Dates will always be display with the day (DD) , followed by the first three letters of the month name (Mmm), and then the four digit year (YYYY).

Label name
27 Feb 2020

Styles and variations

There are four states in which the input field can appear and 3 different sizes to match the sizes of the standard input fields and buttons.

States

Label name
DD MMM YYYY → DD MMM YYYY
Default

Label name
DD MMM YYYY → DD MMM YYYY
Dark Default

Label name
DD MMM YYYY → DD MMM YYYY
Selected

Label name
DD MMM YYYY → DD MMM YYYY
Disabled


Sizes

Label name
DD MMM YYYY → DD MMM YYYY
Small

Label name
DD MMM YYYY → DD MMM YYYY
Medium

Label name
DD MMM YYYY → DD MMM YYYY
Large

Step by step



Text Inputs

Text Inputs are interactive controls that allow users to enter a single line of text. There are a number of options and states to choose from depending on your needs. Though there are circumstances where a label might not be required, placeholder text should not be used in place of a label.

01. Default text input

This is the default size and can be used in a broad set of contexts.

Default text input



Default text input construction

02. Small text input

Small text inputs are best used where space is limited.

Small text input



Small text input construction

03. Large text input

Large text inputs are best used where there is plent of white space.

Large text input



Large text input construction

Text input states

There are six states: Default, Active, Focus, Error, Validation and Disabled. The Default Dark state is reserved for high impact situations where inputs are limited.

Default

Label name

Enter value here

Active

Label name

User input information

Filled

Label name

Enter value here

Error Validation

Label name

Enter value here

Error message

Disabled

Label name

Enter value here

Dark Default

Label name

Enter value here

Dark Filled

Label name

Enter value here

Combining inputs with buttons

The use of the input fields is usually aligned to the use of the buttons. They both have 32px, 40px and 48px sizes, and they should always be used combining/matching each other.



Text Inputs with Help Text

Text Inputs are interactive controls that allow users to enter a single line of text. There are a number of options and states to choose from depending on your needs. Though there are circumstances where a label might not be required, placeholder text should not be used in place of a label.

01. Default text input

Medium text inputs are the default size and can be used in a broad set of contexts.

Default text input with help text



Default text input with help text construction

02. Small text input

Small text inputs are best used where space is limited.

Small text input with help text




Small text input with help text construction

03. Large text input

Large text inputs are best used where there is plent of white space.

Large text input with help text



Large text input with help text construction

Text input with help text states

There are five states: Default, Active, Focus, Error, and Disabled. The Default Dark state is reserved for high impact situations where inputs are limited.

Default

Label name
Enter value here
Helper text

Active

Label name
User input information
Helper text

Filled

Label name
Enter value here
Helper text

Error Validation

Label name
Enter value here
Error message
Helper text

Disabled

Label name
Enter value here
Helper text

Dark Default

Label name
Enter value here
Helper text

Filled

Label name
Enter value here
Helper text

Text Areas

Text Areas are interactive controls that allow users to enter multiple lines of text. Text Areas are perfect for entering long-form copy like leaving a comment. The text box can be resized by the user by dragging the bottom right corner of the box.

01. Default text area

Medium text areas are the default size and can be used in a broad set of contexts.

Default text area




Default text area construction

02. Small text area

Small text areas are best used where space is limited.

Small text area



Small text area construction

Text area states

There are five states: Default, Active, Focus, Error, and Disabled. The Default Dark state is reserved for high impact situations where inputs are limited.

Default

Label name

Enter value here

Active

Label name

User input information

Filled

Label name

Enter value here

Error

Label name

Enter value here

Disabled

Label name

Enter value here

Dark Default

Label name

Enter value here

Dark Filled

Label name


Enter value here

Select

Select elements are interactive controls that present users with a list of options to choose from where only one option can be selected.


01. Default select

Medium selects are the default size and can be used in a broad set of contexts.




02. Small select

Small selects are best used where space is limited.




03. Large select

Large selects are best used where there is plent of white space.



Select states


There are five states: Default, Active, Focus, Error, and Disabled. The Default Dark state is reserved for high impact situations where inputs are limited.




Select options

When users clicks on a select field, select options are displayed providing users a list of options to choose from. We take advantage of native browser functionality to display these options. Below is a component available in the library that replicates Google Chrome's styling. You can find these building blocks under Forms Inputs / Select Fields / Options


Select options parts




Select options default



Select options grouped



Example



Select Field with Help Text

Select elements are interactive controls that present users with a list of options to choose from where only one option can be selected.

01. Default select

Medium selects are the default size and can be used in a broad set of contexts.

Default select



Default select construction

02. Small select

Small selects are best used where space is limited.

Small select



Small select construction

03. Large select

Large selects are best used where there is plent of white space.

Large select



Large select construction

Select states

There are five states: Default, Active, Focus, Error, and Disabled. The Default Dark state is reserved for high impact situations where inputs are limited.

Default

Label name
Select an option
Helper text

Selected

Label name
User input information
Helper text

Filled

Label name
Select an option
Helper text

Error

Label name
Invalid answer
Error message
Helper text

Disabled

Label name
Select an option
Helper text

Dark Default

Label name
Select an option
Helper text

Dark Filled


Label name
Select an option
Helper text

Multi-select

Multi-selects are interactive controls that present users with a list of options to choose from where multiple options can be selected.


Multi-select with Tags

Multi-select dropdown tags are most useful when a user is expected to choose just a few options. When an option is selected it is removed from the options dropdown.




Multi-select with Checkboxes

Multi-select checkboxes are most useful when a user is expected to choose many options. The number of selections will be counted



Searching many options

In the case of a very long list of options, type to filter functionality can be added as shown here. Multi-select filter options remain open while the user selects or deselects options. This helps keep the user within the same context being currently edited.




Do's and Dont's

The popup has a flexible width to accommodate the length of the contained options. Text used for options should be clear, concise, and distinct from each other. Ideally each option should fit on a single line without wrapping. Multi-line options are discouraged unless there is a very specific use case.



Do

Keep the options simple and easy to read for the user.



Don't


Don't make options complex or long. This makes the list of options difficult to scan and to choose options.

Checkboxes


Checkboxes allow the user to select one, many, or all options from a list. Checkboxes should be listed in a logical order, by placing the most likely to be selected first or listed alphabetically. Clicking either the label or the checkbox will select (or deselect) the option.

Checkbox construction

Small checkbox




Medium checkbox



Checkbox states

A checkbox has 5 states: Default, Hover, Selected, Error, and Disabled. All checkboxes come in the default state or in the disabled state. When the user rolls the mouse over the box or the text itself, the checkbox turn to it’s hover state. Upon clicking on it, it changes to the selected state.




Radio Buttons


Radio buttons allow the user to select one option from a set of mutually exclusive options. Radio buttons should be listed in a logical order, by placing the most likely to be selected first or listed alphabetically. Radio buttons should be listed vertically, within 1 column for improved readability. Clicking either the label or the radio button will select (or deselect) the option.

Radio button construction

Small radio button




Medium radio button



Radio button states

Radio buttons have 5 states: Default, Hover, Selected, Error, and Disabled. All radio buttons come in the default state or in the disabled state. When the user rolls the mouse over the circle or the text itself, the radio buitton turn to it’s hover state. Upon clicking on it, it changes to the selected state.




Toggle Buttons


A Toggle button is a component to help the user switch between the On/Off states of a given option. They usually appear as an off state, and upon a click you turn it on and vice-versa.

Toggle construction

Small toggle button



Medium toggle button



Toggle States

Off

On

Disabled Off

Disabled On

Sliders

Slider is a component created to allow users to make selections from a range of given values on a specifc bar. It might be a single value or a specific range. The slider might appear with an icon to the left side of the bar to represent what's the input about, and a number to the right as the numeric representation for that specific input.

Slider construction


Single value slider



Single value with icon slider



Specific range slider




Slider pressed



Headers

Anatomy

With menu icon




Light Headers


Updating item names, switching between states and removing items

1) Use your own navigation names by overriding each Nav Item
2) To switch between states, select a Nav Item and choose Default or Active in the Inspector.
3) To remove a navigation item, select the Nav Item and select No Symbol in Overrides in the Inspector


Desktop Light Default




Desktop Light with Menu Icon




Tablet Light Default



Tablet Light with Menu Icon



Mobile Light Default



Mobile Light with Menu Icon



Links


There are a variety of link styles to choose from and choosing the appropriate link style will be based on your context. Here are some link styles and examples to help guide your choices.

Arrows Links

Arrow links are an expressive link styling option used to draw attention to primary calls to action. They are used sparingly and are available in two sizes along with a light and dark version.

Sizes	Default	Hover	Dark	Dark Hover
Default	Dive into the details →	Dive into the details →	Dive into the details →	Dive into the details →
Medium	Dive into the details →	Dive into the details →	Dive into the details →	Dive into the details →

Arrow Link Example



Inline Links

Inline links are used within a paragraph. Inline links typically match the size and color of surrounding text and are underlined by default. The underline is required for accessibility so that links standout against the surrounding text with a "non-color designator".

Important Note
Styling in a browser is done with a border and will have more space between the text and underline. Since this is not possible for inline text in Sketch we use a basic underline.

Context	Default	Hover
Default	Here's an inline link in a paragraph text	Here's an inline link in a paragraph text
Article	Here's an inline link in a paragraph text	Here's an inline link in a paragraph text
Caption	By Markus Leopoldseder, Paul Rutten, and Matt Wilson	By Markus Leopoldseder, Paul Rutten, and Matt Wilson

Inline Link Example

Paragraph Default

Globally, employers can be seen taking a more proactive approach to testing and contact tracing, to ensure the protection of their own workforces. This approach has been taken mainly by organizations and institutions with significant resources, such as Fortune 500 companies, those that must operate in congregate settings, such as universities or nursing homes, and those that operate essential services, such as pharmaceutical manufacturers or healthcare providers.

Paragraph Hover

Globally, employers can be seen taking a more proactive approach to testing and contact tracing, to ensure the protection of their own workforces. This approach has been taken mainly by organizations and institutions with significant resources, such as Fortune 500 companies, those that must operate in congregate settings, such as universities or nursing homes, and those that operate essential services, such as pharmaceutical manufacturers or healthcare providers.

Title Links

When component or heading titles are clickable.

Styles	Default	Hover
Card Title	Card title example	Card title example
Display Heading	Display headline	Display headline

Title Link Example



Article

Coronavirus: Industrial IoT in challenging times

April 22, 2020 – The Industrial Internet of Things can help companies navigate the current crisis and emerge stronger once operations ramp up again.



Article

Coronavirus: Implications for the semiconductor industry

April 14, 2020 – The coronavirus is shifting demand patterns for major semiconductor end markets. How will



Article

Building a flexible supply chain in low-volume, high-mix industrials

April 13, 2020 – Industrial companies can optimize and increase the flexibility of their supply chains—and



Report

Construction and building technology: Poised for a breakthrough?

April 13, 2020 – New research sheds light on the strategies that distinguish top-performing construction and



Report


The 5G era: New horizons for advanced-electronics and industrial companies

February 21, 2020 – New strategies can help companies profit from 5G over the short and long term. Here's

Modals

A modal is a content container that floats above a main page layout and it is triggered by a click event on that page. When active, it blocks all other page interactions, allowing users to focus on smaller pieces of critical content or perform an activity that requires their full attention. Modals are invasive to the user's workflow as they block all other content and allows them to focus on a single task. A deep blue layer (#051C2C) with 85% opacity stands between the page and the modal and can be dismissed by selecting the close (X) icon, a CTA (e.g. Cancel, Submit) and in some instances depending on the context, by clicking anywhere on the opacity layer layer.

Specifications/Anatomy



A modal is made up of 3 sections, the top section, the content section and the bottom section. All sections are optional and should be determined by the needs of the solution.

The Top Section may contain a representative icon to help communicate the message or give a sense of status or urgency to the action being requested. The top section also include an "X" icon to dismiss the modal. The graphic is not always required but recommended.


The Content Section contains a title, text, data visualizations, input fields, and any other variety of media, including photos, graphics or illustrations. All content should be written succinctly and objectively so that it occupies as few lines as possible.

The Bottom Section contains action items including links and buttons to proceed. Typical combinations may include Cancel | Delete | Save | Send.

Modals can have many different sizes but must always maintain the 40px padding on the top and bottom margins and should never consume more than 50% of a screen.

On mobile viewports, modals typically take up more space and have larger CTAs to make them tap friendly.


Modal on mobile



Styles and Variations

Informational modal


Used for communicating simple content, build awareness or request validation before the user performs a single action including Ok, I Agree, Save, Send or Continue, .



Success modal

Used for communicating a positive state. In some cases the the user will simply acknowledge or validate the success (as with the information modal) or be asked to make a decision and perform one of two actions such as Cancel or Accept, Submit or Proceed before the systems continues with its next process.


Any icon that suggests a positive outcome or enhances the communication can be used.



Danger modal


Used for communicating a negative or danger state.

The modal should communicate the risk of proceeding and perform one of two actions such as Cancel or Delete, Remove or Stop. Typically these actions cannot be undone once performed.




Graphic modal

Similar to the Information modal, it is used for communicating simple content, build awareness or request validation before the user performs a single action including Ok, I Agree, Save, Send or Continue. A graphic is used to further reinforce the content.




How to use them



Page switcher

The page switcher component provides navigation between sequential pages. The component is always placed on the bottom of the page with the first option being a shortcut to the previous page within the product flow and the second option being a shortcut to the next page within the product flow.

Specifications/Anatomy



Previous Page
Go back to Cards

Styles and Variations

The Page switcher has 2 parts, one for the previous page, and another for the next page. Both have the Default and Hover states and must always be placed together.

Previous page
Go back to (previous page name)

Previous Default

Next page
Go to (next page name)

Next Default

Previous page
Go back to (previous page name)

Previous Hover

Next page
Go to (next page name)

Next Hover

Previous page
Go back to (previous page name)

Disabled Previous

Next page
Go to (next page name)

Disabled Next

Previous Page
Go back to Cards


Complete use

Next page
Go back to Cards

Pagination

The pagination component helps users navigate content distributed across several different pages or views. The pagination component orients the user to where they are within a series of pages and quickly switch between pages.

Specifications/Anatomy





Recommendation

When navigating more than 10 pages, use ellipsis to indicate a continuous range while maintaining a fixed horizontal size. Include the first and last page numbers to allow jumping to the start of end of the content.





Whenever possible, the currently selected page indicator should be in the middle of the pagination component. When the selected page is at the start or end of the list, or the list of pages is less than 10, this will not be possible.





Styles and Variations



Default

The default pagination style at the default size.



Small

A condensed version for tight spaces.


Long Default


Use this variation when there are lots of pages to navigate. The desired page can either be typed in or selected from a popup in addition to the single or multiple page stepping.

Long Small

Condensed version when there are lot of pages to navigate. The desired page can either be typed in or selected from a popup in addition to the single or multiple page stepping.

When you click on the chevron of the long variation pagination, you get a dropdown with the page options to choose.






Complex


The complex variation includes all options and information commonly used on tables.

Popup Menu

The popup menu component provides more options to the user for a specific context. Popup menus are displayed at a 4px elevation to help the user focus on the available actions. Text should be direct and related to the actions the user can take on the given context. Popup menus often directly affect what the user sees on the screen - for example, saving, deleting, or downloading. Grouping options within a popup menu is achieved with dividers. Popup menus appear preferentially underneath the button/actions that trigged it's appearance and aligned to the right, but may vary depending on available space.

Specifications/Anatomy





Each row of a popup menu is 32 pixels tall. An additional 8px padding may be added to the top and bottom of the popup menu if they are the first or last item respectively. Section dividers can be added after any menu row and are constructed within the last pixel of the bottom margin, with a 1px divider stroke.

Styles and Variations

The left icon and the right badge are each independently optional depending on requirements. All menu options have 3 active (default, hover, selected) and one disabled variations.

Default

The default state of the option.

Hover

The state when the mouse is over the option.

Selected


The state when the user has clicked on that option

Disabled Default

the state when the option has been disabled.


Do's and Dont's

Maintain consistency within options groups of a popup menu. If an option within a section has an icon then all other options in that section should also have icons.



Don't

Within a section, do not mix menu options with and without icons.



Do

Keep the use of icons consistent within grouped menu option sections.

Alignment

A popup menu should be displayed immediately below and aligned to the right edge of the component that triggered the popup menu. If this placement is not possible then align the menu to the left edge of the trigger. If these do not work then attempt to display the menu immediately above the trigger component aligned to the right edge and then to the left edge as a last resort.

First option

Bottom right aligned

Second option

Bottom left aligned


Third option

Top right aligned

Last option

Top left aligned


Look and feel



Tabs

Tabs are used to navigate between pages or to switch between views within the same context, and enable the user to navigate thoughout an application. They divide content into sections and allow users to focus on one view at a time while maintaining sight of all the other options available to select from. Each tab, when active, will reveal it’s own unique content. They can be placed in the header, sub header as secondary navigation, body, and left and right rail. Each tab lives within its own container. The container’s width is determined by the length of the label. Regardless of where a tab is used, they always follows the same visual guidelines. Tabs should be used when there are between 3 and 8 sections/items, otherwise

Tabs construction



Easily change tab labels, switch between states and remove items

1) To change a tab name, select override Tab Label and type your label name.

2) To switch between states, select a tab and choose Default Tab or Selected Tab in the Inspector.

3) To remove a tab, select the tab you want to remove and select No Symbol

Tab Example

Tab 1 Tab 2 Tab 3 Tab 4 Tab 5 Tab 6 Tab 7 Tab 8

Tooltips

Tooltips are used to explain the meaning or purpose of a tool, often an icon. Tooltips are usually one word or a short single line of text. They are activated on hover and become inactive when a mouse rolls off the trigger (often an icon).

Styles and Variations


Styles

There are two color styles available for use. Dark Tooltips should be used on light backgrounds and Light Tooltips should be used on dark backgrounds.

Dark Tooltips




Light Tooltips




Position

There are four different positions for tooltips: top, right, bottom and left. These can be explicitely set or set to auto which will adjust position based on the viewport


Bottom tooltip




Left tooltip



Top tooltip




Right tooltip




Tooltip Examples

Tooltips in an Editor



Tooltips in a menu




Tooltips with a title



Badges

Badges provide a numeric value identification or a status in a specific context. They draw the user's attention to something that is new, updated, or removed. They always occur attached to or next to the component they reference to avoid confusion. Badges should not have a number greater than 999, to indicate any thing larger use 999+. Badges can also be used to label, categorize, and organize, but when used in this way are for display only and provide no interactions.



Status badge

Status badges are slightly larger than regular numeric value badges and highlight an item’s status in a specific context. They are commonly used in tables depicting a list of items and each of their statuses. In scenarios where a lot of status tags are used, we suggest the use of the lighter version. In scenarios where they are used with more spacing between them, the default version will be more prominent.

Default version	Light version	Usage	Common labels
In progress	In progress	Items in progress	In progress, Open, Modified
Default	Default	General status	To do, Unavailable, Minor, Not Started
Sucess	Sucess	Successful items	Available, Done, Approved, Resolved, Added
Error	Error	Error or removed items	Errors, Declined, Failed, Removed, Critical
Warning	Warning	Attention required items	Busy, Blocked, Missing, Warning

Examples



Counting badges

Can be used attached to icons, profile avatars, or other components in a way that there is no ambiguity about which component it refers to.

Stage 3 of 5 -> 63%	In progress
Stage 4 of 4 -> 79%	In progress
Stage 4 of 4 -> 100%	Done

Status badge

Commonly used within tables to show progress/status of work in progress or categorize.

Marajara Juice	Food
Marvin's	Food
Greener with the scenery	Utility

Tag

Tags are used as UI labels that easily differentiate between different options. Depending on the variation, they can feature fast interactions for selecting, adding, and removing options with ease. They can be used in different scenarios: such as an alternative for checkboxes or more commonly, within a multi-select input field.



Variations

	Example	Hover	Selected	
Selected	Filter label	Filter label		Dismissible
Default	Filter label	Filter label	Filter label	Selectable
Selected	Filter label	Filter label	Filter label	Selectable
Error	Filter label	Filter label		Dismissible

Examples

Tags that were previously selected by the user will remain visible inside the select field. This helps keep the user always within the same context and always have access to the options that were selected previously.

Send e-mail to users:

Type an e-mail

Send e-mail to users:

besjon_alivandi@mckinsey.com

Send e-mail to users:

Besjon Alivandi Alex_Saphiro@mckinsey.com

Send e-mail to users:

Besjon Alivandi Alex Saphiro Type an e-mail

Alex_Saphiro is not a valid e-mail

Label name

Select an option

Label name

User input information

- Advanced Electronics
- Aerospace & Defense
- Agriculture
- Automotive & Assembly
- Capital Projects & Infrastructure
- Chemicals

Label name

Automotive & Assem...

- Advanced Electronics
- Aerospace & Defense
- Agriculture
- Capital Projects & Infrastructure
- Chemicals
- Consumer Packaged Goods

Select only one option

Select your cloth size

Small Medium Large Extra large

Select your cloth size

Small Medium Large Extra large

Select your cloth size

Small Medium Large Extra large

Select your cloth size

Small Medium Large Extra large

Select your cloth size

Small Medium Large Extra large

Select as many as you would like to filter

Select the areas to search for

Advanced Electronics Agriculture Chemicals Oil & Gas Healthcare

Select the areas to search for

Advanced Electronics Agriculture Chemicals Oil & Gas Healthcare

Select the areas to search for

Advanced Electronics Agriculture Chemicals Oil & Gas Healthcare

Select the areas to search for

Advanced Electronics Agriculture Chemicals Oil & Gas Healthcare

Select the areas to search for

Advanced Electronics Agriculture Chemicals Oil & Gas Healthcare