



**Universitätsklinikum
Tübingen**

MAX PLANCK INSTITUTE
FOR BIOLOGICAL CYBERNETICS



FASTPTX HANDS-ON SESSION

Dario Bosch^{1,2,3}

1 Core Facility MRT, Medical Faculty, University of Tübingen, Germany

**2 Department for Biomedical Magnetic Resonance, University of Tübingen,
Tübingen, Germany**

**3 High-Field MR Center, Max Planck Institute for Biological Cybernetics,
Tübingen, Germany**


ESMRMB Annual Meeting 2025, Marseille




PARALLEL TRANSMISSION IN ULTRAHIGH FIELD MRI

MRI at ultrahigh fields:

- Inhomogeneous B_1^+
- Highly localized tissue heating $\rightarrow$ SAR
- Parallel Transmit Systems: many RF (B_1^+) transmitters



CP-mode excitation FA



pTx excitation FA

Very expensive high-end systems


- 9.4T (400 MHz) whole-body magnet
- 16 Tx channels
- Whole-body gradient coil
- In-house RF coil development



THE FastPtx OPTIMIZATION TOOLBOX


- For each time point: 16 complex RF channels + 3 gradient channels = 35 parameters

- Python → PyTorch
- automatic differentiation
→ efficient
- Supports STA and Bloch simulations
- Can run on CPU or GPU
- Supports individual or universal pulses



FastPtx

Freedom to change all parameters




- **Pulse duration: 520 μ s**
=> 1820 parameters
- **Hardware:**
AMD Threadripper 3995WX
(64 cores)
NVIDIA RTX A6000
(48 GiB VRAM)
- **Computing Duration:**
67 seconds
- **This also runs in Colab at**
reasonable rates

CP

S1

S2

S3




TP

CP

S1

S2

S3



TP

- Toolbox and example data will be made available
- Paper under revision
- github.com/dabosch/FastPtx



https://colab.research.google.com/github/dabosch/FastPtx/blob/main/Colab_Demo.ipynb

