```
http://example.com/stoptimes/4_I12-001_I12_1-par_4_263-00%3A00%3A00 rdf:type gtfs:StopTime
http://example.com/stoptimes/4_I12-001_I12_1-par_4_263-00%3A00%3A00 gtfs:arrivalTime "00:00:00"^^xsd:time
http://example.com/stoptimes/4_I12-001_I12_1-par_4_263-00%3A00%3A00 gtfs:pickupType http://example.com/PickupType/0
http://example.com/stoptimes/4_I12-001_I12_1-par_4_263-00%3A00%3A00 gtfs:trip http://example.com/trip/4_I12-001_I12_1

http://example.com/stoptimes/4_I12-001_I12_1-par_4_262-00%3A03%3A10 rdf:type gtfs:StopTime
http://example.com/stoptimes/4_I12-001_I12_1-par_4_262-00%3A03%3A10 gtfs:arrivalTime "00:03:10"^^xsd:time
http://example.com/stoptimes/4_I12-001_I12_1-par_4_262-00%3A03%3A10 gtfs:pickupType http://example.com/PickupType/0
http://example.com/stoptimes/4_I12-001_I12_1-par_4_262-00%3A03%3A10 gtfs:trip http://example.com/trip/4_I12-001_I12_1

http://example.com/stoptimes/4_I12-001_I12_1-par_4_261-00%3A05%3A17 rdf:type gtfs:StopTime
http://example.com/stoptimes/4_I12-001_I12_1-par_4_261-00%3A05%3A17 gtfs:arrivalTime "00:05:17"^^xsd:time
http://example.com/stoptimes/4_I12-001_I12_1-par_4_261-00%3A05%3A17 gtfs:pickupType http://example.com/PickupType/0
http://example.com/stoptimes/4_I12-001_I12_1-par_4_261-00%3A05%3A17 gtfs:trip http://example.com/trip/4_I12-001_I12_1
```