
Plot ID	1347	Date	8-5-19		Samplers	MO,6	 -И	
	old Hob	0	forted to	- Rcc	al out	10,6		
·		·			t level data	<u> </u>		
- :7	SOD	· 1\				LICHE	4	
	Bay Oak		moss	-	以 文	Ramalina Usnea	- 1	<u>Crustose</u> <u>Foliose</u>
×	Tennis balls	н	lobo downloaded	<u>'</u> Z.(Origin co	
			Powdery Mildew		ALIC	.		Misteltoe
	Quads Completed:		Start Tag:			End Tag:		
	Counts open		SO FLN9 WO	D2SW-	F6 51.1	J9 10 13	DASW-1	J SI E) AIII
C3SW(cen	ter)-WO,50,E1	NZZ			1.010.70	·· 170 15	D-1344- 0	01, 31, 12 a, 10 11
	ntal Notes:	, ,						
Quad	% Bedrock	% Soil	% Boulder	% Fine	% Herb	% Litter	Total	Notes
A1		4	0	5	3.5	56	100	:
A2	0	3	0	10	40	47	100	
АЗ	\mathcal{O}	2	0	1.5	25	58	100	
A4	0	0	0	15	70	15	100	
В1	. 0	١	0	20	25	54	100	
В2	Ö	0	Ö.	2	70	28	100	
В3		0	0	10	70	20	100	· · · · · · · · · · · · · · · · · · ·
B4	0	0	0	10.	60	3.0	100	
C1	0	l	0	9	50	40	160	
C2	0	\	0	5	70	.24	(00	
СЗ	0	6	O	5	50	45	100	
C4	0	0	Ö	5	60	3.5	10e)	
D1	0	0	0	0	75	25	100	
D2	<u>(</u>).	0	0	2	80	18-	100	(
D3		ک	. 0	3	65	3 <i>0</i>	100	
D4	\mathcal{L}	5	. 0	1	55	39	100	

Seedling Log

Pepperwood Preserve TBC3 Long-term Vegetation Monitoring Project

ot ID	1347	Sampler(s)_	MO, IT, MR	Date	8-6-19.
Notes Nonc	in Al	j			

Quad	Species	No. SE <10cm	No. JU 10- 50cm	No. SE +JU Dead	Comments
AD.	QUEAGRI		'´ ③		•
43-	UMBCAL		. ①		
B2	AMOCAL		. O		
BZ	QUEAGRI		: (h)		
BZ	QUEGAR		* (1)		
ВІ	UMBCAL		: · ③		
Bl	AMOCAL		·· (3)		
CI	HETAAB	· ()	V		·
CI	AMOCKL		· 0		
· C1	UMBCAL		· 0		
Cl	QUEAGRI		· W		
DI	QUEAGRI		° O		
51	UMBCAL		" (D		
DZ	UMBCAL		· (1)		
CZ	UMBCAL		°° (3)		
A3	UMPACAL		00 (4)		
A-3	AMOCAL		0 (1)		
AH	UMBUFL		00 2	_	
Ay	PRIMCER		. (1)		
A4	DUEARPI		(1)		
BH	UMBUTZ		' (1)		
BY	OURABRI		10 (2)		
ВЧ	OUTGAR	1 (1)			
CH	MMBLAZ		10 (2)		
CY	OUBGAR	• (1)			·
04	QUEAGRI		" (2)		
DY	UMBUAL		" (2)		
D4	PRUCER		. 1		
73	UMBUAL		00 (2)		
3	PRIVER		(1)		·
P3	DWEAGE		• (1)		
D3	QUEGAR.				




Seedling Log

1347.

Pepperwood Preserve TBC3 Long-term Vegetation Monitoring Project

					·
Quad	Species	No. SE <10cm	No. JU 10- 50cm	No. SE +JU Dead	Comments
C3	OUEAGRI PRUCER		0 (1)		
C3	PRYCER		0 (1)		
B3	UMBUTT		11 (3)		
0.5	CONTROLL				
		<u> </u>			
	<u> </u>	ļ			
				<u></u>	
		·		i	
			<u> </u>		
			_		
				,	
			<u> </u>		
					
	·		-		
			ļ		
<u> </u>	•	,			
	+				
				1	
			<u> </u>	ļ	
				1	
			1		
			<u> </u>	1	
· · · · · · · · · · · · · · · · · · ·					
			 		
		ļ			
		ļ		_	
			1		
		1	1	<u> </u>	
·		 	<u> </u>		
		-	1		· · · · · · · · · · · · · · · · · · ·
		<u> </u>		_	
1					
) 			1	i	
		 		 	
	<u> </u>			 	
		<u> </u>	<u> </u>		<u>L</u>



TBC3 Long-term Vegetation Monitoring Project

1D 1347

otes

Sampler(s) MO, 4H

Date _ 8-5-2019

1	<u> </u>			Ι	—	1.	Г	_	ı		7			Γ-		ì			<u> </u>	·					Г	Γ	\ <u>\</u>	
1				_	上	-	_	_	_	2	DS W	-		-	A2	+#223* ·	RECOR		· ·	_		*****			<u> </u>			Qua
(3)	श्रु	SA	SA (SA	SA	SA (SA	SA(SA(ŚĄ)TR	SA	SA (SA	SA	(SA)	SACTR	(S)	(SA) TR	SA/TR	ŚĘ	SA	SA	SA	SA	SA AS	SS)	SA (
뒫	됬	Ŗ	(F)	3	B	$^{\odot}$	Ø	l	l i		T	_		3	뒺	(R)	TR	l l		ᅻ	(B)		愛	TŔ	(TZ)		(T)	Туре
15 2	SI	ST	TS.	ST	TS 2	SI	12/	ST	TS /	SI	SI	TS (TS	ST	SI	Z ST	ST	SI	TS :	S	SI	TS ;	įsi	ST	IS	SI	ST	
2950	6143	Ph 19	2948	2946	17Pb	0	2945		1944	2943	2942	6142	0	2941	2940	2937	2932	2933	2959	2929	2936	2930	293/	6140	29.	2934	2938	Tree Tag No.
	v	_	18	3/	47		8		14.	وري	S.	2	-	~	Ö	43	Ñ	V3	0	<i>₽</i>	200	ŏ	_	Ç	935	4	00	Tag o.
																												(cm)
-																												
_																												(cm)
UMBCAL	3	AMUCAL	AMOCAL	UMBCAL	QUEGAR	1	UMBC	<u> </u>	UMBCAL	WAREAU	BUEWAR	AN	1	UMBCAL	JMi	ADOC	QUEAGRI	Umscal	UMACAI	UMBCAL	N/MBCAL	UMBCAL	1///	AMOCAL	UMBCAL	MV	QUEGAR	Sp
CA-C	AMOCAL)CA	OCA	BCA	GAI	ł	8C/	,	SCAL	CAL	(cos)	AMQCAL	,	CAL	JMBCAL	AMOCAL	46 R	رگار	Ŷ	CAL	BC A	とこれ	MRCAU	CA	BCA	UMBCAL	GAR	Species
_	_				(,		Ąι		_		(N	\overline{c}		<u>`</u>			1	,	<u></u>				\vdash	7	7	<u> </u>	-	
	_	_				Amery :-		(*	O	1	<i>†</i>	}	~	0	Ø	1	(7.		1		/	/	/	7	Surv
0	0	0	1	O	_	_	Q	0	Q	Ø	ğ	Ô	0	0	0	O	0	0	Ŋ	0	0	\mathcal{O}	0	0	0	0	_	Basal
-	_					_					<u> </u>		_	_							-				_			
			0	\cup		0	0	\mathcal{O}	0			0	0	0		0					O	0	0		9		7	Epico rmic
			Ü		/		Ţ	1	/		Ö	l	erga.	-		0					***	/ .	1		/		/	Apica I
	<u>.</u>					. 00					C	12	(SI								(J	7			5			
				បា	B	25	Y	4	5)	1	01	4		\bigcirc			. ,			4	דט		01		4	% Livin g Gano
12		213								94.	?				86.2			9	13:	170.5				15		22		SA or Stump Height (cm)
5	₹. ₩	ড								~0	\				12		'	60.7	32.4	5				8		0.5		ght mp or
-	1									, ,					1.		1	1.	-	,				•		1.3		Str. 3
32.	1/2	.22								50 50					.28		1	11.	80	617				28		36		SA or Stump BD (cm)
0	W	w								ونظ					0		1	/	S	/				\approx		0		SA Stem #
-	_		ì	2	2			3			1	-	1	14	_	į	-		_		$\overline{}$	~	· /.		N			
				2.78	21.6	.20	.42	5.65	4.73			, 25 5	6,49	1.24							. 24		39		2.8		27.0	DBH (cm)
			. ['	3							\ \	J.	7	7(_	·					1		7				$\frac{1}{2}$	
			70.6		597	4.3								·										•			$\backslash $	Basal resrpout (height)
					4																							
			Ø		N						\mathcal{O}																0	Basal Resprou
)																	Basal Resprout count
SOP				50		501	SOD	Sop	acs	SOB			S	5	Źν	7	77	90S	S	500	5	S	902		ž	15(
ğ				500		J	0	O	0	(C)			500	B.	D OS	161	67	Q	90	Ŏ	500	500	QC		SOD	ADS		
													-24			167	A6 Pulled											Notes
																THE NOT Found	_ــد											&
														•		the l										,		
L	<u> </u>			L																								

TBC3 Long-term Vegetation Monitoring

Date 8-5-20/9

347 Sampler(s) M(

Plot ID____

otes

SA Stem #	DBH (cm)	DBH resrpout (height)	DBH (cm)
2 1.03) 59.2/.03 [0 x / x/ @) 59.2/.03 [0 x / x/ @) 59.2/.03 [0 x / x/ @
1.13	3 1.13	3 1.13	3 1.13
5 1,23 4 5 .95 1 5 .76 1	89.5 1, 28 51.9 .95 1/2.5 .76	89.5 1.28 4 51.9 .95 1	89.5 1, 28 4 51.9 .95 1 2.41
3 1.13 0	3 1.13 0 3 1.13 0 5 1.27 4 5 .76 1	3 1.13 O 5 1.28 4 7.45 1 5 .76 1 5 .76 1	3 1.13 O 5 1.28 U 7 .95 1 7 .95 1
5/ 0 13 0 23 4 25 / 76 /	50 0 1 1 0 0 1 5 1 0 0 1 5 1 0 0 1 1 0 0 1 1 1 1	5/ © 13 O 28 U 2.4/ 95 / 76 / 76 /	5/ © 3
Ĭ Ĭ Ĭ		2,4/	2.4/

1D 1347 otes_

Sampler(s) MO.64

Date 8-5-2019

8/ SA	131 SA/	SA	83 SA (. (45) T	+ 59-	· (@) }	SA)TR	SA (TB)	(SA)TR	SA (SA FR	SA [SA (TR)	® :	(S)	B2 5A	1 (SA):	FA) TR	(S)	SA (SA (SA ((sa)	(SA)	(SA) -	83 SD -) vs (2	Qua T
TR TS 2	1g rs 元	S1 (41)	(T) TS. 30	TR TS 6	TR TS 6	TR TS 2	TS	ST	ST	(TR) TS	ST	ír (S	SI	TR TS 20	TR TS 2.	SA (R) TS 29	TS	ST	TR TS 6	(R)TS	TS	(B) TS 3)TR	TR TS 6	TR TS 6	ער ואד אד	(TR) TS 2:	Туре
18 18	2979		2960	110589	1849 J	2974	1926	9224	2977	٥_	34PL	• ·	<u> አ</u> የታS	2973	2972	-	18489	_	6846 Y5	-1	3015	3014	1841	6845 3	6149	29.68	OFB	Tree Tag No. (c
				195 381	245/280												60 373	45 90	5 50					300 37				X Y (cm)
+		UMBC&I_	UMBCAL-		OLAMOCAL	QUEKCHI	ト	UMBCAL	BUEWITZ	÷			•			UMBCAJ_	3 1		2 LMOCAL	<u></u>	-	UMBCAL			AMOCAL	1	QUEAL-RI	n) Species
	_		1.	1	1 (Ô	1)	0	1		_	_	_	_	((_	1.	1	1	_	1	۱.		0	Surv îval
0	0	1	©	0	0	0	0	4	0	<u>&</u>	0	O	Ö	Ø.	0	جث.	0	0	Ç.	9		0	C	0	0	0	0	Basal F
		0	l					_		G.	0		8			0				_	_	1					0	Epico A
		_	_					_		0			_							_	_	_					B	Apica 1
F	G1	5	F 					エ		O.	チ		F			M	,			7	<u>.</u>					_	0	% Livin g
				178.3	58.1	۷.	73.7		80.4			117.3		111.8	3.5		76.3	55.3	75.6				1225	0.53	199.2	96.7		SA or Stump Height (cm)
				0.98	O_32	-	0.89		0,45			0.61		1.02	1.34	ړ. د	0.28	0.33	0-55	•			O.34	0.85	1,04	0.46		SA or Stump BD (cm)
				ኢ3	ণ		a		ره					7		1	F	3	6				3	15	6	0		SA Stem
6.5	4.0	1.4	1.00					3.6			5.)		7.8		,	1.04				1.68	6.6	4.3	,				-	DBH (cm)
		321.5						122.5			·		-	•		75.0					0.041							Basal resrpout (height)
					·			ٔس													ナ							Basal Resprout count
501)	Sol	SOD	500	New SA	NEW SA	Tox polled	50)	1	Change Sp. in DB	Tag volled	500	800	80 P	80D	SOD	SOD, Now ATR			New SA	SOD	808	801)		New SA			DBH TOO MUCH TOXIDIV	Notes

Plot ID_

otes_

Sampler(s) <u>6</u>Ħ, MO

Date 8-5-2019

_	1	Т	Т	-	Т			т-	т-	Т-	T	т-	-	т					_	·				·				
4		+	5	1_1				-	<u> </u>				L			<u> </u>	5	8/	1	-					-	╁	Ø.	Qua
SA (TR) TS	(IR) 1S	10	TR TS	╢╤] =	1	- 1		B	YR TS	1	1	\sim	SA)TR TS	1~	SA) TR TS	SA (TR) TS	Ä	SA)TR TS	SA) TR TS	SA) TR TS	SA (TB) TS	SA (R)TS	SA TR (S	SA (TR)TS	\sim	I	.11
3013	प्रविष्	299%	2193	7884	1825	4403	Obles		3665	299	45.89	2884	2995	8919	2966	<u> </u>	2997	6852	6851	986	61.59	2984	2983	-	2985	7580	2882	Tree Tag No.
!		_					<u> </u>				193					375		455	455									(cm)
											340				1	90	<u>, 2</u>	8,	125									(cm)
UMBCHL	PSEMEN	1		L			UMBCAL	+	QUEAGR1	UMBCAL	AMOCAL	 -	UMBCAL	AMOCKI	QUEAGR1	UMBCAL	BUTHER!	+	AMOCAL	⊦		t		_	UMBCAL	PSEMEN	UMBCAL	Species
L	-	L	-	_	-	_	-	و	\mathcal{G}	_	-	~	_	_	0		G		1	۱	<u>ب</u>	-	7	-			=	Surv
b	0	0	0	G	0	0	O	Q	Ġ	C	0	0	0	0	G		/	0	3	\mathcal{B}	e		B	-		0	Ó	Basai
	0	_						e.	O				ф		0		0					0	-		0	G	_	Epico rmic
	_	-						0	0				_		0		G					-	1		_		_	Apica
A	W	Ŋ						Ø	0				5		C		0			·		и	F		Ŧ	ىو	F	% Livin g Cano
			171.8	0.1	8.49	6.44	114.5			19.041	7.7	مو.هم		14.7	٠.	インナ	•	68.5	73.5	56.)	57			0 9 4 4				SA or Stump Height
			1.43	0.68	0-59	1007	1.35			1,12	0,38	1.13		84.0		0.42 2		0.31	0.34	0.83	0.41		0.85	101				SA or Stump BD (cm)
			0	احو	2					ىر	نت	0		8		c		ارو	7	0	0							SA Stem #
3.0	16.34	3.7					·	·					2,28		1		١				i d	70%	197	-	9	(2)	46.1	DBH (cm)
						-								٠			0 5 0 0					1		5	158 8			Basal resrpout (height)
																5	5				(3		-	_			Basal Resprout count
800		500	500	SOD	SOD	50D	SOD	Downed	Deciment.	- 1	New Sk	ヘログ	>		و حرا	というという	Ella:	اد	V100 C#	くのじ	SAT S	\$37 000	\$000 000	600	SOF		50D	Notes

Woody Vegetation

otes_

Plot ID_

Pepperwood Preserve TBC3 Long-term Vegetation Monitoring Project

Sampler(s) $\leftarrow \forall \mathcal{M}$

Date 8-5-2019

					·						8	20.02	27 21					•
	Qua d	Туре	Tree Tag No.	(cm)	Y (cm)	Species	Surv ival	Basal	Epico rmic	Apica I	Livin g Cano	Stump Height	Stump BD	SA Stem #	DBH (cm)	Basal resrpout (height)	Basal Resprout count	Notes
	S	SA (TR) TS	3000			UMBUAL		C	-	_	IJ.				±κ.1			ハロ カ
	F	SA (R) TS	3041			AMOCAL	0		G	0	G				(1 44 9	٥	
		SA (B) TS	-			AMOCAL		0	G	1	Ŧ	·	`		0-93			
		SA) TR TS	3040			UMBCAL_		C				1. tt	0.62	-	9			^ のア
		SA TR TS	6157			AMOCAL	-					751.4	1-16	Į.				
		SA (PR) TS	3030	·		UNBCAL		0	C	-	رس				8			(2)
	+	SA (R) TS	-			UMBCAL_	_	0	0	_	Ŧ				7			3
	C3	SA) TR TS	3003			UMBCAL	/ .	0				7.0%	1.29	2	j			200
	F	SA) TR TS	2999			IMBCAL	/	0				70.0	27,3	0				NGS
	E	SA) TR TS	6158			AMOCAL	/	O				2.941	1.06	0				
	H	TR TS	6156			AMOCAL	1	0				8 4/V	1/9	in				
	-	TR TS	1000			UMBEAL						100.6	0 K.	N				200
		/TR TS	6/60			AMOCAL		0				239.0	7.68	2				
	F	18 1S	300%			UMBCAL		_	0	/	4				1,44	/32.3		50D ·
	1~	장	3004			MECAL		0				66.6	. 52	O				200
	4	B	3005			PRUCER	_	-	0	1	വ				41.7	4.7,2	رو	٠
	$ar{}$	SA) TR TS	6161			UMBCAL		O				63.6	1.3	_				50D
		B	3032			PRUCER		0	Q.	/	 チ.		•		HO.H			
		SA) TR TS	3031	<u></u>		UMBCAL	_	9				53-3	1661	0.				SOID
		TR TS	3033			AMOCAL	_	O				220.6	آخ	à			•	
		SA TR TS	74919			<u> -</u>	_	0				192.8	1.52	51				•
		18 TS	3007			UMBCAL	_	1	0.	_	チ				8.3	3.89		
		3	<u>{</u>			UMBCAL	L	6	0	<i>></i>	W				1.19			Jor Tr
		TR TS	3045	<u> </u>		PRUCER	0	P				1	1	1				Tex volled
		TR TS	7405				0	9				1	O -8 3	1				0
	_	; ;	30 44		_	1	1	þ				99.6	1602	0.				M1555 in 130
	1	-	2008	_	_	AMOCAL	0	L			Ŀ	1	42.0	1		53.5	_	OC DEAD, BD &
-		OF IX	2495			UMBCAL		0				134,2	1.24				,	501)

Plot

TBC3 Long-term Vegetation Monitoring Project **Pepperwood Preserve**

otes 10 50 TR TS 7078 Qua d 图 TR TS SA) TR SA TR TS SA TR) TS. MODU SA (TR) SA (TR)TS ACTO SA TR (B) 20079. SA S 55) TR TS 1255 SA) TR TS SA (T) TS SA SA) TR TS SA TR TS S SA) TR TS SA (TR) TS (3/) (C SQ TR TS 2005 SA TR TS SA) TR TS 54) TR 15 0567 TS (B) TR TS Type TR TS TR TS TR TS 30 TR TS TR TS Sī ST XJON. 13/19 20024 305V 3016 なる Tree Tag No. こころ (cm) (cm) Sampler(s) WIGHT ないのでなって UMBIAL D SEINE! をアクダイ MACRI UMBGIC IMP CO INVINIA! クルバロノダイ MIDC/XI MOCH MW22WN moar いかがた umbcal LON KINNE いっところと RMO CAL IN Sami MORPH MADUAL MA CKI MOCAL Species Surv MX MO Basal 0 *ob* 0 rmic l g Ð O15 A 4 3 クキ Cano % 12012 2310.2 169.6 Height 12 41 158.9 ででつ 12006 Stump 77.4 19000 SA or 700. (cm) 94. Stump 187 707 SA or 5.5 075 1.45 92 9.00 1880 1.53 (Cm) 1,45 1004 0 Stem 0 5/00/0 12 3. 2,7 Date (cm) DBH 2 532 1675 resrpout Resprout (height) count Basal <u>で</u>こら。の 4/50 0/27 9/60 Basal S PASAL 15 TH 9 3028 2012 29/2 300 5205 JO 134 2017 Sap SOD Notes SAL

Page 앜

(Co brown Co.) 7 9-40 4

95-30

Plot ID_

TBC3 Long-term Vegetation Monitoring Project Pepperwood Preserve

Tree Tay No. C(m) Species Surv Sale Spice Spice Livin Sump Stem Star		SA TR	코	=		(E) = =			- , `		SA (fR)	9/ sā fir)	O/ SA)TR	が/ SA TR	D/ SA (FR)	D/ SA) TR (IS)	O/ SA(TR)	1)/ SA TR	SA/TR) TS	CI SA (ILB	C SA IR	沙里	() 選 天		-				OF IN	(X) ()	3 -	otes (
Targ Cam Cam Species Surv Basal Species Surv Shore		15 6824				+-	-		_	_			1		ST	-	S		4	Ū	ī	18	Ū	S	SI	\sigma_0	122	ST	Ū	Ū	<u> </u>	8163 Jux	-
Species Surv Basal Epico Apica Livin Stump	٠	240 4						- 1		1			克				7	3.1		3		4	5	1-4	2	10	So				(cm)	pulled	
Surv Basal Epico Apica Link Stump		100	Borre	JOVINA	MNO	Mario	-	+	OI/OH!	3000	W1100	- 1		MM	UMU	34.1(C)	Jar (I)	WAN	um	MI)	MMO	ubu	Umi	250	47	Uh		AM		0 ر	·		
No		\dashv		\dashv	$\overline{}$	CAE-1	72	13/	125	-	2017			1/a! /		1.2%	27.6	1 -sas	BLAN /	12K/	C27/	CAZ	BAL	どかし	TOCAL-	かられ	ockr	OCKL	+	(BCX)			
Epico Apica Linin Stump Stump Stump Stem (cm) # Basal Fest (height) count			0		-	Ö	0	0	0	3	1			3 &	3) 	9	2/	0	0	ð	0	1. 0			2	\dashv	-	0	0			
SA or SA or SA DBH Basal Basal Resprout Notes Cano Cm) Cm SA DBH Resprout Resprout Resprout Count Notes Cano Cm) Cm Hard Cm Hard Cm Cm Notes Cano Cm Cm Hard Cm Cm Count Resprout Notes Cano Cm Cano Cm Cano Cm Cano Cm Cano Cm Cano Cm Cano Cano Cm Cano Cano Cm Cano Cm Cano Cm Cano Ca	-		1							-) 					2	-	e	Ø										0	Epico rmic	,	
SA or SA or SA DBH Basal Height Stump	-					1				4	14			H	7		4		n 	4		1								5		TR.	
SA DBH Basal Basal Notes N			1	F	7,0		12 50 E					19.0	146.5		8472	2/1	NOW.	10/2/			12/2/2	1967	1001	11010	0000	71	- i	070	\dashv	╢			
DBH resrpout Resprout (height) Count Notes Count Notes Solvent Notes N	007/	3	*\(\frac{1}{2}\)	100		100	3	-	40%			.42	12		16	,	1411	121		1	10/0	100	140	3/6	3 2	200	- 1	30	2	(cm)			
H Basal Basal (height) Count Notes (height) Count Notes Solvent Solven					1	+	1	2	+	200	104	13	1	1.2:		00	1		2,00	+	5	1	17.5	1	3	1	= 1	9	0	1)	ָלַ
Basal Resprout Notes count Now ATR SOD Not family Now SR SOD								+	,	ī	1			7		1	Ť			7									 	╨		l	
Now ATR SOD					-					-	_										-									╫			3
		Jan	NOT.	100 00 NO		C.) · · ·	1		7			(S)	2021	insa	302	55	S	S		S	NO		-	\$	Nen	Not	501	NO		out		
		Farmor	arm	1		010			•					51 /10	Q.	7,11	OD	00	5		I.	ł			00	SA,			干		Notes		

Page

의 의

Woody Vegetation

otes_

Plot ID_

Sampler(s)

	Г	Τ	Т	Γ		Γ	T	T	T	Τ	T	-	Г	Т	Т	Т-	т-	т-	т-	T	· 1	Г-		Ι .	Τ	т-			<u> </u>
	100	S	100	10	10	10	10	100	100	1,0	 	 		ļ	_		<u> </u>	L				·					14	1	Qua
	SA TR	SA TR	SA TR		SA TR	SA TR	SA TR	SA TR		SA TR	SA TR	SA TR	SA TR	SA TR	SA TR	l l		SA TR		SA TR	SA TR	SA TR	SA TR	SA TR	SA TR		SA) TR	(V) = 7	7
	SI	ST	S		12	ST	ST	1		ST		ST	ST	Z.	ST.	ST >	1 .	ST >		i	7.7.5	₹ TS	R TS	R TS	R TS	ı	R TS	1.	. 11 0
٠			١,																								6836	5 60000	Tree Tag No.
	-		_																_					·	·		L	l	1
	<u> </u>								_				·														490	126 44	(cm) (cm)
																											'n	7	(cm)
																		,									AMA	DINA.	gp
										-			·														AMMOCKI	でどっつがし	Species
																									ŀ		/	/	Surv
						·									٠												0	0	Basal
																													Epico rmic
			İ																										Apica
		•																				1	1						% Livin
																	·				1	1	+		T		200		
	_		\dashv	_	4	_		_	.	_	4	_	\downarrow	4		-		_								_	208,4	140.3	SA or Stump Height (cm)
																											0/6	200	SA or Stump BD (cm)
																										į	6	12	SA Stem #
	,																												DBH (cm)
						·									•									T		1	1		Basal resrpout (height)
-	\dashv	+	+	+	-	+	\perp	\dashv	1		+	+	+	+	_	4	4	\downarrow	-	1	_	-	-	4	+	1	4		
																													Basal Resprout
							\cdot							ŀ			1					1	1	1			1		
								•																					Notes
																													.es
					\perp																								

Page _____ of