								•
Plot I	01342	Dat	e7/31/18		Sampler	s MU KE)M0/	AC
Note	s							
				PI	ot level da		可	mistleture
	SOD Bay		☑ moss			LICHE		Powder's Milden
	Oak	٠.	liverwor	<u>t</u>		Usnea	<u>a</u>	Crustose Foliose
	Tennis balls?	ŀ	lobo downloaded	<u>, []</u>	<u> </u>	[√	Origin c	orner tag ?
	1 .		,	·				
7K C - 10	Quads Completed:		Start Tag:	- 1.1	i î	End Tag:	01	
B2SW-S	DEHINIOLNA	PASW	55/64/N/8/10	Boom	VOLLY SELVIC	All Crops	· TLA	59/E6/N6/W12
C3SW(ce	enter)-51\(\(\int\)E13\(\lambda\)	18/W"	37	·· D2SW	- 3 3/10/5/	W 1/C13.	D4SW-;	37/60/10/12
i .	ental Notes:			,				
	,							
Quad	% Bedrock	% Soi	% Boulder	% Fin	e % Herb	% Litter	Total	N
A1	0	62	0	10	18	10	100	Notes
A2	0	59	D	12	17	12	100	
АЗ	0	58	0	10	22	10	100	
A4	Ø	57	0	10	18	15	100	
B1	0 .	60	O	10	20	10	100	,
B2	0	60	0	10	20	10	100	
В3	0	62	0	8	20	10	-	
	, .	 			<u> </u>		100	:
B4		50	0	5	30	15	100	i ·
C1	0	50	0	5	25	20	100	
C2	0	45	0	5	30	20	100	
СЗ	0	45	0	4	. 30	70	1000	
C4	Ö	40	0	5	45	20	100	
D1	0	30	, 0	S	4.5	20	100	
D2	0	3 5	0.	5	35	25	100	
DЗ	0	45	0	5	35.	15	160	
D4	. 0	40	Ö	5	40	15	160	

1342

Seedling Log

Pepperwood Preserve TBC3 Long-term Vegetation Monitoring Project

Plot ID 1342	Sampler(s) MIL/KO/AL/MO	Date 7/31/18
Notes		

Quad	Species	No. SE	No. JU 10-	No. SE	Comments
Quad	Species	<10cm	50cm	+JU Dead	Comments
DI	BOLPIL	*	4		
02	Ø				
03	Bacpil		0 0		
DY	Backil		. 0	1	
<u>C(</u>	Bacpil		٠		
c2	PseMen	•			
BI	ArcMan		\$ to 1.		
BI	Bacpil		0		
ALI	Bacpil		00		
AU	ArcMan	b			
AH	Brymen		e		
A3	Bac Pil		80		
A3	BrcMan		0 0		
A2	Bae Pil		0	,	
A2	Ave Man	φ ms		,	
Al	Backil		9 8		
Al	Berlen		•		
B2	AvcMan		•	·	
B2	Back)		0 0		
162	PreMen		-		
BB	ArcMan		8 0		
63	BacPil		\$ # \$		·
134	ArcMan				
BH	Bac Pil		7 •		·
C4	Bac Pi) Bac Pi)		9 8		12
CH	ArcMan				
C4 C3	Backil		\$ \$		
<u>C3</u>	ArcMan Bac Pil ArcMan PSCMCn		,		
A2	Pomen	4			



Page	1	of	1
rage		O1	1

Pepperwood Peserve TBC3 Long-term Vegetation Monitoring Project

Plot 1342

Sampler(s) MO/AC/MC/LO

Date 7/51 3

otes

	R	<u>.</u>				\Diamond	A		衩	*								*										
Notes		dea 6 / ame	-5	(des 2 / d cost x)	1, >	-1		New Sq.	0 G D 5 AD		06111641		deal/q car	BA var. 26 He, OCT DED					deadline lag 12c.	dead/gine	d cod / goog &	dead ognic	deab / 19 601	tool/me	6 cmb/gine	144 of gove	L 1500 / 40.00	dead/yml
 Basal Resprout count	17"	<i>y</i> \)	,	,			\	1	{		}	\	\)	ì)	>)	>)	\	.))	,))	>)
Basal resrpout (height)	76.6	1	1	J	\	1	1	١	47.1	,	285	1)	1.9h)	Į	١	(١	1	1	,)	١	>	}))
DBH (cm)	1,2,1	1	1	1	\	94.9	1.8.1	}	1	9.02	8001	1.07)	1	35.7.	1,7	1,17	11.5))	١	\)	١	١	1	>	>
SA Stem #	١	1	١	١	\	1	١	1	1	١	Y	1	١	V)))	1	(}	1	}	١	J	}	ļ)	7
SA or Stump BD	(III)	\))	1		\	0.49	1	ſ	1	1	İ	1)	i	1	1	(,	١	,)	1)	?	`)
o, <u>-</u>)))	1	. (١	}	\	61.5	ĵ	1	.1	. 1	· · · · · · · · · · · · · · · · · · ·	د م)	1	-		_	,	1)	}	}	À	λ
ٽ ٿ	0	, ,		1	١	Ö	ر ب	,	١	৩	0	Š	١	V	D	Ö	D	υ	1	-\	ţ	١	1	١	١	>	7	1
Apical	1)	, /	١	١	1	р	Ċ	-	ſ	0	0	0	ţ	1	Ŏ	ر ا	Û	D	1.	į	1	\	()	١	\	·	1
Epico rmic	ρ	. ,	١	(١	Ú	0	-	l.	0	O	0	V	4	ρ	Ö	0	Þ	1	1	1	١	ŀ	١	1	ì	1	1
Basal		Ø	A	Ö	Ŋ	0	Q	4		٥	ro,cm-	ρ	A	1	Þ	()	ģ	g	٥	J.	Ð	Ú	Ü	Q	0	O	Q	P
Surv		0	٥	g	IJ	Ü.	\mathcal{C}		Q	0	®	, (y	l	Ŏ	g	C	D	д	0	Ø	ď	Q	Ö	Ø	ý	V	٥	Ġ
Species	ON E. HERTE	GUE/ACIES	NOTDEN	UMBUIL	TORCAN	PS E/MEN	PSENIGN	BACATL	NOTOEN	PSEMEN	OVE/ACALL	COEPUBLE	MEMEN	小邮件し	BSEMEN	N GWENT N	NEWEN	156/16/1	PSEMEN	DECIDIN	的后面后加	USEMEN	们至此心	中军和约	的凹凹的	DSEVIEV	PSEARA	WELL BEN
≺ (cm)								415						310														
× (Ell)								E						370														
Tree Tag No.	34.62	1346.1	BAB	1747	173618	2345	CHU	9101	1343	TS 7341	りなりひ	1342.1	Jh[?	7_019	133 [1336	C375	7335	1313	77.29	2316	2354	2345	S.38	197V	4337	9757	27.6
Туре	SA (TR TS	SA TR (TS)	SA) TR TS 12448	EA TR TS	SA TR TS	SA FR TS 17945	JR TS	SA) TR TS		SA (TR) TS	SA (TR TS	(TR) TS	(SA) TR TS	SA) TR TS	TS	TS	SA (TB) TS		TR TS	6A TR TS	TR TS	(SA) TR TS	SA TR TS	TS	SA) TR TS	SA TR TS	SA TR TS	A TR TS
Quad	0.00	24	DI 18	07 6	121	117	╮	77 (3	0 3 (5		17 5		07 (8	17.(5	548	s ba) તે			27				Ų				14

Page of

Pepperwood - eserve TBC3 Long-term Vegetation Monitoring Project

Plot De Sampler(s) Actification

otes

Date

																					Υ.,								
	Notes	70116 / 5030	WentsA.	- 1/8hr 5M	New SA	NEW 5,3	New SA	N SI	45 majo	14cm 1	0436 50	gend/ Elance			dead/ 3000 tag sec	*	الموصاف /طويدو	ſ,	\~	× ×					dead/qonx,	<i>f</i> ,			dead gay, lagrec,
Basal	Resprout count	.)		ς.	1	». \	} :	, and the second)	, , , , , , , , , , , , , , , , , , ,	17)	3),	,			Ç	,	})	-	25	1	(١))
 Basal	resrpout (height)	١	١	١	į)	¥	>	>	}	8797)	,	,	1.	7 .].		<u> </u>		`		1	93	1	→	1))
DRH	(cm))	\	(١	1	١	3	}	١	2.5)	7.88	71,4	}	142	l		í	1	ખા.જ	22,6	48.4	9.7	1	u	17.6	14.6)
SA	Stem #	1		~	Ţ	1.0	6	S	(~	8	1	}	i	i	١.	\	1	1	١,	Ĵ	()	1	. \	1)	1))
SAor	BD (Cm))	6.67	HL'O	0.58	0.53	6.63	0.53	\$3 ⁻ O	2450	Ί.	}	ŧ,	3	. 1). }	100)	0.51	1	\ \	-	١	1	-)	1)
SA or	Height (cm)	1	848	86.3	245	53	6855	55.1	87.5	11.7	: 1	`}		-pst	1	.*	t	1)	5T.6	,)	14	\			ì	7	<u>`</u>
%	Canop V),	J	ſ	1.	١.	١)	-)	0.		ð	Ò	ڼ	Q	ļ	ψ).	1	$ec{c}$	$ \hat{c} $	٠ ال	.)	(Ũ	θ	ď)
	Apical	١	١	1	1	1	.)				P	1	·\$	ō	0	Q	I	Ç	4	l	0	D	\mathcal{D}	Ω		D.	Đ	ď.	7
Fnico	, -	\)	,	1	١	١	١)	j	0	` (O	٥	Ĵ	0	6	Ś	(.)	ſ	O.	Ġ	- J)	Ó	√	. 0′	Ċ	زن)
	Basal	9	١	ı	1	1	1	١	\		J ·	ß	0	2	D'	.0	0	Ś	ත	ſ	C	Į (į	Ŋ.		0	Û	Ō	Ò	Ś
Surv	ival	0		-	`~	_	1	-	-		.0.	Ø .	0	0	D	Ø	٤	Đ	; C		0	Ċ	Û	ρ	l U) (Ġ	P	<u>ئ</u>
	Species	的你的	MACINT	BACATL	了的统	BACPIL	Bychil	1100 E	BACATO	BAC 116	NORTH	MOST STATES	PSG684	的温度	PHENEN	的剧和	MENER	151.AE	WEARS.	4月11月11日	1955/11/EN	MEMEN	1952MEN	Nothly	UMPLAIL	PSEMEN	NYWYSd	PSENEN	UMBBAT
>	ڪ		36%	183	59%	387	2.0	Šħ	56	901									,	/2									
. ×	<u> </u>		三	170	250	124	86	\mathcal{B}_{l}	216	113										120									
Tree	Tag No.	1272	£0 19		5019	3019		8019	وادو	bilg	1317	1317,1	9162	1315	7.119	3118	nh	1311	1322	1719	2307	7308	309	ग्री व	7311	2713	0412	7713	(ब.ब.ब
	Туре	SA TR TS	SA) TR TS	śĄλπ τs	SA TR TS	ξĄ TR TS	<u>ξ</u> Α τα τς	<u></u> §À TR TS	SA TR TS	SA TR TS	SA (TR) TS	SA TR (ŢŜ	SA (TR) TS	SA (TR)TS	SA (TR TS	TS	(\$A TR TS	SA(TR TS	SA TR TS	TR TS	S	SA (TR) TS	TS	(FR) TS	SA TR TS	(I) TS	原 TS	TR, TS	A TR TS
	Quad	114 8	}¢ [€	ÌΨ	By 16	7		13	つ つ か	7	~)	(} S	3 8	()	7.	54.5	27	CH IS	(A 1/S		174 6	प्रम 	11/18	BL S	\mathcal{Z}	8 14 S		S Iti	M (SA

Page 'L' of

Pepperwood Preserve TBC3 Long-term Vegetation Monitoring Project

Plot 1342_ID_1342_

otes

Sampler(s) MIL | ICO | MC | MC

Date 7

																													
Notes		New SIE	New SA	New SA	New SP	News Ste	New Sit	New 24	New 24	Dean Shi	JES SK	New JA	Newsork	New Str.	する意と		a de la companya de l												
Basal Resprout	count		-					-	*	وكاسداد	\	{	9																
Basal	(height)		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	-	وحصوبه				•			-POI/8						,								
рвн	(cm)			•	1	-	1		e champe	****	(1	, contacted										1				
SA	##	9	び	Ъ.	S	S	5	ij	C	(0)	N	0	genetics	M	7														
SA or Stump	BD (cm)	0,38	0.43	0.62	50,007	76.0	72:0	(0,(0)	つなけ	6.48	0,53	04.0	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	00.00	0,52	-													
SA or Stump	Height (cm)	30.05	50.60	0.20	78.7	0	54.8	7.7%	70.0	57.1	50.Y	71.4	56.5	~	57,2														
	Canop V			١	1	***	1	-	-	*metalan:)		1	1	-														
Anical	Apicai	1	Ì	1		}	1	i	Militare	*******)	4	1	-College	į														
	rmic	}	ì	1	1	1	-	1		e_ter	ĵ	1	1	1	1														
Racal	Dasa	1)	١	1)	-	١	يه	Ì	}	١	1	į	1														
Surv	ival	Later		Section 1			************		*/4. E.	المنوي	******	•		/parist	~1961-														
Spaciae	Species	Bacfil	Backi	Backil	Bac Pil	Backil	Backet	Bac Pil	Se S	Sarpil	BacPil	Back	Backii	Backil	Bachi						-	*							
>	(cm)	290	110	310	[NO.	50)	230	155	77.7	328	365		405	80 80	Ö														
	(cm)	15	01	50)	9	22	2	15 K	0317	415	25	アナッ	\$ °₹	130	280												,		
Tree	Tag No.	1113	(0112	(0113		5110)	0)110)	4112	(S [18)	9	0710)	10122	12.23	6,24	(0125							,		411					
Type	l ype	SA) TR TS	SA) TR TS	SATR TS	TR TS	SA) TR TS	TS	SA TR TS	13	SA) TR TS	SA) TR TS	SA)TR TS	SA) TR TS	SA) TR TS	SA)TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS	SA TR TS
Perio	Quad	4	(a)	7	$\overline{}$			1	- H		82	44	ダイング	T	20 T. S.		-	 	<u> </u>	3,	3,	\ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	3,	, 	5,	"	0,	37	3,

Page 3 of

Pepperwood Preserve **TBC3 Long-term Vegetation Monitoring Project**

Plot ID__

otes

Date (7/31/18

| | | | 3 | ٠, | ***** | | | |
 | | |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
|-------------------------|--|---|--|--|---|--|--|---
--|---|--
--
--
--
--	--	--	---	---
--	--	--	---	---
---	---			
Notes				
 | dead gance | dad/60.4 |

 | | | | | | | | | |
 | | | | | - |
 | | | | |
 | | |
| Resprout
count | 1 | - | 1 | -147 | | <i>L1</i> |) | 57 |
 | مس |) |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| resrpout
(height) | } | j |) | | | 1186 | ` | L'53; | ~
 | | } |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| DBH
(cm) | かつを | 7.13 | hilh | 9 Yh | 1 | 547 |) | | £ '9.6
 | لمص | 1 |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Stem
| | | | 1 | 1 | 4 | ` | - | 1
 | ب |) |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Stump
BD
(cm) | \ | Į. | , | 1 | 1 | ţ |) | i de | 1
 | . | 1 |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Stump
Height
(cm) |) | Į | \ |) | ١ | wys | l | ì | }
 | Ĭ, | l |

 | | | | | |
 | , | | | | |
 | | | | |
 | | |
| Ü È | p | 9 | 9 | ù | -3 | ٦. | .1 | 0 | ن.
 | ţ | 1 |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Apical | Ø | . 9 | 9 | ن | 0 | 0 |) | 3 | ن
 | 1 | , |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Epico
rmic | Ĵ | ę | 0 | Ð | 0 | Ō | ~ | 3 | 9
 | 1 | 7 |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| | . 13 | I | 3 | 0 | 9 | | 9 | y, | در
 | ن | Ú |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Surv
ival | <u>ں</u> | 0 | Û | Ų. | g | O | ĵ | E vi
Vanja | 9
 | Ģ | Ö |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Species | 的多数的 | MEMBN | 吸机分别 | 1994年 | NOTOFN | 11.401.70 | 小组出 | 化明光建 | 奶用到
 | 127/11/11/1 | い相似のし |

 | \$. | | | | | | | | |
 | | | | | |
 | | | | |
 | | |
| Y
(cm) | | | | | | | | |
 | | |

 | | | | | | | | | |
 | | | <u> </u> | | |
 | | | | |
 | | |
| | | | | | | | | |
 | | |

 | | | | | |
 | | | | | |
 | | | | |
 | | |
| Tree
Tag No. | 902 | 7369 | 7304 | 1303 | 1201 | 1.) 05% | 7111 N | (H) | 200 mg.
1900 mg.
1900 mg.
 | ने बिल् | 376 |

 | | |
 | | | | | |
 | | | | | 4
 | | |
| Туре | A (TR TS | A (ÎR TS | A (TR TS | TS | TS | | 4 TR (FS) | (F) TS | ír TS
 | A TR TS | TR TS | A TR TS

 | A TR TS | 4 TR TS | A TR TS
 | A TR TS | A TR. TS | A TR TS | A TR TS | A TR TS | TR TS
 | TR TS | TR TS | TR TS | A TR TS | TR TS
 | TR TS | TR TS |
| Quad | 18 PM | AT S. | AT S. | A7 S. | | | 15 J. K | 18 14 | 18 18
 | (S) | | S,

 | 'S | Ś | l'S
 | łS, | ts | /S | <i>1</i> S | 1S | <i>t</i> S
 | ts. | 1S | S | ₹S | SA
 | SA | SA |
| | Type Tag No. (cm) (cm) (cm) (cm) (cm) (cm) (cm) (cm) | Type Tree X Y Species Surversion in a line Epicol Funitor in a line Living Canop Height Stump Base Stump Figure (Cm) Stump Base Base | Type Tree X Y Species Survement Species Species Fight of Fight of Street Fight of Street | Type Tree X Y Species Survey Epicol Fixed Apical Fixed Living Height Fixed Stump Fixed | Type Tree (cm) X Y Species (cm) Survey (cm) Species (cm) Fight (cm) Apical (cm) Living Height (cm) Stump (cm) Stump (cm) Stem (cm) Cm) Apical (cm) Living (cm) Height (cm) BDBH (cm) Height (cm) Resprout (cm) Resprout (cm) Resprout (cm) Resprout (cm) Modes SA (R TS 736 ft) 1 | Type Tree (cm) X Y Species (cm) Survey (cm) Species (cm) Fight (cm) Apical (cm) Living (cm) Stem (cm) Stem (cm) Stem (cm) Stem (cm) Stem (cm) Height (cm) Stem (cm) Height (cm) Heig | Type Tree Tag No. (cm) X Y Species Short Survey (cm) Epico Apical (cm) Living Stump (cm) Stump | Type Tree (cm) X (cm) Species (cm) Survey (cm) Species (cm) Survey (cm) Epicon (cm) Living (cm) Stump (cm) | Type Tree X Y Species Surv Basal Fair Canop Living Stump Stump | Type Tree X Y Species ival Funit ratio Aprical Canop ratio Living Stump ratio Stump ratio | Type Tree X Y Species Survey Figure Figure Street Figure Cm) Stem Figure Stem Figure Stem Figure Stem Figure Stem Figure Stem Figure Cm) Height Figure Cm) Height Figure Cm) Height Figure Cm) All | Type Tree X Y Species (cm) Survey (cm) Epico (cm) Living Stump (cm) Stump (cm) <t< th=""><th> Type Tree X Y Species Surv Basal Faico Living Stump Stum</th><th> Type Tree X Y Species Surv Passel Fation Canop Height Stump St</th><th> Type Tree X Y Species Yali Basa Timic Apical Canop Height Stump Stu</th><th> Type Tree X Y Species Surv Basal Epico Apica Canop Height Stump Stu</th><th>Type Tree X Y Species Survey Free Forms Fight of Free Forms</th><th> Type Tag No. Cm) Cm) Species Value Surve Surve Stump Stump</th><th> Type /th><th> Type Tree X Y Species Survival Epico Canop Height Canop Figure Canop Canop Figure Canop Canop Figure Canop Canop Figure Canop Figure</th><th> Type Tree X Y Species Ivan Basa Figure Surv Rabe Ivan Stump /th><th> Type Tree X Crm Species Type T</th><th> Type Tree X Type Typ</th><th> Tree X Y Species Surv Basal Truit Aptical Living Stump /th><th>Type Tree X Species Figure (cm) Figure (cm)</th><th>Type Tree X Y Species Surface (m) Living (m) Strain (m) Strain (m) Strain (m) Strain (m) Strain (m) Photos Photos<</th><th> Tree /th><th>Type Tree X Y Species Surv April Living Stump Stump</th></t<> | Type Tree X Y Species Surv Basal Faico Living Stump Stum | Type Tree X Y Species Surv Passel Fation Canop Height Stump St | Type Tree X Y Species Yali Basa Timic Apical Canop Height Stump Stu | Type Tree X Y Species Surv Basal Epico Apica Canop Height Stump Stu | Type Tree X Y Species Survey Free Forms Fight of Free Forms | Type Tag No. Cm) Cm) Species Value Surve Surve Stump Stump | Type Type | Type Tree X Y Species Survival Epico Canop Height Canop Figure Canop Canop Figure Canop Canop Figure Canop Canop Figure Canop Figure | Type Tree X Y Species Ivan Basa Figure Surv Rabe Ivan Stump Stump | Type Tree X Crm Species Type T | Type Tree X Type Typ | Tree X Y Species Surv Basal Truit Aptical Living Stump Stump | Type Tree X Species Figure (cm) Figure (cm) | Type Tree X Y Species Surface (m) Living (m) Strain (m) Strain (m) Strain (m) Strain (m) Strain (m) Photos Photos< | Tree Tree | Type Tree X Y Species Surv April Living Stump Stump |

Page M